2022 POWER TOOLS & ACCESSORIES

STIHL ROLLOMATICE .

STIHL

STIHL

STIHL

00

SUSTAINABILITY AS

Sustainability is not a new idea or term. It originated from the forestry industry in the 18th Century. Even then, the prevailing philosophy was that only as much wood should be cut as can be regrown. Our company has its roots in the forestry industry, where it is wise to think long-term - and above all in cycles. As a family-owned business, we are deeply committed to judiciously using finite resources so they will be available to future generations.

In this sense, we are also continuously improving our processes to further reduce the consumption of raw materials, water and energy. Our ambitious approach: to achieve the mandate of the Paris Climate Agreement much earlier and thus limit global warming to below 36 degrees Fahrenheit. After all, STIHL Headquarters in Germany has been climate-neutral since 2021. All other STIHL production facilities, including the U.S., and numerous sales subsidiaries around the world will follow in 2022.

Sustainable management must be forward-thinking. To this end, we are investing heavily in research and development. Our goal is to support people today and in the future, enabling them to use, care for, and preserve forests and nature responsibly and sustainably. To achieve this goal, innovative, high-quality and durable STIHL tools and services are of central importance.

Your Stihl Family

Selina Stihl Vice Chairperson of the STIHL Advisory Board Dr. Nikolas Stihl Chairman of the STIHL Advisory Board Karen Tebar Vice Chairperson of the STIHL Advisory Board »FOR US, SUSTAINABILITY ALSO MEANS SUPPORTING PEOPLE IN THEIR PROFESSIONAL DEVELOPMENT IN THE LONG TERM.«

Selina Stihl, Vice Chairperson of the STIHL Advisory Board



»TODAY, CUSTOMERS AND THE ENVIRONMENT ARE EQUALLY AT THE HEART OF OUR PRODUCT DEVELOPMENT.«

Dr. Nikolas Stihl, Chairman of the STIHL Advisory Board






»WE TAKE THE GLOBAL CLIMATE GOALS SERIOUSLY - AND WORK HARD TO MAKE STIHL CLIMATE-NEUTRAL WORLDWIDE.«

Karen Tebar, Vice Chairperson of the STIHL Advisory Board









Battery Products	
iMOW [®] Robotic Mowers	
Corded-Electric Products	
STIHL connected	

42 Chain Saws

10

32

36

40

- 68 Saw Chains, Guide Bars & Accessories
- 78 Trimmers & Brushcutters
- 98 Edgers & Bed Redefiner
- 102 Hedge Trimmers
- 116 Garden & Pole Pruners
- 120 Blowers & Shredder Vacs
- 138 Sprayers
- 140 **Vacuums**
- 142 **Pressure Washers**
- 146 Multi-Task Tools
- 154 Lawn Mowers
- 162 Hand Tools
- 168 Augers & Drills
- 170 Cut-Off Machines
- 180 **Protective Apparel & Accessories**

THE STIHL DEALER DIFFERENCE

SEE WHY HOMEOWNERS AND PROS CHOOSE STIHL.

STIHL products are sold through authorized local STIHL Dealers. Why? Because we require that dealers are knowledgeable about the STIHL products they sell. That way, they can help match you with the right tool for your job.

You won't find that at the big box stores - and that's why you won't find STIHL there either.

Visit your local STIHL Dealer for great prices on the most essential outdoor equipment. Order products online with STIHL Express and they'll be ready for you to pick up. With more than 10,000 authorized local STIHL Dealers nationwide, there's one conveniently located near you.







REAL PRIDE.

MADE IN AMERICA[®]. BELIEVING IN AMERICA.

STIHL believes in the productivity of America. When you buy STIHL, you're not just buying quality, dependable tools you're buying American-made tools.°



°A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components.









REAL STIHL. FIND YOURS.

Projects. Tools. Peace of mind. Whatever it is you are looking for as it relates to your outdoor space, STIHL can help you find it. Whether you love beautifying your landscape or you want to get the job done so you can enjoy time with family and friends, STIHL has a wide selection of tools to meet your needs and help you find yours.

DISCOVER WHAT YOU COULD CREATE.

ASI SYSTEM

ENDURING

Powering our versatile lineup of small, handheld tools, this system delivers performance without compromising run time.

1-17



COMFORT & CONVENIENCE

The STIHL AS System of battery-powered tools combines innovative STIHL performance with the precision and convenience of handheld tools, offering a new level of comfort and versatility to homeowners looking to get more from their outdoor space.

PERFORMANCE IN YOUR PALM

The AS 2 battery is designed to provide users with a lightweight power source that provides the comfort they want while also delivering the performance they demand.



AS 2

BATTERY

GTA 26 GARDEN PRUNER The innovative and versatile GTA 26 battery-powered garden pruner features a 4" guide bar to prune small diameter branches and timber.



HSA 26 GARDEN SHEARS

With faster speeds than the previous model, the HSA 26 battery-powered garden shears put an unparalleled level of cutting precision in the palm of your hand.

NEW SEA 20 VACUUM

The SEA 20 battery-powered vacuum and its standard attachments allow cleanup in the tightest spaces.



The STIHL Inc. "Caring for Nature" seal identifies its powered products and oils that are more environmentally conscious. For powered products, the seal signifies that they produce zero- or low-exhaust emissions. STIHL Inc. defines "low-exhaust emissions" as being cleaner than EPA and/or CARB exhaust emission standards. For oils, the seal means that the oils are biodegradable, degrading by 80 percent or more within 21 days.

BATTERY POWER. MADE BY STIHL.

.CON

CONVENIENT

Featuring an integrated battery, this line is ideally suited for quick tasks around smaller yards and condominiums.

0

The BGA 45 provides

homeowners need at

an incredible value.

the power urban

GRAB-AND-GO POWER

Ideally suited for quick tasks around smaller yards and condominiums, the Al Line of battery-powered tools gives users the easy, all-in-one convenience that they prefer when tackling small projects.



STREAMLINE EFFICIENCY

The battery-powered tools that comprise the Al Line feature an integrated battery that plugs right into the wall, allowing users to unplug and get right to work.



BGA 45

BLOWER



STIHL quality at a value powerhead that swivels

HSA 45 HEDGE TRIMMER

The HSA 45 offers high cutting speeds in a compact, ergonomic design.



BATTERY POWER. MADE BY STIHL.



TAKE CHARGE OF YOUR YARD

STIHL

As a homeowner, there is always another landscaping task or project just around the corner. The STIHL AK Homeowner System has a tool for just about everything your outdoor space can throw at you. From mowers and blowers to trimmers and chain saws, take on your yard with relentless power and clean, quiet performance.

BATTERY POWER. MADE BY STIHL.





REAL STIHL. FIND YOURS.



VALUE PACKED

Exceptional power meets exceptional value. This system is ideally suited for frequent use around suburban yards.



LEADING THE CHARGE

The AK Homeowner System is built on the STIHL Smart Battery System, allowing the tool, battery and charger to communicate for optimum performance and unrelenting power from start to finish.



AK 10 BATTERY



AK 20 BATTERY



AK 30 BATTERY

FSA 57 TRIMMER Ideal for suburban yards, the lightweight FSA 57 packages the convenience of battery in a valuepriced set, with a run time of up to 25 minutes with the AK 10 battery or up to 50 minutes with the AK 20 battery.* Now comes standard with AutoCut® C 3-2.



With its lightweight design and exceptional performance, the FSA 60 R is the most powerful trimmer in the AK System.



*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions

The BGA 57 blower delivers powerful STIHL performance combined with great control and comfortable operation.

The MSA 120 C-B is the

go-to chain saw for storm cleanup or limb removal

around the suburban yard.



STIHL

STIHL

HSA 56 HEDGE TRIMMER

The HSA 56 delivers a high cutting speed of 2,800 strokes per minute and a run time up to 50 minutes with the AK 10 battery.*

HLA 56 EXTENDED-REACH HEDGE TRIMMER

The HLA 56 is perfect for tackling occasional trimming and shaping of hard-to-reach hedges and shrubs.

NEW HTA 50 POLE PRUNER

The first pole pruner in the AK System is ideally suited for occasional pruning of hard-toreach areas and use in noisesensitive environments.

MSA 140 C-B Chain Saw

MSA 120 C-B

CHAIN SAW

BGA 57

BIOWER

Most powerful chain saw in the AK System, the MSA 140 C-B delivers excellent performance for up to 45 minutes of run time with the AK 30 battery.* NEW SHA 56 SHREDDER VAC/BLOWER


The first vacuum/shredder in the AK System is a versatile tool that delivers the high performance and dependability of two STIHL products in one.

Product shown in blower mode.

RMA 460 LAWN MOWER

The RMA 460 walk-behind push lawn mower features a 19" deck and 15.85-gallon grass catcher, making it a great option for small yards. RMA 460 V SELF-PROPELLED LAWN MOWER

The RMA 460 V is ideal for small, suburban yards providing users with the ease and convenience of self propulsion.



BATTERY POWER. MADE BY STIHL.

TIH



PRO-LEVEL PERFORMANCE

AP 300 5

e

Professional jobs demand tools that are built to withstand the work, day in and day out. The STIHL AP Professional System of battery-powered tools are designed to not only take on pro tasks, but to get them done with the performance pros expect.

BATTERY POWER. MADE BY STIHL.





REAL STIHL. FIND YOURS.



POWERFUL

Boasting professional-grade power, this system is designed for extensive use on a wide range of properties.



POWER TO THE PROS

The AP Professional System features not only powerful onboard batteries but also backpack batteries for even longer run times.



AP 100 BATTERY



AP 200 BATTERY



AR 2000 L BACKPACK BATTERY



AP 300 BATTERY



AP 300 S BATTERY



AR 3000 L BACKPACK BATTERY



BGA 86 BLOWER

A powerful, yet lightweight blower, the BGA 86 features 50% more blowing force than the previous model (BGA 85).



BGA 100 BLOWER

The BGA 100's variable-speed throttle trigger features three performance settings plus a boost mode to deliver great blowing power and run time.



BGA 200 BLOWER

High performance in a battery package, the BGA 200 is the most powerful handheld blower in the STIHL range.



NEW FSA 86 R TRIMMER

The FSA 86 R trimmer is capable of delivering strong, consistent performance that is perfect for homeowner and professional tasks.

FSA 90 R TRIMMER

A quiet trimmer, the FSA 90 R features the STIHL exclusive ECOSPEED throttle set wheel for variable-speed control, which can extend battery life.

4

FSA 130 R TRIMMER

The FSA 130 R is a powerful trimmer that offers the same durability and cutting attachments as gasoline-powered trimmers.

FSA 135 R TRIMMER

The FSA 135 R trimmer delivers professional performance for a wide range of cutting applications, including trimming, cutting and weed clearing.

FSA 135 TRIMMER

A game changer for professional landscapers, the FSA 135 delivers professional cutting performance with zero exhaust emissions and low noise and is comparable in weight to gas units.




The BGA 200 is made in the United States with domestic and foreign components. FSA 135 units are assembled in the United States. Batteries and chargers sourced internationally.



Tools do not have an onboard-style battery. Instead, they are equipped with a socket that connects a cable to a battery source.

BATTERY POWER. MADE BY STIHL.



HSA 94 R HEDGE TRIMMER

With its professional-grade cutting capabilities ideal for pruning overgrown hedges, the HSA 94 R offers optimal performance and durability.



NEW FCA 135 EDGER

A curved-shaft, battery-powered edger that delivers quiet, professional performance.

NEW FCA 140 EDGER



HSA 94 T HEDGE TRIMMER With its professional-grade cutting capabilities ideal for precision sculpting and shaping, the HSA 94 T offers optimal performance and durability in a battery package.



HSA 66 HEDGE TRIMMER

The HSA 66 runs on the same universal battery as other AP products and features optimized blade geometry and diamondground blades for clean cuts.

NEW HLA 66 EXTENDED-REACH HEDGE TRIMMER

The HLA 66, with its 115° articulating head and 20" cutter bar, delivers professional grade performance with the convenience of battery power.



°HLA 135 units are made in the United States with domestic and foreign components. Remaining units in the 135 battery system are assembled in the United States. Batteries and chargers sourced internationally.

100000000000000



Tools do not have an onboard-style battery. Instead, they are equipped with a socket that connects a cable to a battery source.

NEW HLA 86 TELESCOPIC HEDGE TRIMMER

With the ability to telescope an additional 27.6", the HLA 86 gives pros the benefits of battery power with the performance and proven construction of our professional gas-powered equipment. HLA 135 K (145°) EXTENDED-REACH HEDGE TRIMMER For a combination of versatility and control, the short shaft design of this pro-grade hedge trimmer with its articulating 145° cutting head gives users all they need in a durable design.



HLA 135 K (O°) EXTENDED-REACH HEDGE TRIMMER

When precision matters in hard-to-reach places, pros rely on the control and performance of this professional grade trimmer's O° fixed-angle cutting head and short shaft design. HLA 135 (145°) EXTENDED-REACH HEDGE TRIMMER For a combination of versatility and control, the extended shaft design of this pro-grade hedge trimmer with its articulating 145° cutting head gives users all they need in a durable design.





The KMA 130 R features a commercial-grade brushless motor for optimal performance and durability for a virtually maintenance-free service life.



Maximize your productivity with the versatile KMA 135 R, a KombiMotor that delivers professional performance to rival its gas-powered counterpart.







MSA 161 T Chain Saw The MSA 161 T is lightweight and compact, making it easy to use and maneuver in trees, reducing operator fatigue.

For in-tree professional use only!



MSA 200 C-B CHAIN SAW

The lightweight and quiet MSA 200 C-B delivers the cutting power of gasoline with up to 45 minutes of run time with the AP 300 battery.*



TSA 230 STIHL Cutquik®

Lightweight and easy to start. The world's first batterypowered cut-off machine, great to use outdoors or indoors for cutting brick, tile and metal.



MSA 220 C-B CHAIN SAW WINNER The most powerful rearhandle battery-powered chain saw in the STIHL line, the MSA 220 C-B delivers the speed, cutting capacity and run time to take on just about any cutting task with ease.

STIHL

RMA 510 LAWN MOWER

The RMA 510 walk-behind push lawn mower features a 21" deck, giving homeowners the performance of a gasoline-powered mower.



SEL LAV C The the ben

RMA 510 V SELF-PROPELLED LAWN MOWER

The RMA 510 V provides all the features and benefits of the RMA 510 with the added benefit of self propulsion.

STILL

NEW SGA 85 SPRAYER

The SGA 85 is the first commercial grade batterypowered sprayer in the STIHL line to deliver a large spraying range to treat large areas.

NEW HTA 66 FIXED-LENGTH POLE PRUNER

The HTA 66 gives users a host of performance features with the clean and quiet operation of battery power.

NEW HTA 86 TELESCOPIC POLE PRUNER

With the same telescoping outer shaft as the professional gaspowered HT 135, the HTA 86 pole pruner gives users the benefits of quiet, clean battery power in a durable, proven tool design.

HTA 135 TELESCOPIC POLE PRUNER

The battery-powered HTA 135 telescoping pole pruner is designed for professional use and features a robust design.

BATTERY POWER. MADE BY STIHL.

BATTERY CHARGERS AND ACCESSORIES



AL 1 Charger AS



CHARGER



AL 300 / AL 500 Chargers **AK AP**



AL 301-4 MULTI CHARGER



BATTERY CARRYING CASE*







BATTERY BELT WITH HARNESS



AP BATTERY BAG AVAILABLE WITH CONNECTING CABLE



AP ADAPTER



AR 2000 L / AR 3000 L BATTERY HARNESS



AR 2000 L / AR 3000 L Connecting Cable



AP BATTERY BACKPACK

SELECTING THE BEST AP OR AR BATTERY **ACCESSORIES FOR YOUR NEEDS**

Some AP System battery-powered tools do not have an onboard-style battery. Instead, they are equipped with a socket that connects a cable to a battery source. The combination of accessories you need for this type of battery power supply is based on which battery type you choose - the AP cartridge style or AR backpack style battery. See below for compatible configurations.



¹ Used in conjunction with AP Battery Bag with Connecting Cable (separate accessory - shown above). May also use optional AP Battery Bag for spare battery (separate accessory - not shown). ² Used in conjunction with AP Battery Belt with Harness or AP Battery Backpack (separate accessories - shown above).
 ³ Only compatible with AR 2000 L and AR 3000 L Backpack Batteries. Used in conjunction with AR 2000 L / 3000 L Connecting Cable (separate accessory - shown above).

⁴ Only compatible with AR 2000 L and AR 3000 L Backpack Batteries. Used in conjunction with AR 2000 L / 3000 L Battery Harness (separate accessory - shown above).

BATTERY CHARGE AND RUN TIME INFORMATION

AS SYSTEM BATTERIES



GIA 26	25
HSA 26 w/ Hedge Shear	110
NEW! SEA 20	14

AI LINE BATTERIES

AS 2

Battery Charging Times – Minutes (80%/100% capacity using LK 45 Charger)				
FSA 45	145/210			
HSA 45	145/210			
BGA 45	210/300			
Run Times Per Battery Charge – Minutes ¹				
FSA 45 (STIHL PolyCut [™] 2-2 blades / .65" line)	20/12			
HSA 45	40			
BGA 45	10			



* Reduced tool performance — Not Applicable

Note: Battery/tool combinations providing the best balance, adequate run time and performance are shown in bold.

¹ The battery run time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut. STIHL battery technologies continue to improve. As a result, battery run times may vary

AP 100

depending on specific version used.

		14 100	/ 200	/	/	7.1120002	7.11.0000E	
KMA 130 R / KMA 135 R AND KOMBISYSTEM ATTACHMENTS								
Run Times Per Battery Charge – Minutes (Performance Levels 1–3) ¹								
BF-KM	Mini-Cultivator	16-13	31-25	46-37	57-46	200-160	300-230	
BG-KM	Blower	14-6	26-10	39-15	48-19	170-60	245-90	
FBD-KM	Bed Redefiner	5-5	9-9	14-14	-	60-60	90-90	
FCB-KM	Curved Lawn Edger	12-7	23-12	33-18	41-22	145-75	210-110	
FCS-KM	Straight Lawn Edger	12-7	23-12	33-18	41-22	145-75	210-110	
FS-KM	Line Head Trimmer	16-7	30-14	38-18	47-22	170-81	250-120	
FS-KM	Brushcutter	29-16	60-30	75-40	93-50	325-170	470-240	
FH-KM	145° Power Scythe	62-41	123-81	185-123	229-152	810-540	1,150-790	
HL-KM	O° Hedge Trimmer	62-41	123-81	185-123	229-152	810-540	1,150-790	
HL-KM	145° Hedge Trimmer	62-41	123-81	185-123	229-152	810-540	1,150-790	
НТ-КМ	Pole Pruner	22-10	42-19	63-29	78-36	275-120	320-180	
КВ-КМ	Bristle Brush	16-13	31-25	46-37	57-46	200-160	300-230	
KW-KM	STIHL PowerSweep™	16-13	31-25	46-37	57-46	200-160	300-230	
RG-KM*	Reciprocator	28	57	70	85	300	450	

*Level 3

Note: The battery run times per charge are estimates and may vary depending on usage and application.



AK 10 Battery AK 20 Battery AK 30 Battery

					Arrest	3704 A
	STINE	STIHL S				1.
	AP 100	AP 200	AP 300	AP 300 S	AR 2000 L	AR 3000 L
AP AND AR BATTERIES						
Battery Charging Times – Minutes (80%/100% capa	icity)					
AL 101 CHARGER	75/100	150/200	190/250	230/300	-	-
AL 300 CHARGER	30/45	40/50	45/65	55/70	210/270	310/400
NEW! AL 301-4 CHARGER	30/45	40/50	45/65	55/70	210/270	310/400
AL 500 CHARGER	30/45	30/45	25/35	30/45	110/150	170/220
Run Times Per Battery Charge – Minutes ¹						
MSA 160 C-B	18	42	50	62	196	300
MSA 161 T**	18*	42	50	62	196	300
MSA 200 C-B	18	42*	45	56	174	261
MSA 220 C-B	-	-	35*	37	201*	281*
NEW! HTA 66	18	42	55	68	195	300
NEW! HTA 86	18	42	55	68	195	300
HTA 135	10*	22*	35	45	160	240
KMA 130 R (FS-KM line) ²	16-7*	30-14*	38-18	47-22	170-81	250-120
KMA 135 R (FS-KM line) ²	16-7*	30-14*	38-18	47-22	170-81	250-120
NEW! FSA 86 R	15	30	36	45	185	280
FSA 90 R (line head)	12	24	30	37	130	196
FSA 130 R (line head) ²	19-10	30-18	40-20	50-25	160-105	240-160
FSA 135 (line head) ²	14-10*	28-17*	36-19	45-25	160-90	220-130
FSA 135 R (line head) ²	14-10*	28-17*	36-19	45-25	160-90	220-130
NEW! FCA 135	14*	28*	35	45	165	250
NEW! FCA 140	14*	28*	35	45	165	250
HSA 66	72	144	180	223	717	1,043
HSA 94 R ²	54-42	108-84	135-105	167-130	550-480	900-740
HSA 94 T ²	54-42	108-84	135-105	167-130	550-480	900-740
NEW! HLA 66	70	145	180	220	715	1,040
NEW! HLA 86	70	145	180	220	715	1,040
HLA 135 (145°)	32*	64	77	95	345	520
HLA 135 K (145°)	32*	64	77	95	345	520
HLA 135 K (0°)	32*	64	77	95	345	520
BGA 86	11*	17	21	26	90	140
BGA 100 ³	32-8*	66-12*	83-16	103-20	320-65	510-95
BGA 200 ³	24-6*	49-7*	78-12	95-14	315-53	500-85
NEW! SGA 85	510	1,000	-	-	-	-
TSA 230	7*	14*	18	22	-	-
Working Range Per Battery Charge – Sq. Ft. ¹						
RMA 510	-	-	5,100	-	-	-
RMA 510 V	-	–	2,562	3,078	–	–

* Reduced tool performance — Not Applicable
 Note: Battery/tool combinations providing the best balance, adequate run time and performance are shown in bold.
 ¹ The battery run time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.
 ² Level 1 – Level 3
 ³ Level 1 – Boost
 **WARNING: If using an AR System battery or AP System battery in a battery bag with connecting cord, always use a lift bucket for in-tree surgery and maintenance. Do NOT climb in the tree.



LOOK AT WATT HOURS, NOT VOLTS.





WORK CAPACITY RUN TIME

HOW MUCH CAN YOUR BATTERY DO?



VOLTS ONLY TELL HALF THE STORY

STIHL lithium-ion batteries feature advanced construction and innovative engineering to maximize run times (watt hours). Simply put, more watt hours mean longer run times, allowing you to finish more work on a single charge.



*Stored energy. Usable energy will be less.

REAL STIHL. FIND YOURS.

ROBOTIC MOWERS BY STIHL.

Finally, the automation you've been waiting for.

With the STIHL iMOW[®], enjoy your lawn without doing any of the work! This smart mower with high-performance STIHL battery technology will quietly and efficiently mow your lawn for you and has automated and customizable features, such as intelligent hood sensor, flexible programming, automatic charging, and more.

iMDW[®]





EVERYTHING YOU NEED TO MANAGE YOUR IMOW[®].

Compatible with Apple and Android devices, the STIHL iMOW[®] App puts complete control of robotic mowing at your fingertips.



Track from Anywhere*

The app allows users to easily track the location of their iMOW® robotic mower, which is especially beneficial for pros with multiple units.



Ø.

Time is Everything

Whether it is setting flexible "Active Times" for your iMOW® or making adjustments on the fly, the STIHL iMOW® App makes mowing fit your schedule.

Manage Multiple Units

Another great benefit for professional users, the app is capable of true fleet management as it allows for an unlimited number of units.

*Location tracking not available when unit is in standby mode.







RMI 422 PC-L FOR SMALL LAWNS UP TO .42 ACRE.

Perfect for small lawns, around pools and even yards with hilly terrain, this fast, maneuverable RMI 422 series covers every last corner of your lawn. Its compact dimensions are well suited to easily navigate your yard.



RMI 632 PC-L

FOR LARGE YARDS UP TO 1.24 ACRES.

With a more powerful battery, the RMI 632 series handles larger lawns with ease. Mows up to 150 minutes on a single charge and includes a removable control panel for easy access and programming without bending down to reach the controls.



The STIHL iMOW[®] App puts complete control of robotic mowing at your fingertips.

EASY APP MANAGEMENT

ADDITIONAL iMOW® ADVANTAGES















MORE INTELLIGENCE – A MOWER THAT THINKS

iMOW[®] has a mowing plan tailored to your yard. It's fast and easy to use for a great looking lawn.

MOWS EVENLY ACROSS ALL AREAS

iMOW[®] can be programmed to mow a variety of yard layouts (like a front or back yard).

A BEAUTIFUL LAWN IN EVERY WAY

iMOW[®] has an edge mowing option to get a clean cut along the edges of your mowing area.

MAXIMUM FLEXIBILITY DURING CHARGING AND MOWING

To cover a large area in a short time, iMOW[®] can recharge faster and adjust its speed to suit the mowing conditions.

QUIET

iMOW[®] mows so quietly, your neighbors will hardly notice it's there. Plus, iMOW[®] emits no exhaust emissions while working.

ALLERGY RELIEF

iMOW[®] doesn't kick up dust and dirt like a traditional mower, providing relief for people with allergies.

iMOW [®] Working Ranges (Area and Time)	MAX AREA	WEEKLY MOWING TIME
RMI 422 PC-L 🔐	.42 acre	28 hours
RMI 632 PC-L	1.24 acres	50 hours

2001 - 196

Note: Specifications are under ideal conditions, based on the specific maximum lawn area.

CORDED-ELECTRIC PRODUCTS



MSE 141 CHAIN SAW See pg. 46

STIHL corded-electric products combine performance and convenience - all in an environmentally conscious package.

Both homeowners and professionals appreciate their smooth, quiet operation, instant starting and lightweight design.



MSE 170 C-B CHAIN SAW





MSE 210 C-B CHAIN SAW



MSE 250 CHAIN SAW

The FSE 60 is assembled in the United States.







The STIHL Inc. "Caring for Nature" seal identifies its powered products and oils that are more environmentally conscious. For powered products, the seal signifies that they produce zero- or low-exhaust emissions. STIHL Inc. defines "low-exhaust emissions" as being cleaner than EPA and/or CARB exhaust emission standards. For oils, the seal means that the oils are biodegradable, degrading by 80 percent or more within 21 days.











BGE 71 BLOWER






E 62

"...the power is great, and the accessories are well made. Overall, it is very reliable and highly recommended!"

 $\star \star \star \star \star \star$ - MountainManAlex

Check out this review and others on the product pages at **STIHLusa.com.**



GET TO KNOW YOUR TOOLS LIKE NEVER BEFORE.

STIHL CONNECTED

WHAT IT IS:

Technology that connects customers with their STIHL products using a Bluetooth® device and an extensive online portal.

HOW IT WORKS:

The Smart Connector attaches to your tools and records operational details that are sent to your smartphone or tablet via Bluetooth[®].

HOW YOU'LL BENEFIT:

Through the STIHL connected app, professionals, fleet managers and consumers will have access to current tool usage data that will allow for planned maintenance schedules and make more efficient use of the tools in your fleet.

WHO CAN USE IT:

Professionals, fleet users, consumers, and dealers will all find benefits while using STIHL connected.



THE THREE CENTRAL SYSTEM COMPONENTS



The Smart Connector

The Smart Connector is easy to attach to your tool. It records the periods of operation and sends that information to your smartphone or tablet via Bluetooth[®].



The STIHL connected App

The free STIHL connected App provides a user-friendly summary of all the useful information about your tools. You can use the app to access your STIHL connected data.



STIHL Smart Connectors can be purchased individually or in a pack of ten.

STIHL connected Portal

The web-based STIHL connected Portal offers an overview of your entire fleet. It can show you where a product was most recently in use while at the same time providing a maintenance schedule to ensure optimal tool performance.

STIHL SMART CONNECTOR



SMART CONNECTOR 2 A



STIHL connected HUB



STIHL connected MOBILE HUB 111 111

STIHL

Find more information at: STIHLUSA.COM/STIHLCONNECT

215

AR 3000

STIHL

C



HIGH-QUALITY SAW CHAIN

Featuring specially engineered grooves, STIHL OILOMATIC[®] saw chain is designed to channel oil to critical wear areas, extending the life of the chain.

STIHL Quickstop® CHAIN BRAKE SYSTEM

The chain brake system is designed to stop the chain in a fraction of a second. It can be activated manually or automatically by inertia if kickback force is sufficient.

STIHL ROLLOMATICE

HIGH-QUALITY GUIDE BARS

All STIHL guide bars feature induction heat-treated edges, allowing for high wear resistance that leads to a more durable bar.

QUICK CHAIN ADJUSTER (B)

Available on select models, this toolless chain adjuster makes it fast and simple for users to perform necessary chain adjustments.

BUMPER SPIKES

Designed to help prevent pull-in and provide better control, STIHL saws feature bumper spikes that help make cutting easier.

REAL STIHL. FIND YOURS.

STIHL PayMark.

PERSONAL PROTECTIVE

From helmet systems and hearing protection to chaps, gloves and more, STIHL has the gear you need to help keep you protected.

and the books

HIGH-TECH POLYMER HOUSING

Lightweight, built to withstand impact and corrosion resistant, the construction of our chain saw housing is a testament to STIHL durability.





ANTI-VIBRATION SYSTEM

STIHL MS 250

> Jobs that require a chain saw can be demanding on the body, which is why we incorporate an anti-vibration system on most gas-powered chain saws to help reduce operator fatigue.

TRANSLUCENT FUEL TANK


Easily check fuel levels on gas models with the translucent fuel tank.

TAKE ON TOUGH

Whether you're a homeowner who needs a chain saw to take on jobs around the house or a pro who demands the most from their equipment, it only makes sense to turn to the company who built their reputation revolutionizing them. With a range of features across a wide selection of saws available in gas, battery and electric power, it's easy to find the right tool for you.














FIND THE RIGHT TOOL FOR THE JOB

FALLEN LIMBS, PRUNING & LIGHTER CUTTING



MSA 120 C-B

The AK System MSA 120 C-B is the go-to chain saw for storm cleanup or limb removal around the suburban yard.


If you're looking to choose a chain saw for work around your home, STIHL has you covered.

Legendary performance in an easy-to-use package, and built for all your fallen limbs, pruning and lighter cutting tasks.




MSA 140 C-B

AK 🍪









The MSE 141 is our lightest, most affordable corded-electric chain saw with excellent cutting performance for occasional users.



MS 170

Compact, lightweight and with just the right amount of power, the MS 170 is ideal for trimming or cutting small trees, fallen limbs and other tasks around the yard.

*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.



MSE 170 C-B

The durable MSE 170 C-B features a coast-down brake and delivers all the power needed for tasks around the yard.



MS 171

The lightweight and fuel-efficient MS 171 features reducedemission engine technology, perfect for homeowners seeking a chain saw for pruning and lighter cutting.



MS 180

The light-duty MS 180 provides consistent performance in the field, making quick work of trimming branches and cutting small trees.



MS 180 C-BE

"Absolutely easy to start. Cuts excellent. Wonderful product."

\star \star \star \star \star - Mollie

Check out this review and others on the product pages at **STIHLusa.com**.



MS 180 C-BE

STIHL

The MS 180 C-BE features the same power and performance as the MS 180 along with the STIHL Easy2Start[™] system for almost effortless starting.



MS 181 C-BE

The lightweight and easy-to-use MS 181 C-BE features the STIHL Easy2Start[™] system for almost effortless starting, great for woodcutting chores around the home.

°A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. For full specification information for all STIHL chain saws, please refer to page 64.

Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 72.



STORM CLEANUP & FIREWOOD CUTTING

MS 151 C-E

Designed for homeowner use, and weighing only 6.1 lbs., the MS 151 C-E boasts an excellent power-to-weight ratio in a compact design.

No matter where there's work to be done, the proven dependability of a STIHL is on the job.

We offer a variety of high-performance chain saws engineered for service, day in and day out.



MSA 160 C-B



Powered by a STIHL Lithium-Ion battery, the MSA 160 C-B workhorse starts instantly, delivering 36 volts of power from its commercial-grade, high-torque brushless motor.





MS 194 C-E

The MS 194 C-E features a powerful STIHL engine in a lightweight package, providing the power to get the job done with minimal user fatigue.



TIP

WINTER STORAGE

STIHL recommends storing your gasoline-powered chain saws with STIHL MotoMix® Premixed Fuel, a stable, ethanol-free, high-performance fuel that's ideal for occasional use over the long winter months. Also never leave your tools outside and exposed to the weather, especially in the winter.

*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.





MSA 200 C-B

AP

Part of the AP System, the lightweight and quiet MSA 200 C-B delivers the cutting power of gasoline with up to 45 minutes of run time with the AP 300 battery.*



MSE 210 C-B

The high-performance MSE 210 C-B corded-electric chain saw delivers the power needed for projects, such as woodworking and firewood cutting, without fuel costs and engine maintenance.



MS 201 C-EM

The MS 201 C-EM delivers power and smart technology with the STIHL M-Tronic[™] intelligent engine management system and STIHL Easy2Start[™] system for almost effortless starting.

Ь


MSE 210 C-B

"I have been amazed at its power, cutting speed, lightweight, maneuverability, and durability."

 \star \star \star \star \star - Daggoo42

Check out this review and others on the product pages at $\ensuremath{\textbf{STIHLusa.com}}$

²A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. For full specification information for all STIHL chain saws, please refer to page 64. **Note:** STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 72.







The MS 211 uses advanced technology in the form of a powerful reducedemission, fuel-efficient engine and reduces engine maintenance with a professionally inspired pre-separation air filtration system.






The MS 211 C-BE takes all the reduced-emission and air filtration technology of the MS 211 and adds the STIHL Easy2Start[™] system for fast and easy starts and our toolless Quick Chain Adjuster.



The most powerful rear-handle batterypowered chain saw in the STIHL line, the MSA 220 C-B delivers the speed, cutting capacity and run time to take on just about any cutting task with ease.





MS 250

A longstanding customer favorite, the MS 250 features an exceptional power-to-weight ratio to cut through small limbs and trees and tackle clearing or cleanup tasks.



The MS 251 WOOD BOSS® is designed to deliver all the power with a comfortable and ergonomic design, perfect for felling small trees, pruning and thinning, and cutting firewood simply and efficiently.



MS 251 C-BE

The MS 251 C-BE features all the comfort and ease of the MS 251, plus the STIHL Easy2Start[™] system, perfect for felling small trees, pruning and thinning, and cutting firewood.

A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. For full specification information for all STIHL chain saws, please refer to page 64. **Note:** STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 72.



LIGHT UP THE NIGHT

There's no better end to a hard day's work than relaxing by the fire pit at night. STIHL has the tools to help you get there.

REAL STIHL. FIND YOURS.





LARGER WOODCUTTING **JOBS & FIREWOOD BUSINESS**

STIHL

MSE 250

The MSE 250 offers professional-grade cutting power ideal for experienced professionals including builders and contractors - because it's strong enough to handle tough cutting jobs and firewood cutting.

When it comes to logging, land clearing, tree service, and big firewood-cutting jobs, professionals trust the unique features that make STIHL the number one selling brand of gasoline-powered handheld outdoor power equipment in America.*



MS 261

Designed for large-volume cutting, the MS 261 offers an optimized power-to-weight ratio, low emissions, high fuel efficiency, and professional-grade performance.





MS 261 C-M

The MS 261 C-M has all the same great features as the MS 261 - low exhaust emissions, high fuel efficiency and robust performance - but also features STIHL M-Tronic[™] intelligent engine management technology.



MS 271 FARM BOSS® To Farm

USA

A true powerhouse, the MS 271 FARM BOSS® takes charge when it comes time for felling, cutting firewood or storm cleanup, tackling cutting jobs with a fuel-efficient engine.

"Number one selling brand" is based on syndicated Irwin Broh Research as well as independent consumer research of 2009-2020 U.S. sales and market share data for the gasoline-powered handheld outdoor power equipment category combined sales to consumers and commercial landscapers.





MS 291

The high-performance, fuel-efficient MS 291 chain saw features an advanced anti-vibration system to reduce operator fatigue – great for felling, firewood cutting and storm cleanup.



MS 311

The MS 311 is a high-tech workhorse with a step up in horsepower and features over the MS 291, including improved engine technology and fuel economy for longer run time.



MS 362

The MS 362 is a no-fuss, hardworking chain saw that mixes great power with fuel efficiency, ideal for any professional tree or forestry personnel.

MS 362 R wrap-handle version available.



MS 362 C-M

The MS 362 C-M features the same great power, weight and fuel efficiency as the MS 362, but also features the exclusive STIHL M-Tronic™ intelligent engine management technology.

MS 362 R C-M wrap-handle version available.



MS 391

Featuring engine technology that provides great fuel efficiency while reducing emissions, the MS 391 is more powerful than the MS 311 and is cut out for the big jobs in the field, farm and ranch.



MS 462

Lightweight, professional chain saw featuring a flush-cut handle design and a standard adjustable carburetor.

MS 462 R wrap-handle version available. MS 462 shown with optional lightweight guide bar.



MS 400 C-M

The new STIHL MS 400 C-M is the world's first chain saw with a piston made of magnesium, which gives users added power and performance without the added weight in a modern design.


MS 400 C-M shown with optional lightweight guide bar.



MS 462 C-M

The MS 462 C-M is a lightweight, powerful chain saw fit for any forest, offering performance at the highest capacity with STIHL M-Tronic[™] engine management technology.

MS 462 R C-M wrap-handle version available.





MS 500i

The first chain saw in the world with electronically controlled fuel injection technology. The MS 500i provides unmatched power and performance.

MS 500i R wrap-handle version available. MS 500i shown with optional lightweight guide bar.



MS 661 MAGNUM®

Designed for professionals, the MS 661 MAGNUM® chain saw makes taking down trees a breeze by delivering power, operator comfort, rugged dependability, and reliable performance.

MS 661 R MAGNUM® wrap-handle version available. MS 661 shown with optional lightweight guide bar.



MS 661 C-M MAGNUM®



When professionals need to fell large trees in large quantities, they reach for the MS 661 C-M, which features an impressive power-to-weight ratio and STIHL M-Tronic[™] engine management technology.

MS 661 R C-M wrap-handle version available. MS 661 C-M shown with optional lightweight guide bar.



MS 881 MAGNUM®

For professionals who demand the utmost performance for the toughest jobs, there is no substitute for the most powerful production chain saw currently on the market.

MS 881 R MAGNUM[®] wrap-handle version available.



STILL

e

A A

R

58



NEW! MS 400 C-M

LIGHTWEIGHT PACKAGE. LEGENDARY PERFORMANCE.

The world's first professional chain saw with a lightweight magnesium piston.

INTELLIGENT ENGINE MANAGEMENT

The STIHL M-Tronic[™] intelligent engine management system allows for peak engine performance and on-demand calibration.

MAGNESIUM PISTON

By using an advanced magnesium piston instead of an aluminum piston, the MS 400 C-M delivers greater displacement and power without adding weight.



LIGHTWEIGHT CONSTRUCTION

This saw delivers professional performance, operator comfort and jobsite productivity in one powerful yet lightweight package.

SEE THE MS 400 C-M IN ACTION!

SCAN WITH SMART PHONE »



shown with optional lightweight guide bar

PROFESSIONAL ARBORISTS

Made for professionals, by professionals. STIHL professional in-tree chain saws are compact, maneuverable and feature a top handle.









AP

The MS 151 T C-E is lightweight, compact and designed for maximum maneuverability for in-tree cutting.

For in-tree professional use only!



MSA 161 T

Powered by a STIHL lithium-ion battery, the MSA 161 T is lightweight and compact, making it easy to use and maneuver in trees, reducing operator fatigue.

For in-tree professional use only!





MS 194 T

A compact powerhouse packed with high-performance features, the MS 194 T is designed for professional in-tree use.

For in-tree professional use only!



۵

The MS 201 T C-M is the ultimate chain saw designed for professional arborists for in-tree use and the first top-handle saw equipped with STIHL M-Tronic[™] technology.

For in-tree professional use only!

MS 201 T C-M



MS 201 T C-M

"If you want a saw that is well balanced and will work all day long, then this is the saw for you."

 $\star \star \star \star \star$ - Russell007

Check out this review and others on the product pages at **STIHLusa.com**.

A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. For full specification information for all STIHL chain saws, please refer to page 66. Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 72.

SPECIALTY RESCUE CHAIN SAW



MS 462 R C-M RESCUE

For fire/rescue service only

The ultimate rescue saw designed exclusively for emergency personnel. The MS 462 R C-M RESCUE features the remarkable OILOMATIC® STIHL RAPID™ Duro Rescue Chain (RDR) capable of cutting through glass, sheet metal, roofing, and wood.

Shown with optional depth limiter.







	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Powerhead Weight (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Guide Bar Lengths (in.) - Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type
FALLEN LIMBS, PRUNI		TER CUT	TING							
MSA 120 C-B	AK.	-	-	36	6.0	-	3.7	10 - 12	1/4" P	PM3
MSA 140 C-B	AK	-	-	36	6.0	-	3.7	12	1/4" P	PM3
MSE 141	-	-	-	120	6.38	-	7.27	12	3/8" P	PM3
MS 170		30.1/1.8	1.3/1.7	-	8.6	8.5	4.9	12 - 16	3/8" P	РММЗ
MSE 170 C-B	-	-	-	120	8.4	-	6.8	12 - 16	3/8" P	PM3
MS 171		31.8/1.9	1.3/1.7	-	9.1	9.5	9.0	12 - 16	3/8" P	РММЗ
MS 180		31.8/1.9	1.5/2.0	-	8.6	8.5	4.9	12 - 16	3/8" P	РММЗ
MS 180 C-BE		31.8/1.9	1.5/2.0	-	9.3	8.5	4.9	12 - 16	3/8" P	РММЗ
MS 181 C-BE		31.8/1.9	1.5/2.0	-	10.1	9.1	9.0	12 - 16	3/8" P	РММЗ
STORM CLEANUP, FIRE	1	UTTING								
MS 151 C-E		23.6/1.44	1.1/1.5	-	6.2	6.76	5.07	10 - 12	1/4" P	PM3
MSA 160 C-B	AP	-	-	36	6.0	-	7.1	10 - 12	1/4" P	PM3
MS 194 C-E		31.8/1.9	1.4/1.9	-	7.7	9.1	7.4	12 - 16	3/8" P	PM3
MSA 200 C-B	AP.	-	-	36	6.4	-	7.1	10 - 14	1/4" P	PM3
MS 201 C-EM		35.2/2.15	1.8/2.41	-	9.0	10.5	7.4	12 - 16	3/8" P	PS3
MSE 210 C-B	-	-	_	120	9.4	-	6.8	12 - 16	3/8" P	PM3
MS 211		35.2/2.15	1.7/2.3	-	9.5	9.1	9.0	18	3/8" P	PM3
MS 211 C-BE		35.2/2.15	1.7/2.3	-	10.1	9.1	9.0	18	3/8" P	PM3
MSA 220 C-B	AP	-	_	36	6.4	_	7.1	14 - 16	3/8" P	PS3
MS 250		45.4/2.77	2.2/3.0	-	10.1	15.9	6.8	18	.325"	RM3
MS 251 WOOD BOSS®		45.6/2.78	2.2/3.0	-	11.0	13.2	6.7	18	.325"	RM3
MS 251 C-BE	`	45.6/2.78	2.2/3.0	_	11.5	13.2	6.7	18	.325"	RM3

● Standard ○ Optional – Not Applicable

*Dry weight and powerhead only.

**The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



Cido Access	orde-Access Chain Tensioner	Quick Chain Adjuster (B)	STIHL Quickstop® Plus - an additional chain braking feature	STIHL M-Tronic [™] (M)	STIHL Easy2Start™ (E)	Wrap Handle	Master Control Lever [™]	Throttle Trigger Lockout	Pre-Separation Air Filtration System	Anti-Vibration System	Toolless Fuel and/or Oil Cap with Retainers	Caring for Nature	Made in America
	-	•	•	-	-	-	-	•	-	-	٠		-
	-	•	•	-	-	-	-	•	-	-	•		-
	•	-	•	-	-	-	-	•	-	-	-		-
	-	0	-	-	-	-	•	•	-	•	-	-	
	-	•	•	-	-	-	-	٠	-	-	•		-
	•	0	-	-	-	-	•	•	-	•	•	-	
	0	0	-	-	-	-	•	٠	-	•	-	-	
	-	•	-	-	•	_	•	٠	-	•	-	_	
	-	•	-	-	•	-	•	•	•	•	•	-	
	•	-	-	-	•	-	-	٠	-	•	•	-	-
	-	•	•	-	-	-	-	•	-	-	•		-
	•	-	-	-	•	-	-	•	-	•	•	-	
	-	•	•	-	-	_	-	٠	-	-	•	۵	_
	•	-	-	•	•	_	•	٠	-	•	•	۵	-
	-	•	•	-	-	-	-	•	-	-	•	۵	-
	•	0	-	-	-	-	•	•	•	•	•	-	
	-	•	-	-	•	-	•	٠	•	•	•	-	
	-	٠	•	-	-	-	-	٠	-	-	-		-
	•	0	-	-	-	-	•	٠	-	•	٠	-	
	•	-	-	-	-	-	•	•	•	•	٠	۵	
	-	٠	-	-	•	-	٠	٠	•	•	٠		



	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Powerhead Weight (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Guide Bar Lengths (in.) - Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type
LARGER WOODCUTTIN									- 1- 1	
MSE 250	-	-	-	120	9.4	-	6.8	16 - 20	3/8"	RS3 or RM3
MS 261		50.2/3.06	3.0/4.0	-	10.8	16.9	9.13	16 - 20	.325"	RM3
MS 261 C-M		50.2/3.06	3.0/4.0	-	10.8	16.9	9.13	16 - 20	.325"	RM3
MS 271 FARM BOSS®		50.2/3.06	2.6/3.49	-	12.3	16.9	8.12	16 - 20	.325"	RM3
MS 291 MS 311		55.5/3.39 59.0/3.6	2.8/3.76	-	12.3	16.9	8.12	16 - 20	.325"	RM3
MS 362		59.0/3.6	3.1/4.2 3.4/4.6	-	13.67	20.3 20.3	11.8	16 - 20 16 - 25	3/8"	RS3 RS3
MS 362 C-M		59.0/3.6	3.5/4.69	_	12.35	20.3	11.0	16 - 25	3/8"	RS3
MS 362 R C-M ¹		59.0/3.6	3.5/4.69	_	13.2	20.3	11.0	16 - 25	3/8"	RS3
MS 391		64.1/3.9	3.3/4.4	_	13.67	20.3	11.8	16 - 20	3/8"	RS3
NEW! MS 400 C-M		66.8/4.1	4.0/5.4	_	12.8	20.3	11.0	16 - 25	3/8"	RS3
PROFESSIONAL ARBOI				VICES					.,	
MS 151 T C-E ²		23.6/1.44	1.0/1.3	-	5.7	6.76	5.07	10 - 12	1/4" P	PM3
MSA 161 T ²	AP	-	-	36	4.6	-	3.6	12	1/4" P	PM3
MS 194 T ²	1	31.8/1.94	1.4/1.88	-	7.28	9.1	7.4	12 - 16	3/8" P	PM3
MS 201 T C-M ²		35.2/2.15	1.8/2.41	-	8.16	10.5	7.4	12 - 16	3/8" P	PS3
NEW! MS 462	`	76.5/4.7	4.4/5.9	-	14.6	27.1	11.0	16 - 36	3/8"	RS3
NEW! MS 462 R¹		76.5/4.7	4.4/5.9	-	15.7	27.1	11.0	16 - 36	3/8"	RS3
MS 462 C-M		72.2/4.41	4.4/5.9	-	13.2	24.3	11.5	16 - 36	3/8"	RS3
MS 462 R C-M ¹		72.2/4.41	4.4/5.9	-	13.9	24.3	11.5	16 - 36	3/8"	RS3
MS 462 R C-M ¹ "RESCUE"		72.2/4.41	4.4/5.9	-	14.3	24.3	11.5	20	3/8"	RDR
MS 500i		79.2/4.83	5.0/6.7	-	13.9	26.5	11.0	16 - 36	3/8"	RS3
MS 500i R ¹	۵	79.2/4.83	5.0/6.7	-	14.8	26.5	11.0	16 - 36	3/8"	RS3
MS 661 MAGNUM®		91.1/5.56	5.4/7.2	-	16.5	28.7	13.5	16 - 36	3/8"	RS3
MS 661 R ¹ Magnum®		91.1/5.56	5.4/7.2	-	16.8	28.7	13.5	16 - 36	3/8"	RS3
MS 661 C-M MAGNUM®		91.1/5.56	5.4/7.2	-	16.5	28.7	13.5	16 - 36	3/8"	RS3
MS 661 R C-M ¹ MAGNUM®		91.1/5.56	5.4/7.2	-	16.8	28.7	13.5	16 - 36	3/8"	RS3
NEW! MS 881 MAGNUM®		121.66/7.42	6.4/8.6	-	21.8	44	23.7	21 - 41	3/8"	RS3
		121.66/7.42								

● Standard ○ Optional – Not Applicable

*Dry weight and powerhead only. **The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

¹ Wrap-handle version. ² For in-tree professional use only!

Side-Access Chain Tensioner	Quick Chain Adjuster (B)	STIHL Quickstop® Plus - an additional chain braking feature	STIHL M-Tronic™ (M)	STIHL Easy2Start ^{IN} (E)	Wrap Handle	Master Control Lever [™]	Throttle Trigger Lockout	Pre-Separation Air Filtration System	Anti-Vibration System	Toolless Fuel and/or Oil Cap with Retainers	Caring for Nature	Made in America
•	-	•	-	-	-	-	•	-	-	•		-
•	-	-	-	-	-	•	•	•	•	•		-
•	-	-	•	-	-	•	•	•	•	•		-
•	-	-	-	-	-	•	•	•	•	•	-	
•	-	-	-	-	-	•	•	•	•	•	-	
•	-	-	-	-	-	•	•	•	•	•	-	-
•	-	-	-	-	0	•	•	•	•	•		-
•	-	-	•	-	0	•	•	•	•	•		-
•	-	-	•	-	•	•	•	•	•	•		-
•	-	-	-	-	-	•	•			•		-
•	-	-	•	_	-	•	•	•	•	•		-
•				•		•	•		•	•		
•	-	-	-		-		•	_		•	-	-
•	-		-	-	-	-		-	-			-
•	-	-	-	_								(<u> </u>
•					-	•	•	-	•	•	-	
•	-	-	٠	-	-	•	•	-	•	•		-
•	-	-	-	-	-	•	•	•	•	•	-	-
•	-	-	-	-	- 0	•	•	•	•	•	- -	-
٠	-	-	-	-	- 0 •	•	• • •	•	• • •	•	- - -	
•		- - -	-	- - -	- 0 • 0	• • • • •	•	•	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	- - -	-
•	-	-	-	-	- 0 0	• • •	• • • • • •	•	• • • • • • • • • • • • • • • • • • • •	•	- - -	-
• • •		- - -	-		- 0 0 0	• • • • • • • • • • • • • • • • • • • •	• • • • • •	•	• • • • •	• • • • • • • • • • • • • • • • • • • •	- - - - - - - -	-
•		- - -	-	- - -	- 0 0 0 0	• • • • • • • • • • • • • • • • • • • •	• • • • • •	•	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		-
• • • • • • •	- - - - - - - -	- - - - - -	-	-	- 0 0 0 0	• • • • • • • • • • • • • • • • • • • •	• • • • • •	•	• • • • • •	• • • • • • • • • • • • • • • • • • • •		-
• • • •		- - -	-		- 0 0 0 0	• • • • • •			• • • • • • • • • •	• • • • • •		-
• • • • • •	- - - - - - - -	- - - - - -	-	-	- 0 0 0 0 0	• • • • • • •			• • • • • • • • • • • •	• • • • • • •		-
• • • • • •			-			• • • • • • •			• • • • • • • • • • • • • • • • • • •			-
• • • • • • • •			-			• • • • • • • • • • • • •						-

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.








OILOMATIC[®] STIHL PICCO[™] Micro[™] MINI 3 (PMM3)

The PMM3 is a unique saw chain with low vibration, designed for corded-electric, battery- and gasoline-powered chain saws or pole pruners with less than 1.5 kW (2.0 bhp) of power output.



OILOMATIC[®] STIHL PICCO[™] Micro[™] 3 (PM3)


The PM3 chain replaces the 3/8" PM1. It cuts faster and smoother and has a lower kickback tendency than the 3/8" PM1.





OILOMATIC[®] STIHL PICCO[™] Micro[™] (PM)

The PM is a low vibration version of the original STIHL PM saw chain. This chain retains all of the performance of the previous PM, with the added benefit of lower vibration levels for less operator fatigue.





OILOMATIC® STIHL PICCO SUPER (PS)

The PS has improved cutting and boring efficiency plus reduced vibration as compared to the PM saw chain.





OILOMATIC[®] STIHL PICCO[™] SUPER 3 (PS3)

The PS3 is a low-kickback and low-vibration saw chain with improved cutting and boring efficiency, less feed force and 15% longer cutting life as compared to the PM3.






OILOMATIC[®] STIHL RAPID[™] Micro[™] (RM)

The RM is a low-vibration saw chain, which helps reduce operator fatigue due to the lower vibration levels.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™	
0.050"	3660	3693	3650			
0.058"		3685	3651			- 0
0.063"		3686	3652	3668		

WARNING: See information below.

This symbol indicates that the chain is a low-kickback chain. STIHL recommends the use of a green-labeled, low-kickback chain. For more information on saw chain selection and identification, please see chart on page 72.








OILOMATIC[®] STIHL RAPID[™] Micro[™] 3 (RM3)


The RM3 is the reduced-kickback tendency version of the RM. It retains similar performance features of the RM saw chain.





OILOMATIC[®] STIHL RAPID[™] Micro[™] FULL SKIP (RMF)


The RMF is the skip pattern version of the RM. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.





OILOMATIC[®] STIHL RAPID[™] Micro[™] RIPPING CHAIN (RMX)


RMX ripping saw chain is primarily for professional use in conjunction with small sawmills. This semi-chisel toothed saw chain is characterized by a low vibration level, high performance, smoother work surface after the cut, and 10-degree filing angle.





OILOMATIC[®] STIHL RAPID[™] HEXA CHAIN (RH)

STIHL RAPID[™] HEXA (RH) saw chain features a brand new highperformance full-chisel cutter design that cuts up to 10% faster, stays sharper for longer, and is easier and faster to sharpen with a hand file*. This saw chain features an exclusive, patented, STIHL cutter design. This saw chain requires a 6-sided, hexagon-shaped HEXA file or HEXA-shaped grinding wheel for the STIHL USG. Both are designed specifically to maintain the high-performance HEXA cutter shape.




WARNING: See information on page 68



OILOMATIC[®] STIHL RAPID[™] HEXA CHAIN (RH3)

STIHL RAPID[™] HEXA (RH3) is the reduced-kickback tendency version of the RH saw chain.




Low-Kickback Chain *When compared to STIHL RAPID™ Super (RS) saw chain



OILOMATIC® STIHL RAPID[™] HEXA FULL SKIP CHAIN (RHF)

RHF is the full skip pattern version of RH. There are two tie straps between every two cutting teeth, allowing for better chip discharge and higher chain speed.



WARNING: See information on page 68.



OILOMATIC[®] STIHL RAPID[™] SUPER (RS)

The RS is a reduced-vibration saw chain. A cutter and tie strap reduce vibration levels significantly, while still utilizing the aggressive full-chisel cutter design.


	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"		3690	3623		
0.058"		3638	3622		
0.063"		3639	3621		
<u> </u>					

WARNING: See information on page 71.



OILOMATIC[®] STIHL RAPID[¬] SUPER 3 (RS3)

RS3 is an aggressive full-chisel chain but has a single-humped drive link to reduce kickback tendency, and the new cutter and tie strap design reduces vibration levels when cutting.





OILOMATIC[®] STIHL RAPID[™] SUPER FULL SKIP (RSF)


The RSF is the skip pattern version of the RS. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.





OILOMATIC[®] STIHL RAPID[™] SUPER L FULL SKIP (RSLF)

The RSLF is the skip pattern, square-ground chisel version of the RS. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.





OILOMATIC® STIHL RAPID™ SUPER KLASSIC (RSK)

The RSK has a special cutter geometry providing excellent control characteristics and very good chip flow, which helps enhance cutting efficiency.





OILOMATIC[®] STIHL RAPID[™] SUPER L KLASSIC (RSL)

The RSL is a variation of the RSL full chisel chain for special professional applications. The cutter on this chain is square ground and has an "L" shape. Use special square ground files to sharpen this chain.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™	-
0.050"			3679			
0.063"			3680			-



OILOMATIC[®] STIHL RAPID[™] SUPER L HALF SKIP KLASSIC (RSLH)

The RSLH is the semi-skip pattern version of the RSL. The RSLH alternates cutter spacing to create a chain with cutting characteristics and maintenance frequency between full skip (RSLF) and regular pattern (RSL).

1/4" .325" 3/8" .404" 3/8" PICCO"
0.050 " 3674
0.063 " 3675

WARNING: See information on page 71.



OILOMATIC® STIHL RAPID™ DURO 3 (RD3)

The RD3 is the first carbide-tipped .325" saw chain that stays sharp up to four times longer than standard chains. It is also a low-vibration chain with a reduced kickback tendency.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™	Pring .
0.050"		3696	3681		3612	4
0.063"		3667	3683			0
Low-Kick	oack Cha	ain				-

SPECIALTY SAW CHAIN



OILOMATIC[®] STIHL PICCO[™] DURO 3 (PD3)


The PD3 is specifically designed for longer cutting-edge life, resulting in less frequent sharpening and is especially suited for cutting dirty wood, treated wood, roots and hardwoods. This chain must be sharpened with a formed diamond grinding wheel.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™	
0.050"					3612	
Low-Kickk	back Chai	in				



OILOMATIC[®] STIHL RAPID[™] DURO RESCUE (RDR)

The RDR is purpose-built for the demanding needs of fire and rescue specialists and is for use by specially trained emergency services personnel only.





OILOMATIC[®] STIHL RAPID[™] Micro[™] SPECIAL (RMS) CARVING CHAIN

The RMS has a special cutter shape that reduces cutting friction to a minimum, ensuring fast cutting speed with good efficiency in many types of wood.



STIHL HARVESTER SAW CHAIN


STIHL RAPID[™] Micro[™] Harvester saw chain is made to withstand the tough requirements of professional mechanized timber harvesting.

To learn more about STIHL Harvester saw chain, visit: **STIHLusa.com**.



OILOMATIC[®] STIHL RAPID[™] Micro[™] HARVESTER (RMH)

The RMH is a specially designed and reinforced version of the .404" pitch saw chain and is designed to withstand the stresses of mechanized tree harvesting. RMH is designed for use on hydraulic harvester heads only.





OILOMATIC[®] STIHL RAPID[™] Micro[™] HARVESTER SPECIAL (RMHS)

The RMHS is a significantly reinforced version of the RMH. This chain is designed to last longer than competing saw chains and to minimize expensive harvester downtime. RMHS is designed for use on hydraulic harvester heads only.



 WARNING: This symbol indicates that the product has increased risk of kickback injury and is for use only by persons with extraordinary cutting needs, and experience and specialized training for dealing with kickback.

This symbol indicates that the chain is a low-kickback chain. STIHL recommends the use of a green-labeled, low-kickback chain. For more information on saw chain selection and identification, please see chart on page 72.

STIHL recommends green-labeled low-kickback chains for all users.

HOW TO READ THIS CHART




	Pitch	Gauge	Guide Bar Length(s)		Rec. Chain Loop Marketing #	Rec. Guide Bar Part #	Guide Bar Type*	Sprocket Nose Teetł
STIHL GASOLINE-	AND ELE	CTRIC	-POWE		ODELS			
MS 170, MS 171, MS 180, MS 180 C-BE, MS 181 C-BE	3/8" STIHL PICCO™ Micro™ Mini 3	.043"	12" 14" 16"	44 50 55	61 PMM3 44 61 PMM3 50 61 PMM3 55	3005 008 3905 3005 008 3909 3005 008 3913	R R R	7
MS 151 C-E, MS 151 T C-E, MS 211, MS 211 C-BE,	3/8" STIHL	.050"	12" 14" 16"	44 50 55	63 PM3 44 63 PM3 50 63 PM3 55	3005 000 4805 3005 000 4809 3005 008 4813	R R R	9
MSE 170 C-B, MSE 210 C-B	PICCO™		14" 16"	50 55	63 PM3 50 63 PM3 55	3005 000 7409 3005 008 4813	LW R	9
MS 194 C-E, MS 194 T, MS 201 C-EM, MS 201 T C-M	3/8" STIHL PICCO™	.050"	12" 14" 16"	44 50 55	63 PM3 44 63 PM3 50 63 PM3 55	3005 000 7405 3005 000 7409 3005 000 7413	LW LW LW	9
MS 241 C-M, MS 250, MS 251 WOOD BOSS®, MS 251 C-BE	3/8" STIHL PICCO™	.050"	12" 14" 16" 18"	44 50 55 61	63 PM3 44 63 PM3 50 63 PM3 55 63 PM3 61	3005 000 4805 3005 000 4809 3005 008 4813 3005 008 4817	R R R R	9
	.325"	.063"	16" 18"	62 68	26 RM3 62 26 RM3 68	3005 000 4713 3005 008 4717	R R	11
		.050"	18"	68	23 RM3 68	3005 008 7017	R	11
MS 271 FARM BOSS®	.325"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 008 6813 3003 812 6817 3003 812 6821	R R R	11
		.050"	18" 20"	74 81	23 RM3 74 23 RM3 81	3003 812 3317 3003 812 3321	R R	10
MS 261, MS 261 C-M	705"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 008 6813 3003 008 6817 3003 008 6821	R R R	11
	.325"	.050"	16" 18" 20"	67 74 81	23 RM3 67 23 RM3 74 23 RM3 81	3003 000 3313 3003 008 317 3003 008 3321	R R R	10
MS 291	.325"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 812 7013 3003 812 7017 3003 812 7021	R R R	11
		.050"	18" 20"	74 81	23 RM3 74 23 RM3 81	3003 008 3317 3003 008 3321		
MS 311, MS 391, MSE 250	3/8"	.050"	16" 18" 20"	60 66 72	33 RS3 60 33 RS3 66 33 RS3 72	3003 008 8913 3003 008 8917 3003 008 8921	R R R	10
MS 362, MS 362 R, MS 362 C-M, MS 362 R C-M, MS 400 C-M	3/8"	.050"	18" 20" 25" 28" 25"* 32" 36"	66 72 84 91 84 105 114	33 RS3 66 33 RS3 72 33 RS3 84 33 RS3 91 33 RS3 84 33 RS3 105 33 RS 114	3003 008 8917 3003 008 8921 3003 000 4030 3003 000 8838* 3003 000 8830* 3003 000 2246* 3003 000 2253*	R RS RS RS SL SL	10 10 10 11 11 11 11
	3/8"	.063"	18" 20" 22" 25" 28" 32" 36"	66 72 76 84 91 105 114	36 RS3 66 36 RS3 72 36 RS3 84 36 RS3 91 36 RS3 84 33 RS3 105 33 RS 114	3003 008 6117 3003 008 6121 3003 000 9425* 3003 000 9831* 3003 000 6038* 3003 000 2246* 3003 000 2253*	R RS RS SL SL	10 11 13 11 11 11
MS 462, MS 462 R, MS 462 C-M, MS 462 R C-M	3/8"	.050"	28" 32" 36"	91 105 114	33 RS3 91 33 RS3 105 33 RS 114	3003 000 8838* 3003 000 2246* 3003 000 2253*	RS SL SL	11 11 11
	3/8"	.063"	28" 32" 36"	91 105 114	36 RS3 84 33 RS3 105 33 RS 114	3003 000 6038* 3003 000 2246* 3003 000 2253*	RS SL SL	11 11 11
MS 500i, MS 500i R, MS 661 MAGNUM®, MS 661 R MAGNUM®, MS 661 C-M MAGNUM®,		.050"	20" 25" 28" 32" 36"	72 84 91 105 114	33 RS3 72 33 RS3 84 33 RS3 91 33 RS3 105 33 RS3 114	3003 008 8921 3003 000 4030 3003 000 8838* 3003 000 8846* 3003 000 8853*	R RS RS RS RS	10
MS 661 R C-M MAGNUM®	3/8"	.063"	20" 22" 25" 28" 30" 32" 36	72 76 84 91 98 105 114	36 RS3 72 36 RS3 76 36 RS3 84 36 RS3 91 36 RS3 98 36 RS3 105 36 RS3 114	3003 008 6121 3003 000 9425* 3003 000 5231* 3003 000 6038* 3003 000 6041* 3003 000 6044* 3003 000 6045*	R RS RS RS RS RS RS	10
	.404"	.063"	32" 36"	95 105	46 RS 95** 46 RS 104**	3003 000 7346* 3003 000 7353*	RS RS	10
MS 881 MAGNUM®,	3/8"	.063"	21"	75	36 RS3 75	3002 000 9123	RS	10
MS 881 R MAGNUM®	.404"	.063"	25" 30" 36" 41"	80 91 108 123	46 RS 80** 46 RS 91** 46 RS 108** 46 RS 123**	3002 000 9731* 3002 000 9741* 3002 000 9753* 3002 000 9757*	RS RS RS RS	12
			36" 41"	104 123	46 RS 104** 46 RS 123**	3002 001 8052* 3002 000 8058*	D D	12

IDENTIFYING STIHL SAW CHAIN

STIHL uses a Marketing Number System in addition to the part number. This allows easy identification of any chain. For example, chain with a Marketing Number of 33RS3:

Pitch	Gauge	Туре	Shape	Special
3	3	R	S	3
3/8"	.050"	STIHL RAPID™	Super	Single-
		RAPID		Humped Drive Link



Gauge

(Marked on drive link) 1 = .043" (1.1 mm)

- **3** = .050" (1.3 mm) **5** = .058" (1.5 mm)
- **6** = .063" (1.6 mm) **0** = .080" (2.0 mm)
- (0 = Harvester Chain Only)

S = Super (Full Chisel)

Strap on PM chain = Triple-Humped Tie

Strap on RM chain

3 = Single-Humped Drive Link F = Full Skip

H = Semi Skip (Half-Skip)

or Harvester (i.e. on .404" RMH)

Special 1 = Triple-Humped Tie

2

6 = STIHL PICCO™

(3/8" Extended) $\mathbf{7} = STIHI PICCO^{T}$

(1/4" Extended)

Pitch

3 = 3/8"

 $\mathbf{4} = 404''$

Distance between three rivets divided

by two as shown. **1** = 1/4" **2** = .325"

Cutter Type P = STIHL PICCO™ R = STIHL RAPID™

Cutter Shape D = Duro (Carbide Tip) DS = Duro Special

(Carbide Tip) H = HEXA (Full Chisel)

M = Micro[™] (Semi Chisel)

R = Rescue (RDR chain,

- especially designed for MS 461 R
- and MS 462 R C-M

K = Klassic Cutter Design L = Square Ground Chisel "Rescue" chain saws)

- M= Mini
- MM = Micro Mini N = Narrow (PMN)
- S = Special
- X = Ripping Chain

Number of Drive Links in Reels

Туре 100' Reel 1/4" 2400 3/8" STIHL PICCO™ 1640 .325' 1840 3/8" 1640 .404" 1480

ANSI B175.1 Chain Saw Kickback Standard

STIHL's green and yellow color code system serves to identify STIHL bars and chains with different kickback reduction characteristics. Green (go) marks those products which are designed to reduce the risk of kickback injury and comply with the ANSI B175.1 kickback standard. STIHL's low-kickback chain features a green tie strap that identifies each loop as "low-kickback" chain that meets the ANSI standard. Recommended for both the experienced and inexperienced chain saw user. Yellow (caution) marks products with increased risk of kickback injury. They are for use only by persons with extraordinary cutting needs and experience and specialized training in dealing with kickback conditions.

*Recommended STIHL green-labeled, reduced-kickback bars are not available in the lengths marked with an * in the chart. For such guide bars, STIHL yellow-labeled bars are listed. Please read and follow the yellow warning information that is included on the guide bar package.

**Recommended STIHL green-labeled, low kickback chains are not available in .404" pitch. For .404" chain, STIHL yellow-labeled chains are listed which have reduced-kickback characteristics as compared to other STIHL yellow-labeled chains. Read and follow the , yellow warning information included with these chains. STIHL recommends the use of 3/8" sprockets in combination with STIHL greenlabeled, low-kickback saw chain and STIHL green-labeled, reduced-kickback guide bars whenever possible.

	Pitch	Gauge	Guide Bar Length(s)	Drive Link Count	Chain Loop Marketing #	Rec. Guide Bar Part #	Guide Bar Type*	Sprocket Nose Teeth
STIHL BATT	ERY-POWERED	MODE	LS					
	1/4" STIHL		10"	56	71 PMM3 56	3005 008 3403	R	8
MSA 120 C-B	PICCO™	.043"	12"	64	71 PMM3 64	3005 008 3405	R	
	Micro [™] Mini		14"	72	71 PMM3 72	3005 008 3409	R	
	1/4" STIHL		12"	64	71 PM3 64	3005 008 3405	R	8
MSA 140 C-B	PICCO™	.043"						
	Micro [™] Mini							
	1/4" STIHL		10"	56	71 PM3 56	3005 008 3403	R	8
MSA 160 C-B	PICCO™	.043"	12"	64	71 PM3 63	3005 008 3405	R	
	Micro [™] Mini		14"	72	71 PM3 72	3005 008 3409	R	
	1/4" STIHL		12"	65	71 PM3 65	3005 008 3405	R	8
MSA 161 T	PICCO™	.043"						
	Micro [™] Mini							
	1/4" STIHL		10"	56	71 PM3 56	3005 008 3403	R	8
MSA 200 C-B	PICCO™		12"	64	71 PM3 64	3005 008 3405	R	
	Micro [™] Mini		14"	72	71 PM3 72	3005 008 3409	R	
MSA 220 C-B	3/8" STIHL		14"	50	63 PS3 50	3005 000 4809	R	9
113A 220 C-D	PICCO [™] Super 3	.050"	16"	55	63 PS3 55	3005 000 4813	R	

Rec.

*Recommended STIHL green-labeled, reduced-kickback bars are not available in the lengths marked with an * in the chart. For such guide bars, STIHL yellow-labeled bars are listed. Please read and follow the yellow warning information that is included on the guide bar package. **Recommended STIHL green-labeled.

on the guide bar package. **Recommended STIHL green-labeled, low-kickback chains are not available in .404° pitch. For .404° chain, STIHL yellow-labeled chains are listed which have reduced-kickback characteristics as compared to other STIHL yellowlabeled chains. Read and follow the yellow warning information included with these chains. STIHL recommends the use of 3/8° sprockets in combination with STIHL green-labeled, low-kickback saw chain and STIHL green-labeled, reduced-kickback guide bars whenever possible.

Note: The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

5612 000 7501

5612 000 7500

PORTABLE ELECT	RIC CHAIN GRINDER & ACC	CESSORIES
STIHL Portable 12 Volt Cl	nain Grinder	0000 882 4001
3/16" Grinding Stone (Pkg	g. of 3)	0000 882 4101*
5/32" Grinding Stone (Pk	g. of 3)	0000 882 4102*
7/32" Grinding Stone (Pk	g. of 3)	0000 882 4103*
9/64" Grinding Stone (Pk	g. of 3)	0000 882 4104
13/64" Grinding Stone (P	kg. of 3)	0000 882 4105*
1/4" Grinding Stone (Pkg.	of 3)	0000 882 4100
Chain, Bar and Sprocket I	D Gauge	0000 893 4105
DEPTH GAUGE TO	OLS	
1/4" STIHL PICCO™ Micro	o™ Depth Gauge Tool	0000 893 4005
1/4", 3/8" STIHL PICCO™	0.325" and 3/8" Depth Gauge Tool	1110 893 4000
0.404" Depth Gauge Too	ı	1106 893 4000
FILES		
1/4" STIHL PICCO™	3.2 mm (1/8") File (Pkg. of 12)	7010 871 0400
3/8" STIHL PICCO™	4.0 mm (5/32") File (Pkg. of 12)	7010 871 0401
.325"	4.5 mm (11/64") File (Pkg. of 12)	7010 871 0402
.325"	4.8 mm (3/16") File (Pkg. of 12)	7010 871 0403
3/8"	5.2 mm (13/64") File (Pkg. of 12)	7010 871 0404
.404" STIHL PICCO™	5.5 mm (7/32") File (Pkg. of 12)	7010 871 0405
HEXA Basic Filing Kit		7010 881 9406
HEXA File		5607 772 5201
STIHL Special File for sha	rpening Square Ground Chisel Chain	7010 871 0282
STIHL Flat File for mainta	ining Depth Gauges (Pkg. of 12)	7010 871 0043
Complete Filing Kit for 1/4	" STIHL PICCO™ Saw Chain	5605 007 1000
Complete Filing Kit for 1/4	" and 3/8" STIHL PICCO™ Saw Chain	5605 007 1027
Complete Filing Kit for 0.3	25" Saw Chain	5605 007 1028
Complete Filing Kit for 3/8	" Saw Chain	5605 007 1029
Complete Filing Kit for 0.4	04" Saw Chain	5605 007 1030
Complete Filing Kit for 3.8	" Rapid HEXA	5607 007 1000
FILE HANDLES		
SWISS File Handle (Flat w	/ Filing Guide)	0814 498 1501
Standard File Handle (Ora	ange Poly)	0811 490 7863
Standard File Handle (Dis	play Bagged)	0811 490 7864
Deluxe File Handle		0000 881 4500
Soft Handle for Round File	e "FH1 Soft Grip"	0000 881 4502
Soft Handle for Flat File "	FH3 Soft Grip"	0000 881 4503
Heavy Duty Stump Vise		0000 881 0403
GREASE GUNS		
Guide Bar Grease Gun (B	ulk Packed)	1108 890 2580
Sprocket Bearing Grease		0000 000 2011
Twisted Splitting Wedge		0000 881 2221

po	owerhead it	is installed on.
HIGH-IMPACT FELLING WEDGES (Not for	splitting w	/ood)
5-1/2" Wedge		0000 893 6880
7-1/2" Wedge		0000 893 6802
10" Wedge		0000 893 6882
10" Tri-Taper Wedge		0000 893 6883
12" Wedge		0000 893 6884
TELESCOPING GUIDE BAR SCABBARDS		
14" 3005 Arbor Saw		0000 792 9160
16" 3005 Arbor Saw		0000 792 9161
10" 3005 Mini		0000 792 9170
14" 3005 Mini		0000 792 9171
14" 3005		0000 792 9172
18" 3005		0000 792 9173
15" 3003		0000 792 9174
18" 3003		0000 792 9175
22" 3003, 3002		0000 792 9176
25" 3003, 3002		0000 792 9177
30" 3003, 3002		0000 792 9178
36" 3003, 3002		0000 792 9179
Extension 12"		0000 792 9140
CASES		
Medium Chain Saw Case		0000 900 4011
Large Chain Saw Case		0000 900 4010
Latch for Woodsman Chain Saw Case (0000 900 4008)		7010 881 5600
Plastic Latch for 0000 900 4006 (Old Style)		0000 903 1302
Bar Scabbard for Woodsman Case		0000 792 9127
STIHL FILE GUIDES AND HOLDERS	File Size	Part Number
	1/8"	5605 750 4306
2-in-1 Filing Guide for 1/4" STIHL PICCO™		56057504308
2-in-1 Filing Guide for 3/8" STIHL PICCO™	5/32"	56057504303
2-in-1 Filing Guide for .325"	3/16"	56057504304
2-in-1 Filing Guide for 3/8" 2-in-1 Filing Guide for 0.404"	13/64"	0000 750 4305
FF 1 File Guide Holder for 3/8" STIHL PICCO™ Mini		
		5614 000 7503 5614 000 7502
FF 1 File Guide Holder for 3/8" STIHL PICCO™ FF 1 File Guide Holder for .325"		5614 000 7502
FF 1 File Guide Holder for 3/8" FF 1 File Guide Holder for .404" STIHL PICCO™		5614 000 7500 5614 000 7505
FG 4 Roller Filing Guide for 3/8" STIHL PICCO™ Mini		5612 000 7503
FG 4 Roller Filing Guide for 3/8" STIHL PICCO™		5612 000 7502

FG 4 Roller Filing Guide for .325"

FG 4 Roller Filing Guide for 3/8"

*All for portable 12V chain grinder



High-quality guide bars for your chain saw.



STIHL ROLLOMATIC® E MINI LIGHT

TRANSITIONING TO **V**



STIHL LIGHT PO1

A lightweight guide bar with one rivet (O1) in the sprocket nose consisting of three electrically welded plates, a fiber-reinforced polymer core (P).



STIHL ROLLOMATIC® E MINI

TRANSITIONING TO **V**



STIHL LIGHT 01

Three-piece welded guide bar for use with chain saws and pole pruners using the ¼" STIHL PICCO[™] and ¾" STIHL PICCO[™] saw chain, a single rivet (O1) in the nose.



STIHL ROLLOMATIC® E LIGHT

TRANSITIONING TO **V**



STIHL LIGHT PO4

A lightweight guide bar with four rivets (O4) in the sprocket nose consisting of three electrically welded plates, a fiberreinforced polymer core (P).



STIHL ROLLOMATIC® E STANDARD

TRANSITIONING TO **V**



STIHL LIGHT 04

The standard version of the STIHL guide bar consists of three electrically welded metal plates (laminated guide bars), four-rivet (04) sprocket nose.

NOTE: The actual listed guide bar length can vary from the effective cutting length based on which chain saw it is installed on.



STIHL LIGHT 06

The standard version of the STIHL lightweight guide bar consists of three electrically welded metal plates (laminated guide bars), six-rivet sprocket nose.



NEW GUIDE BAR DESIGN

In 2022, the guide bars will begin to be produced with updated modern graphic design seen above.



STIHL ROLLOMATIC® E SUPER

A solid-machined bar made of high-grade steel with the groove milled out and a replaceable sprocket nose assembly riveted in place. The sprocket is incorporated in the replaceable sprocket nose assembly of the bar and carries the saw chain from the top to the bottom of the bar.



STIHL ROLLOMATIC® ES LIGHT

Long channels are milled out of the center of a solid guide bar, then a thin steel plate is welded over the channels using a special laser welding process to make it up to 30% lighter than the STIHL ROLLOMATIC® E Super guide bar. A replaceable sprocket nose assembly is incorporated in the nose of the bar to increase service life.



STIHL DUROMATIC® E

A rugged bar made from a solid, laser-welded, high-carbon alloy steel bar with induction-hardened rails and special hard surface alloy tipping on the nose for extra-long life. Made from the highest quality steel and cut by laser for consistent quality, durability and high-wear resistance.



STIHL DUROMATIC® C CARVING

TRANSITIONING TO **V**



STIHL CARVING

A high quality guide bar for carving with an updated modern graphic design. Available in 12" length with a solid nose, this unique bar can only be used with $\frac{1}{4}$ " and $\frac{1}{4}$ " STIHL PICCOTM saw chains.

FILES & TOOLS

Keep saw chains sharp for fast cutting.

SOFT-GRIP HANDLE FOR FLAT FILE (FH3 SOFT GRIP) **SOFT-GRIP HANDLE** FOR ROUND FILE (FH1 SOFT GRIP) NEW STIHL **HEXA FILE HANDLE DELUXE FILE HANDLE SWISS FILE HANDLE FILE HOLDER** STIHL DEPTH **GAUGE TOOL** 2-IN-1 **FILING** GUIDE

FILING GUIDES AND HOLDERS

These mount on the chain saw guide bar for accurate on-thejob saw chain sharpening. Instructional DVDs showing proper sharpening procedures for the FF 1 or FG 4 are also available.







ENGINE OILS, PREMIXED FUEL, BAR & CHAIN OIL

Quality fuel specially formulated to keep your STIHL running strong.



STIHL Moto4[™]

Patented STIHL Moto4[™] utilizes an ethanol-free formula, allowing the fuel to stay fresh longer – up to two years after the container is opened – than alternative fuel options containing ethanol. Designed for use in 4-stroke products only, with a minimum octane range of 93 to consistently deliver excellent engine performance.



HIGH PERFORMANCE 2-CYCLE ENGINE OIL

STIHL High Performance Engine Oil is a high quality 2-cycle oil developed for all STIHL gasoline-powered products and especially suited for professional chain saws.



WOODCUTTER BAR AND CHAIN OIL

STIHL Woodcutter Bar and Chain Oil is affordably priced and specially formulated from base oils and additives to provide proper lubrication of chain saw guide bars, saw chains and oil pumps.



HP ULTRA 2-CYCLE ENGINE OIL

STIHL HP Ultra is a fully synthetic 2-cycle engine oil specially suited for high-performance chain saws and power tools. The oil has outstanding engine cleaning characteristics, plus "ultra" superior lubricating qualities in comparison to other 2-cycle engine oils. It is also biodegradable, degrading by 80% in 21 days.



BioPlus[™] BAR AND CHAIN OIL

STIHL BioPlus[™] Bar and Chain Oil is made with a vegetable oil base, making it less harmful to humans, animals, micro-organisms, and plants. Rated by the Coordinating European Council to be 93.8% biodegradable in only 21 days.



STIHL MotoMix®

A patented premixed 50:1 fuel mixture, created with premium 92 octane gasoline and STIHL HP Ultra Oil. MotoMix[®] doesn't contain ethanol and maintains stability for up to two years after the seal is broken.



PLATINUM BAR AND CHAIN OIL

STIHL Platinum Bar and Chain Oil is formulated to adhere to the bar and chain, and to reduce wear. Special base oil formulation helps keep sap and pitch from clinging to the bar and chain.

STIHL RECOMMENDS A MIX OF 50:1 HIGH-QUALITY 89 OCTANE OR HIGHER UNLEADED GASOLINE TO STIHL ENGINE OIL. THIS SAME MIX RATIO SHOULD BE USED DURING BREAK-IN.

NOTE: STIHL recommends using fuel with no more than 10% ethanol content. Using fuel with greater than 10% ethanol content may cause damage to your equipment and may void your STIHL limited warranty.





MEDIUM CHAIN SAW CARRYING CASE

Fits MS 170 to MS 500i. (Excludes wrap-handle chain saws (R)).

LARGE CHAIN SAW CARRYING CASE

Fits MS 661 MAGNUM® and MS 881 MAGNUM®. (Excludes wrap-handle chain saws (R)).



BAR SCABBARDS

STIHL scabbards accommodate a variety of chain saw bar lengths.

STUMP VISE

Makes filing easy. Securely holds chain saw while cutters are filed. Mounts on any stump or log.



FELLING WEDGE

Available sizes include: 5.5", 7.5", 10", 10" (Tri-taper), 12".



12-VOLT PORTABLE CHAIN GRINDER

Features adjustable gauge to achieve proper filing angles. Clips attach to vehicle battery.



REPLACEMENT GRINDING STONES

For 12-volt chain grinder. Sizes available include: 9/64"; 5/32" for 3/8" STIHL PICCO[™] Micro[™], 3/8" PMN, and 1/4"; 3/16" for .325"; 13/64" for 3/8"; 7/32" for .404"; 1/4" for Depth Gauges; Kool-Grind Grinding Compound.



Easy2Start[™] SYSTEM

Available on select models, the Easy2Start[™] System reduces the strength and effort needed to start the trimmer engine.

PERSONAL PROTECTIVE

With a range of glasses, gloves and hearing protection, STIHL has you covered with the gear you need to help keep you protected.

HIGH-TECH POLYMER HOUSING

Lightweight, built to withstand impact and corrosion resistant, the construction of our trimmer housings is a testament to STIHL durability.

THROTTLE TRIGGER

The throttle trigger interlock on many models is a simple feature that must be depressed before the trigger can be activated.

KEEP YOUR LANDSCAPE IN LINE

It doesn't matter if you're taking on a short stretch of grass lining your sidewalk or an expansive commercial property, when it comes to trimmers and brushcutters, you want a tool that is comfortable and easy to use while delivering the results you expect.

ADJUSTABLE FRONT HANDLE

Designed to provide optimal comfort for a wide range of users, the adjustable front handle can be situated to a user's chosen position.

TRIMMER HEADS & BLADES

Paired with the right cutting head, blade or trimmer line, STIHL trimmers can take on even the most challenging landscaping jobs.


FULLY LINED DRIVE SHAFT


Sleek and streamlined in design, the fully lined drive shaft provides smooth operation with minimized vibration on most models.

HIGH-QUALITY DEFLECTOR

Built to help protect you from flying debris, STIHL offers a selection of deflectors to allow you to find the one that best fits your application.

REAL STIHL. FIND YOURS.





WEEKLY USE AROUND BEDS, DRIVEWAYS, ETC.




Frank

A N D B R U S H C U T T E R S

LARGER YARDS, LONGER FENCE LINES

PROFESSIONAL JOBS, EXTENDED TRIMMING TIMES



FIND THE RIGHT TOOL FOR THE JOB.

WEEKLY USE AROUND BEDS, DRIVEWAYS, ETC.



FS 38

A lightweight, value-priced consumer trimmer with many quality design features, the FS 38 is ideal for the occasional use homeowner.

Our trimmers are lightweight, powerful and easy to use.

Just start them up and watch as they make quick work of those hard-to-reach areas mowers leave behind.



REAL STIHL. FIND YOURS.



FS 40 C-E

Lightweight and reliable, the FS 40 C-E trimmer provides balanced operation and is equipped with STIHL Easy2Start[™] for effortless starting. Now comes standard with AutoCut[®] C 6-2.





The FSA 45 delivers STIHL quality at a value price, and features a powerhead that swivels for vertical edging.



^o A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. The FSA 57 is made in the United States with domestic and foreign components. Batteries and chargers sourced internationally. The FSE 60 is assembled in the United States. For full specification information for all STIHL trimmers, please refer to page 90.





C-E 🍋 📑 571H

The fuel-efficient FS 50 C-E features the STIHL Easy2Start[™] system and has an elongated shaft for taller users.



FS 56 RC-E 🍋 🎂 📰 🟭

The fuel-efficient FS 56 RC-E features the STIHL Easy2Start[™] system for quick, smooth starts, and has an elongated shaft for taller users. FS 56 C-E bike-handle version available. Now comes standard with AutoCut[®] C 26-2.



FSA 60 R



With its lightweight design and exceptional performance, the FSA 60 R battery-powered trimmer is the most powerful in the AK System.



FSE 60



With an easy squeeze of the trigger, the FSE 60 lightweight corded-electric trimmer is capable of handling small to moderate yard work.

FSA 57

AK 🍪 📰

Ideal for suburban yards, the lightweight FSA 57 packages the convenience of battery in a value-priced set, with a run time of up to 25 minutes with the AK 10 battery or up to 50 minutes with the AK 20 battery.* Now comes standard with AutoCut® C 3-2.



TIP

TRIMMER LINE STORAGE

To prolong the shelf life of your STIHL trimmer line, keep the line out of direct sunlight. For best performance, buy fresh trimmer line at the beginning of the growing season.

*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.

LARGER YARDS & LONGER FENCE LINES



FS 70 R

The FS 70 R features a powerful and fuel-efficient engine, making quick work of daily professional landscaping tasks.

Our trimmers are available in various handles and shaft lengths including loop handle and bike handle configurations.

Whether you're tackling your larger yard or longer fence lines, there's a trimmer to meet your unique needs.







FSA 86 R

Powered by the STIHL AP battery system, the STIHL FSA 86 R trimmer is capable of delivering strong, consistent performance that is perfect for homeowner and professional tasks.



A quiet, battery-powered trimmer, the FSA 90 R features the STIHL exclusive ECOSPEED throttle set wheel for variable-speed control, which can extend battery life.

A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. For full specification information for all STIHL trimmers, please refer to page 90.





The robust FS 91 R features a low-emission engine and large fuel tank, which provides 30% longer run time than the previous model. FS 91 bike-handle version available.



FS 91 R

"The power is abundant, and nothing seems to slow it down."

\star \star \star \star \star - Pastor Kevin

Check out this review and others on the product pages at **STIHLusa.com.**



FS 94 R `• 🎡 페

The FS 94 R trimmer delivers one of the best power-to-weight ratios in its class, weighing just over 10 pounds – great for maneuvering around hills and other terrain.



FS 111 RX

The FS 111 RX is the perfect choice for demanding trimming tasks. It saves users time with a simplified threestep start procedure.



PROFESSIONAL JOBS & EXTENDED TRIMMING TIMES



FS 111 R



A fuel-efficient, powerful trimmer, the FS 111 R handles tough jobs and meets emissions requirements. FS 111 bikehandle version available.

Our professional trimmers and brushcutters feature power, fuel efficiency and lasting durability – and they're specially designed for heavy-duty tasks – from controlled trimming jobs to extended trimming applications.





FSA 130 R

The FSA 130 R is a powerful battery-powered trimmer that offers the same durability and cutting attachments as gasolinepowered trimmers.



FS 131 R

A professional loop-handle trimmer, the FS 131 R delivers incredible performance, long run times and a simplified starting procedure. FS 131 bike-handle

version available.

°A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. The FS 311 and FSA 135 units are assembled in the United States. Batteries and chargers sourced internationally.



AP 🍪 🚟 The FSA 135 R trimmer

delivers professional performance for a wide range of cutting applications, including trimming, cutting and weed clearing. FSA 135 bike-handle version available.



FS 240 R

The heavy-duty FS 240 R combines a rugged design with the versatility needed to handle a variety of challenging clearing situations. FS 240 bikehandle version available.





FS 311

This rugged bike-handle trimmer is powerful, versatile and designed for all-day professional use.





The FS 360 C-EM has a low-emission, fuel-efficient engine and features the STIHL M-Tronic[™] engine management system.



FS 460 C-EM

The robust FS 460 C-EM delivers professional power and features the STIHL M-Tronic[™] system for optimum engine performance.



FS 561 C-EM

The most powerful STIHL brushcutter in its class the FS 561 C-EM cuts through wild growth, hedges and thickets with ease.



It's easy to take in a game when you bring the big leagues to your backyard with the help of STIHL outdoor power equipment.

REAL STIHL. FIND YOURS.

STIHLUSA.COM

88



	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)*	Fuel Capacity (oz.)	Standard Cutting Tool
WEEKLY USE AROUND BEDS, DRIVEWAYS, ETC.							
FS 38		27.2/1.66	0.65/0.87	-	9.3	11.2	AutoCut®
FS 40 C-E		27.2/1.66	0.7/0.94	-	9.9	11.5	AutoCut®
FSA 45	AI	-	-	18	5.1	-	STIHL PolyCut™
FS 50 C-E		27.2/1.66	0.8/1.07	-	10.1	11.5	AutoCut®
FS 56 C-E		27.2/1.66	0.8/1.07	-	11.5	11.5	AutoCut®
FS 56 RC-E		27.2/1.66	0.8/1.07	-	10.6	11.5	AutoCut®
FSA 57	AK	-	-	36	5.95	-	AutoCut®
NEW! FSA 60 R	AK.	-	-	36	7.1	-	AutoCut®
FSE 60	-	-	-	120	8.8	-	AutoCut®
LARGE YARDS, LONGER FENCELINES	<u> </u>						
FS 70 R		27.2/1.66	0.9/1.2	-	10.6	11.5	AutoCut [®]
NEW! FSA 86 R	AP .	-	-	36	7.3	-	AutoCut [®]
FSA 90 R	AP :	-	-	36	6.2	-	AutoCut®
FS 91		28.4/1.73	0.95/1.27	-	12.8	24.0	AutoCut®
FS 91 R	`	28.4/1.73	0.95/1.27	-	12.1	24.0	AutoCut [®]
FS 94 R	۵	24.1/1.47	0.9/1.2	-	10.1	18.3	AutoCut®
FS 111 RX	<u>`</u>	31.4/1.9	1.05/1.4	-	11.0	24.0	AutoCut®
PROFESSIONAL JOBS, EXTENDED TRIMMING						1	
FS 111	<u>`</u>	31.4/1.9	1.05/1.4	-	12.8	24.0	AutoCut®
FS 111 R	`	31.4/1.9	1.05/1.4	-	12.1	24.0	AutoCut®
FSA 130 R	AP .	-	-	36	8.6	-	AutoCut®
FS 131	<u>`</u>	36.3/2.2	1.4/1.9	-	12.8	24.0	AutoCut®
FS 131 R	۵	36.3/2.2	1.4/1.9	-	12.1	24.0	AutoCut®
FSA 135	AP .	-	-	36	10.8	-	AutoCut®
FSA 135 R	AP .	-	-	36	10.1	-	AutoCut [®]
FS 240	۵	37.7/2.3	1.7/2.3	_	15.2	25.4	AutoCut [®]
FS 240 R	<u>`</u>	37.7/2.3	1.7/2.3	-	14.6	25.4	AutoCut®
FS 311	<u>`</u>	36.3/2.2	1.4/1.9	-	15.9	24.0	AutoCut®
FS 360 C-EM	<u>`</u>	37.7/2.3	1.7/2.3	-	18.7	25.4	N/A
FS 460 C-EM	`	45.6/2.8	2.2/3.0	-	18.7	25.4	N/A
NEW! FS 561 C-EM	`	57.1/3.48	2.8/3.75	-	22.5	33.5	N/A

● Standard ○ Optional - Not Applicable

*Dry weight without cutting attachment or deflector.

Note: STIHL trimmers and brushcutters are designed to work with a variety of cutting attachments.



Cutting Swath (in.)	STIHL Easy2Start ^{tw} (E)	Anti-vibration System	STIHL M-Tronic™ (M)	Electronic Ignition Module	Multi-function Control Handle	Simplified Starting Procedure	Standard Handle Type	Purge Pump Primer	IntelliCarb™ Compensating Carburetor	Translucent Upright Fuel Tank	Caring for Nature	Made in America
15	_	_	_	•	•	_	Loop	•	_	•	_	
15	•	_	_	•	•	•	Loop	•	_	•		-
9	-	_	_	_	-	-	Loop	_	_	-		_
16.5	•	_	_	•	•	•	Loop	•	_	•	-	
16.5	•	-	-	•	•	•	Bike	•	-	•	۵	
16.5	•	-	-	•	•	•	Loop	•	_	•		
11	-	-	_	-	-	-	Loop	-	-	-	٩	
13.8	-	-	-	-	-	-	Loop	-	-	-		-
14	-	-	-	-	-	-	Loop	-	-	_	e	-
		1										
16.5	-	-	-	•	•	•	Loop	•	-	•		
13.8	-	-	-	-	-	-	Loop	-	-	-		-
15	-	-	-	-	-	-	Loop	-	-	-		-
16.5	-	•	-	•	•	•	Bike	•	•	•		
16.5	-	•	-	•	•	•	Loop	•	•	•		
 16.5	-	•	-	•	•	•	Loop	•	-	•		
16.5	-	•	-	•	•	•	Loop	•	•	•		
16.5	-	•	-	•	•	•	Bike	•	•	•		
16.5	-	•	-	•	•	•	Loop	•		•		
16.5	-	-	-	-	-	-	Loop	-	-	-		-
16.5	-	•	-	•	•	•	Bike	•	•	•		
16.5 16.5	-	•	-	•	•	_	Loop Bike			_		
16.5	-	-	-	_	-		Loop	-	-			-
16.5	-	-	_	-	-	-	Bike	-	•	-		_
16.5	_	•	_	•	•	•	Loop	•	•	•		_
18.9	_	•	_	•	•	•	Bike	•	•	•		_
18.9	•	•	•	•	•	•	Bike	•	•	•		_
18.9	•	•	•	•	•	•	Bike	•	•	•		_
22	•	•	•	•	•	•	Bike	•	•	•		_
										1		

92 STIHLUSA.COM

			Line Diameters	FSA 45*	FSA 57*	FSA 60 R	FSE 60*	FSA 85*	FSA 86 R	FSA 90 R	FSA 130 R	FSA 135 / FSA 13
Head / Blade Type	Part Number	Standard	Optional	ш	ш	ш	ш	ш	ш	Щ	LL.	LL.
LIGHT GRASS TRIMMER H	4008 710 2103	000			• 5							
AutoCut [®] 2-2		.080"	-		•5							
AutoCut [®] C 3-2	4009 710 2106	.080"	-		•6							
AutoCut® C 4-2	4006 710 2123	.080"	-					•				
AutoCut [®] 5-2	4006 710 2103	.080"	-				•					
AutoCut [®] C 5-2 (DISC.)	4006 710 2106	.080"	-				•					
AutoCut [®] C 6-2 .080"	4006 710 2126	.080"	.095"				•					
AutoCut [®] C 6-2 .095"	4006 710 2140	.095"	.080"			•	•		•			
AutoCut [®] 11-2	4004 710 2192	.095"	.080"									
AutoCut [®] 25-2	4002 710 2191	.095"	.105"							•	•	•
AutoCut [®] C 25-2 (DISC.)	4002 710 2196	.095"	-									
AutoCut [®] C 26-2	4006 710 2169	.095"	.105"								•	•
AutoCut® 30-2 (DISC.)	4002 710 2187	.105"	.118"									
AutoCut [®] 36-2	4002 710 2170	.105"	.118"/.130"									•
AutoCut® 40-2 (DISC.)	4003 710 2189	.105"	.118"									
AutoCut® 40-4 (DISC.)	4005 710 2102	.105"	.118"									
AutoCut [®] 46-2	4003 710 2115	.105"	.118"/.130"									
AutoCut [®] 56-2	4005 710 2107	.105"	.118"/.130"									
DuroCut 5-2	4006 710 2131	.080"	.065"/.095"			•			•			
DuroCut 20-2	4002 710 2182	.120"	.080"/.095"/.105"				•			•	•	•
DuroCut 40-4	4005 710 2114	.155"	.120/.130"									
FixCut [™] 30-2 (DISC.)	4001 710 2103	-	.080"/.095"/.105"							•		
FixCut [™] 31-2	4001 710 2105	-	.080"/.095"/.105"							•	•	•
STIHL SuperCut [™] 20-2	4002 710 2184	.095"	_							•	•	•
STIHL SuperCut [™] 40-2	4003 710 2142	.095"	_									
TrimCut [™] C 32-2	4002 710 2198	.095"	.105"/.118"								•	•
TrimCut™ C 42-2	4003 710 2122	.105"	.095/.118"									
TrimCut™ C 52-2	4005 710 2117	.105"	.095"/.118"/.130"									

FSA 135 R

FS 38* FS 40 C-E* FS 50 C-E*	FS 56 C-E	FS 56 RC-E FS 70 R FS 94 R	ES 91 R ES 111 R ES 131 R	FS III RX	ES 91 ES 111 ES 131	FS 240	FS 240 R	FS 311	FS 360 C-EM FS 460 C-EM	FS 560 C-EM FS 561 C-EM	FSB-KM with KM 56 RC-E KM 91 R KM 111 R**	FS-KM with KM 56 RC-E**	FS-KM with KM 91 R / KM 94 R KM 111 R / KM 131 R**	FS-KM with KMA 130 R / KMA 135 R
•											•			
•											•			
	•	• •1	•	•	•	•	•					•	•	٠
	•	•	•	• ²	•	•	•					•	•	•
								٠	٠	•				
•								•	•	•	•			
	٠	•	٠	٠	٠	•	•	٠	•	•		•	•	•
	•	•	•	•	•	•4 •4	•4 •4 •					•	•	•
	٠	•1	٠	٠	٠	٠	٠	•	•			٠	•	•
										•				

* Trimmers equipped with loop handles.

** 2018 models and newer.

• Approved for use with designated unit as originally equipped.

 \bigcirc Approved for use with loop handle (R) only if equipped with barrier bar deflector kit and a single or double shoulder harness.

 $\Box \ensuremath{\mathsf{Approved}}$ for use with bike handle, double harness and limit stop.

¹ Not for use on FS 94 R

 2 Not for use on FS 100 RX

 3 Not for use on FS 80, FS 80 R, FS 90, FS 90 R, FS 110 or FS 110 R

 $^4\,\rm Not$ for use on FS 240 or FS 240 R

 5 Only fits FSA 57 trimmers starting with serial number 9XXXXXXXX.

 $^{\rm 6}$ Only fits FSA 57 trimmers starting with serial number 5XXXXXXXX.

Note: Numbers with "mm" show arbor size. Consult your instruction manual or your authorized STIHL Dealer for approved cutting head/deflector combinations.

Note: Barrier bar and large deflector must be attached when using a metal blade with loop-handle (R) trimmer.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit **STIHLusa.com**. IMPORTANT INFORMATION

WARNING: Improper use of any brushcutter trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used on FS brushcutters that have a bicycle handle and double shoulder harness and not on FS brushcutters with a "J" handle or loop handle (R). Other rigid blades may be used on FS brushcutters having a bicycle handle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

			Trimmer	Line Diameters	FSA 45*	A 57*	FSA 60 R	FSE 60*	FSA 85*	FSA 86 R	FSA 90 R	FSA 130 R	
Head / Blade Type		Part Number	Standard	Optional	FS/	FSA	FS/	FSE	FS/	FS/	FS/	FS/	
HEAVY GRASS MO	WING HEA	DS & BLADES	;	1		1	1				1		
STIHL PolyCut [™] 2-2		4008 710 2102			•								
STIHL PolyCut [™] 3-2		4009 710 2104				● 7/8							
STIHL PolyCut [™] 6-2		4006 710 2134					• ⁸			• ⁸			
STIHL PolyCut™ 20-3	(DISC.)	4002 710 2189											
NEW! STIHL PolyCut [*]	™ 28-2	4002 820 2300											
STIHL PolyCut™ 41-3	(DISC.)	4003 710 2114											
NEW! STIHL PolyCut [*]	™ 48-2	4003 710 2126											
GRASS-4	20 MM	4000 713 3801											
GRASS-4	25.4 MM	4001 713 3801										0	
GRASS-8	20 MM	4000 713 3802											
GRASS-8	25.4 MM	4001 713 3803										0	
BRUSH KNIVES													
BRUSH KNIFE-250 MM	25.4 MM	4112 713 4100										0	
BRUSH KNIFE-300 MM	1 20 MM	4119 713 4100											
BRUSH KNIFE-350 MM	1 20 MM	4110 713 4100											
FORESTRY SAW BL	ADES									1	1		
SCRATCHER-200 MM	20 MM	4000 713 4200											
SCRATCHER-200 MM	25.4 MM	4112 713 4201											
SCRATCHER-225 MM	20 MM	4000 713 4205											
SCRATCHER-250 MM	20 MM	4104 713 4200											
CHISEL-200 MM	20 MM	4119 713 4200											
CHISEL-200 MM	25.4 MM	4112 713 4203											
CHISEL-225 MM	20 MM	4110 713 4204											
GRASS AROUND	DuroCut		TrimCut	M G	Auto	Cut®			стіші (SuperCu	TM		
OBSTACLES	LINE HEA	AD S	LINE HE			HEAD	Y		LINE H		` \		
	prefer manu require pree	e, even when n severe	trimming. 1	e for mowing and The nylon line djusted by hand.	mowii nylon by tap	le or quadr ng and trim line length oping the c st the grou	nming. The n is adjuste cutting hea	ed and	trimming is automa	ne for mov . The mowi atically kep cutting ler	ing line ot at the		
LIGHT VEGETATION	DuroCut LINE HEA	AD	AutoCut LINE HE		STIF LINI	IL Super E HEAD	Cut™		STIHL F	PolyCut™ IG HEAD	м	9	
	prefer manu require pree	e, even when n severe	mowing an nylon line l	quadruple line for d trimming. The ength is adjusted the cutting head ground.	trimm is auto	le line for r ing. The m omatically um cutting	iowing line kept at the		trimming large area	cutting to and workin as. With pir astic blade	ng on voting		-
HEAVY VEGETATION	DuroCut	AD 💬	GRASS (BLADE		GRA BLA	SS CUT DE	TING						

Reversible steel quadruple blade. For working on large areas of tough grass. Steel blade with eight teeth. For mowing thick dry grass and reeds.

Ideal trimmer head if you prefer manual heads that require precut lengths of nylon line, even when operating in severe applications.

FSA 135 FSA 135 R	FS 38* FS 40 C-E* FS 50 C-E*	FS 56 C-E	FS 56 RC-E FS 70 R FS 94 R	FS 80 R FS 90 R / FS 91 R FS 110 R / FS 111 R FS 130 R / FS 131 R	FS 100 RX FS 111 RX	FS 91 FS 111 FS 131	FS 240	FS 240 R	FS 311	FS 360 C-EM FS 460 C-EM	FS 560 C-EM FS 561 C-EM	FSB-KM with KM 56 RC-E KM 91 R KM 111 R**	FS-KM with KM 56 RC-E**	FS-KM with KM 91 R / KM 94 R KM 111 R / KM 131 R**	FS-KM with KMA 130 R / KMA 135 R
	•											•			
	•		-									•	-		
		•	•	•	•	•	•	•					•	•	
									٠	•	•				
									•	•					
0		•5	0	0				0	•	•			0	0	0
									•	٠	٠				
0		• ⁵	•	0		•	•	0					0	0	•
0				0		•	•	0						0	•
									•	•	•				
											•				
											6				

REEDS & BUSHES BRUSH KNIFE



BUSHES & THIN TREES



Steel triple blade. For trimming and removing tough, tangled grass, scrub and thorny bushes.

CIRCULAR SAW BLADE, OSCRATCHER TOOTH



CIRCULAR SAW BLADE, SCRATCHER TOOTH

Special steel tool for mid-range brushcutters upwards. For gnarled bushes and thin tree trunks.

CIRCULAR SAW BLADE, CHISEL TOOTH

Special steel tool for mid-range brushcutters upwards. For gnarled bushes, thin tree trunks, sawing and clearing. * Trimmers equipped with loop handles.

** 2018 models and newer.

laces Approved for use with designated unit as originally equipped.

 \bigcirc Approved for use with loop handle (R) only if equipped with barrier bar deflector kit and a single or double shoulder harness.

 $\Box \mbox{ Approved for use with bike handle, double harness and limit stop. }$

- ¹ Not for use on FS 94 R
- ² Not for use on FS 100 RX
- ³ Not for use on FS 80, FS 80 R, FS 90, FS 90 R, FS 110 or FS 110 R
- $^{\rm 4}$ Not for use on FS 240 or FS 240 R
- ⁵ When using Grass-4 and Grass-8 metal cutting blades with FS 56 C-E, trimmer must be equipped with deflector (4144 710 8119).
- ⁶ Not for use on FS 560 C-EM

⁷ Only fits FSA 57 trimmers starting with serial number 5XXXXXXX. Not compatible with serial number 9XXXXXXXX

⁸ Approved when paired with 135° deflector.

Note: Numbers with "mm" show arbor size. Consult your instruction manual or your authorized STIHL Dealer for approved cutting head/deflector combinations.

Note: Barrier bar and large deflector must be attached when using a metal blade with loop-handle (R) trimmer.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit **STIHLusa.com**. IMPORTANT INFORMATION

WARNING: Improper use of any brushcutter trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used on FS brushcutters that have a bicycle handle and double shoulder harness and not on FS brushcutters with a "J" handle or loop handle (R). Other rigid blades may be used on FS brushcutters having a bicycle handle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

COLOR-CODED/NYLON LINE

The thickness of the nylon line varies, depending on the performance class and operating conditions. Nylon lines are color-coded to easily define the diameter of the cutting line to include: premium round, Quiet Line[™] and pentagon nylon lines.

- .065" (1.6 mm) dia.
- .080" (2.0 mm) dia.
- .095" (2.4 mm) dia.
- .105" (2.7 mm) dia.
- 📕 CF3-Line
- .118" (3.0 mm) dia.
- X-Line


• .130" (3.3 mm) dia.

• Commercial Round Line

Commercial Square Line

STIHL Quiet Line[™]

Spiral grooves greatly reduce wind noise.



Line Type		Color/ Diameter	22' - 65' Spools	1/2 lb.* Spool	1 lb.* Spool	3 lb.* Spool	5 lb.* Spool			
Premium Round Line	\bigtriangledown	.065.080	•	•	•	•				
		.095								
		.105	•							
		.118 🥚								
		• .130	•	•	•					
		.155								
Quiet Line™	D	• .065	•							
	U.	080. ●								
		095 (•	•	•	•				
		.105								
		.155								
Commercial Round Line	\bigcirc	• .095								
	0	• .105				•	•			
Premium Square Line		.095								
	\cup	. 105		•						
		.118								
		■ .130			•					
Commercial Square Line	\square	.095								
		.105		•	•	•	•			
Pentagon Line	\bigcirc	• .095				•	•			
	\bigcirc	• .105		•		•	•			
		.118								
		• .130		•	•	•				
X-Line	5	× .095			•					
D O · O	~	× .105			40 . :		-			
DuroCut Serrated Line	- Start	■ .080■ .120								
	\checkmark	■ .120■ .155								
CF3 Pro	~	■ .155■ .095		Packed 4	48 pieces	per tube.				
	\square	■ .095■ .105								
		■ .105 ■ .118								
		■ .118		-			-			
Approximate weight and lengt										

*Approximate weight and length may vary.



DEFLECTOR & LIMIT STOP ASSEMBLIES

Reduce the risk of injury from thrown objects and blade contact. Make sure your product has the right deflector or limit stop with the cutting attachment you are using. Check your instruction manual or see your STIHL Dealer for more information.

LARGE DEFLECTORS



HIGH-VISIBILITY DEFLECTORS








RX DEFLECTOR





SHOULDER HARNESSES

These harnesses distribute the load from hands to a user's shoulders, reducing operator fatigue. A double shoulder harness is required by ANSI when using a circular saw blade on a brushcutter.



For crisp lines around curbs and walkways.





FC 56 C-E

With its fuel-efficient, low-emission engine, the FS 56 C-E edger features the STIHL Easy2Start[™] system for almost effortless starting.





TIP

BEFORE YOU EDGE

If the soil is very dry, spray it with a little water to soften and reduce dust that can limit visibility while edging.

> ^oA majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. The FCA 135 and FCA 140 are assembled in the United States. Batteries and chargers sourced internationally. For full specification information for all STIHL edgers, please refer to page 101.



FC 91 `• 齡 트

The FC 91 is a professional, curved-shaft edger with high blade speed, a lowemission engine and more.





A curved-shaft, batterypowered edger that delivers quiet, professional performance.






The professional, straightshaft FC 96 is powered by a low-emission engine and features a large fuel tank, providing long run time.





A straight-shaft, batterypowered professional edger with high torque for creating a clean-looking landscape.





Bring your "A" game to any landscaping job with the most powerful edger in the STIHL line. The FC 111 gets users to the job faster with its easy three-step starting procedure.



BED REDEFINER

For maintaining mulch and clean edges around flower beds.

Our dedicated redefiner tool is built to be light and deliver consistent power.

Make quick work of mulch and flower beds, adding sharp edges and clean, beveled trenches.



FB 131

The FB 131 bed redefiner features a line-of-sight indicator for precision and adjustable depth wheel to ensure a consistent cutting depth.





	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Weight* (lbs.)	Fuel Capacity (oz.)	Gear Ratio	Maximum Blade Speed (rpms)	Arbor Size (mm/in.)	Blade Size (cm/in.)	Blade Cutting Depth (cm/in.)	Shaft Type - Straight/Curved	STIHL Easy2Start TM	Adjustable Depth Wheel	"Line of Sight" Marking	"Open" Guard Design	Multi-Function Control Handle	Caring for Nature	Made in America
EDGERS		1			1	1		1		1	1			1	1			
FC 56 C-E		27.2/1.66	0.8/1.07	13.5	11.5	1:1.24	8,300	25.4/1.0	20.3/8.0	-	Curved	٠	•	•	•	•		
FC 70	2	27.2/1.66	0.9/1.2	13.0	11.5	1:1.24	8,300	25.4/1.0	20.3/8.0	_	Curved	_	•	•	•	•		
FC 91	2	28.4/1.73	0.95/1.27	13.2	24.0	1:1.235	8,100	25.4/1.0	20.3/8.0	-	Curved	-	•	•	•	•		
FC 96	۵	28.4/1.73	0.95/1.27	13.7	24.0	1:2.09	4,800	25.4/1.0	20.3/8.0	-	Straight	-	•	•	•	•		
FC 111		31.4/1.9	1.05/1.4	13.7	24.0	1:2.09	4,800	25.4/1.0	20.3/8.0	-	Straight	-	•	•	•	•		
NEW! FCA 135	AP	-	-	11.2	-	1:1.235	8,100	25.4/1.0	20.3/8.0	-	Curved	-	•	•	•	•		-
NEW! FCA 140	AP	-	-	12.6	-	1:2.09	4,800	25.4/1.0	20.3/8.0	_	Straight	-	•	•	•	•		-
BED REDEFIN	IER																	
FB 131		36.3/2.2	1.4/1.9	17.2	24.0	1:2.09	4,800	25.4/1.0	-	6.6/2.6	Straight	-	•	•	•	•		

● Standard ○ Optional – Not Applicable

*Dry weight.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

*A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components.



PERSONAL PROTECTIVE

From helmet systems and hearing protection to gloves and more, STIHL has the gear you need to help keep you protected.

STARTER LOCKOUT

The trigger lockout switch is a simple safety feature that helps to prevent accidental activation of the trigger.

BUILT-IN HANGER

Select models of STIHL hedge trimmers feature a built-in hanger on the rear handle, allowing for easy storage.

HIGH-TECH POLYMER HOUSING

TIML

The body housing is lightweight and will withstand greater impact during operation. The durable design is corrosion resistant and protects the mechanics within.

LARGE FRONT HANDLE

Thanks to the large front handle, our standard STIHL hedge trimmers provide users with the ability to tackle cutting tasks from multiple positions.

DOUBLE-SIDED RECIPROCATING BLADES

Nearly all models of STIHL hedge trimmers feature double-sided reciprocating blades for optimal cutting performance in either direction.

SUPERIOR BALANCE & DESIGN

From standard to extendedreach models, STIHL hedge trimmers are designed to help you get the work done as comfortably as possible.


CUTTING BLADES

STIHL extended-reach hedge trimmers are available in two different styles of cutting blades: fixed or adjustable.


SHAPE UP YOUR LANDSCAPE

With their powerful performance and well-balanced design, STIHL hedge trimmers are built to give you the precision and control you need to bring beauty and shape to your landscape.









FIND THE RIGHT TOOL FOR THE JOB.

SEASONAL **TRIMMING & SMALLER SHRUBS**

Our hedge trimmers are lightweight, easy to use and designed to make quick work of overgrown shrubs and bushes.







With faster speeds than the previous model, the HSA 26 battery-powered garden shears put an unparalleled level of cutting precision in the palm of your hand.



HSA 45



A5 🍪

Part of the AI Line, the HSA 45 offers high cutting speeds in a compact, ergonomic design, and provides up to 40 minutes of run time.*

*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.



A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. For full specification information for all STIHL hedge trimmers, please refer to page 120.





HS 45

"Turned a weekend of hedge trimming into an afternoon!"

 $\star \star \star \star \star \star$ - Grant28

Check out this review and others on the product pages at $\ensuremath{\textbf{STIHLusa.com}}$



HS 45

Available with an 18" double-sided reciprocating blade, the HS 45 is powered by a dependable STIHL engine to deliver the power needed to cut through shrubbery with ease.





Lightweight, yet durable, the HSE 52 corded-electric hedge trimmer features a 20" double-sided blade that cuts in both directions and a D-shaped handle for easy cutting at various positions.



HS 46 C-E

The HS 46 C-E is the lightest gasoline-powered hedge trimmer in the STIHL line and features STIHL Easy2Start[™] technology, which makes starting the trimmer nearly effortless.





Part of the AK System, the HSA 56 delivers a high cutting speed of 2,800 strokes per minute and a run time up to 50 minutes with the AK 10 battery.*

NUMEROUS HEDGES & SHRUBS



HS 56

The HS 56 hedge trimmer is the ideal balance of power and portability for professional users and comes with a blade tip guard that helps to keep blades sharper longer.

Our well-balanced hedge trimmers feature anti-vibration technology, delivering the cutting power needed to leave behind uniform, professionally groomed hedges and shrubs.



HSA 66

Part of the AP System, the HSA 66 runs on the same universal battery as other AP products and features optimized blade geometry and diamond-ground blades for clean cuts.





HSE 70

Made for clean, quiet cutting, the HSE 70 corded-electric hedge trimmer is lightweight and easy to maneuver and features a long 24" blade to make fast work of larger shrubs.



HS 82

The HS 82 is a win-win for professional landscapers, available in a pruning (R) and trimming (T) version in both 24" and 30" blade length options, offering two ways to tackle trimming tasks.

A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. For full specification information for all STIHL hedge trimmers, please refer to page 114.



HS 87

The lightweight and well-balanced HS 87 features a singlesided blade and is available in a pruning (R) and trimming (T) version to tackle overgrown shrubs.

SIZABLE JOBS & EXTENDED OPERATING TIMES



HSA 94

AP 🍪 🌔

Built with the professional in mind, the HSA 94, available in a pruning (R) and trimming (T) version, features a 24" blade and no onboard battery, shifting the battery weight to the back or hip.

Our professional line of hedge trimmers are in an entirely different league of performance and dependability. They are made to start fast and cut faster, and offer quality trimming performance.



EXTENDED-REACH HEDGE TRIMMERS

Our battery and gasoline-powered extended-reach hedge trimmers are available in fixed and articulating blade options.

Ideal for extra tall and wide shrubs.





HL 56 K (O°) 🍋 🎃 페

The fixed-angle HL 56 K (O°) is ideally suited for homeowners and entry-level landscapers to trim hard-to-reach areas.

HLA 56

The battery-powered HLA 56 is perfect for tackling occasional trimming and shaping of hard-to-reach hedges and shrubs, while its quiet operation allows for use in noise-sensitive areas.

[°]A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. For full specification information for all STIHL hedge trimmers, please refer to page 114.





and 20" cutter bar, delivers professional grade performance with the convenience of battery power.

The compact design of the mid-length HL 91 K (O°) provides excellent maneuverability and the innovative ECOSPEED throttle control offers variable speed regulation.

HL 91 K (O°)

"Plenty of power to cut through even tough material. Well balanced and easy to handle."

of battery power with the performance

professional gas-powered equipment.

and proven construction of our

 $\star \star \star \star \star \star$ - Wakesurfer

HL 94 K (O°) `• 🍻 💷`

The HL 94 K (O°) features a fixed-angle blade and the STIHL exclusive ECOSPEED throttle set wheel for variable speed control, making it a must-have for pros.




Built with professionals in mind, the HL 94 K (145°) has an articulating blade offering a cutting range of 145°, in 13 locking positions, to precisely trim difficult hedges.

HL 94 (145°) 🍋 齡 🟬

The HL 94 (145°) features 13 cutting head locking positions and ECOSPEED throttle set wheel for variable speed control, making it a must-have for pros.



REAL STIHE. FIND YOURS,





HLA 135 K (O°)

When precision matters in hard-toreach places, pros rely on the control and performance of this professionalgrade trimmer's 0° fixed-angle cutting head and short shaft design.



For a combination of versatility and control, the short shaft design of this pro-grade hedge trimmer with its articulating 145° cutting head gives users all they need in a durable design. HLA 135 (145°) AP 🎃 🟬

With an articulating 145° cutting head and an extended-reach shaft, this professional-grade hedge trimmer gives pros the reach and range they need to take on a variety of jobs.

^oA majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. HLA 135 units are made in the United States with domestic and foreign components. Batteries and chargers sourced internationally.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)	Fuel Capacity (oz.)	
SEASONAL TRIMMING, SMALLER SHRUBS	AS			10.8	1.5		
HSA 45	AI	-	-	10.8	5.1	-	
HS 45		27.2/1.66	0.75/1.01	-	10.4	7.8	
HS 46 C-E		21.4/1.31	0.65/0.87	_	9.5	9.5	
HSE 52	-	_	_	120	6.8	_	
HSA 56	AK	_	_	36	6.4	_	
NUMEROUS HEDGES AND SHRUBS							
HS 56		21.4/1.31	0.65/0.87	-	9.9	9.5	
HSA 66	AP	-	-	36	6.8	-	
HSE 70	-	-	-	120	9.3	-	
HS 82 R (24")		22.7/1.4	0.7/0.94	-	11.9	15.6	
HS 82 T (24")		22.7/1.4	0.7/0.94	-	11.2	15.6	
HS 82 R (30")		22.7/1.4	0.7/0.94	-	12.6	15.6	
HS 82 T (30")		22.7/1.4	0.7/0.94	-	11.7	15.6	
SIZABLE JOBS, EXTENDED TRIMMING TIMES							
HS 87 R (30")		22.7/1.4	0.7/0.94	-	12.1	15.6	
HS 87 T (30")		22.7/1.4	0.7/0.94	-	11.5	15.6	
HS 87 T (40")		22.7/1.4	0.7/0.94	-	12.1	15.6	
HSA 94 R	AP .	-	-	36	9.0	-	
HSA 94 T	AP)	-	-	36	8.6	-	
EXTENDED-REACH HEDGE TRIMMERS			1				
HL 56 K (0°)		27.2/1.66	0.8/1.07	-	12.6	11.5	
HLA 56	AK.	-	-	36	8.4	-	
NEW! HLA 66	AP:	-	-	36	8.1	-	
NEW! HLA 86	AP:	-	-	36	10.6	-	
HL 91 K (0°)		24.1/1.5	0.9/1.2	-	11.9	18.3	
HL 94 K (0°)		24.1/1.5	0.9/1.2	-	12.1	18.3	
HL 94 K (145°)		24.1/1.5	0.9/1.2	-	12.8	18.3	
HL 94 (145°)		24.1/1.5	0.9/1.2	-	13.7	18.3	
HLA 135 K (0°)	AP:	-	-	36	10.4	-	
HLA 135 K (145°)	AP AB	-	-	36	11.5	-	
HLA 135 (145°)	AP:	-	-	36	12.4	-	

● Standard ○ Optional - Not Applicable

*Dry weight.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit **STIHLusa.com**. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

Blade Length (cm/in.)	Blade Type - Single-Sided/ Double-Sided	Strokes Per Minute	Cutting Head - Articulated/Fixed	STIHL Anti-Vibration System	STIHL Easy2Start ^{IM}	Rear Swivel Handle	Simplified Starting	Multi-Function Control Handle	Telescoping Pole	Caring for Nature	Made in America
Shrub: 20/7.9 Grass: 12/4.7	Double	2,200	Fixed	_	_	_	_	_	_		_
50 / 20	Double	2,500	Fixed	_	_	_	_	•	_	<u></u>	_
46 / 18	Double	3,700	Fixed	•	_	_	_	_	_	_	_
56 / 22	Double	3,640	Fixed	•	•	_	•	٠	_		
50 / 20	Double	3,400	Fixed	-	-	_	_	_	_		-
45 / 18	Double	2,800	Fixed	-	-	-	-	٠	-		-
61 / 24	Double	3,640	Fixed	_	•	_	•	•	_		
50 / 20	Double	3,000	Fixed	-	-	-	-	-	-		-
61/24	Double	3,200	Fixed	-	-	-	_	_	-		-
61 / 24	Double	3,100	Fixed	•	-	•	•	•	-		-
61 / 24	Double	5,100	Fixed	•	-	•	•	•	-		-
76 / 30	Double	3,100	Fixed	•	-	•	•	•	-		-
76 / 30	Double	5,100	Fixed	•	-	•	•	•	-		-
76 / 30	Single	3,100	Fixed	•	-	-	•	•	-		-
76 / 30	Single	5,000	Fixed	•	-	-	•	•	-		-
101.6 / 40	Single	5,000	Fixed	•	-	-	•	•	-		-
60 / 24	Double	2,800/3,000 /3,200	Fixed	-	-	•	-	•	-		-
60 / 24	Double	4,400/4,700 /5,300	Fixed	-	-	•	-	•	-		-
										<u> </u>	
50 / 20	Double	-	Fixed	-	-	-	•	•	-	<u>نه</u>	
45.7 / 18	Double	2,800	Articulating	-	-	-	-	-	-		-
50 / 20	Double	3,000	Articulating	-	-	-	-	_	-		-
50 / 20	Double	3,000	Articulating	-	-	-	-	-	•		-
60 / 24	Double	3,900	Fixed	•	-	-	•	•	-		
60 / 24	Double	3,900	Fixed	•	-	-	•	•	-		
60 / 24	Double	3,600	Articulating	•	-	-	•	•	-		
60 / 24	Double	3,600	Articulating	•	-	-	•	•	-		
60 / 24	Double	3,200/3,600 /4,000 3,200/3,600	Fixed	-	-	-	-	-	-		
60 / 24	Double	3,200/3,600 /4,000 3,200/3,600	Articulating	-	-	-	-	-	-		
60 / 24	Double	3,200/3,800 /4,000	Articulating	-	-	-	-	_	_		

GARDEN & POLE PRUNERS

Smooth, precise cutting that makes quick work of branches.





GTA 26 A5

The innovative and versatile GTA 26 batterypowered garden pruner features a 4" guide bar to prune small diameter branches and timber.



GTA 26 HOLSTER

The GTA 26 holster connects to a user's belt and leg and features a strengthened back panel for increased durability.



HT 56 C-E

The fuel-efficient HT 56 C-E pole pruner features a lightweight gearbox that enhances maneuverability and user comfort and STIHL Easy2Start[™] technology provides almost effortless starts.

HTA 50

The first pole pruner in the AK System is ideally suited for occasional pruning of hard-to-reach areas and use in noise-sensitive environments.



The HTA 66 fixed-length pole pruner gives users a host of performance features with the clean and quiet operation offered from Battery Power. Made by STIHL.

Standard

 \bigcirc Optional

– Not Applicable



With the same telescoping outer shaft as the professional gas-powered HT 135, the HTA 86 pole pruner gives users the benefits of quiet, clean battery power in a durable, proven tool design.



Designed for easy handling, the HT 105 pole pruner offers users a telescopic design that provides reach while still maintaining rigidity and control.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Overall Length (in.) - With Cutting Attachment	Guide Bar Length (in.) - Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type	Side-Access Chain Tensioner	Shaft Type (Fixed/Telescoping)	STIHL Easy2Start TM (E)	Caring for Nature	Made in America
GARDEN PRUN	IER															
GTA 26	A5	-	-	10.8	2.7	-	-	-	4	1/4" P	PM3	•	Fixed	-	۴	-
POLE PRUNER	S															
HT 56 C-E		27.2/1.66	0.8/1.1	-	14.1	11.5	4.1	110	10	1/4" P	PM3	•	Fixed	•		
NEW! HTA 50	AK)	-	-	36	8.6	-	3.6	-	10	1/4" P	PM3	•	Fixed	-		-
NEW! HTA 66	AP	-	-	36	7.3	-	3.6	94.8	10	1/4" P	PM3	•	Fixed	-		-
NEW! HTA 86	AP:	-	-	36	10.1	-	3.6	126	10	1/4" P	PM3	٠	Telescoping	-		-
NEW! HT 105		31.4/1.9	1.05/1.4	-	17.4	17.9	7.4	-	12	1/4" P	PM3	•	Telescoping	-	-	
HT 131		36.3/2.2	1.4/1.9	-	15.9	17.9	7.4	-	14	3/8" P	PMM3	٠	Telescoping	-		
NEW! HT 134		36.3/2.2	1.4/1.9	-	13.2	17.9	7.4	-	14	3/8" P	PMM3	٠	Fixed	-	-	
NEW! HT 135		36.3/2.2	1.4/1.9	-	17.4	17.9	7.4	-	14	3/8" P	PMM3	٠	Telescoping	-	-	
HTA 135	AP :	-	-	36	15	-	-	159	10	3/8" P	PM3	•	Telescoping	-		
HT 250		40.2/2.45	1.6/2.1	-	13.9	21.6	7.4	84	14	3/8" P	PMM3	٠	Fixed	-	-	


*Dry weight. **The actual listed guide bar length can vary from the effective cutting length based on the gear head design.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com, Models and specifications are subject to change without notice.

Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

🚍 °A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components.

The HTA 135 is made in the United States with domestic and foreign components. Batteries and chargers sourced internationally.







The telescoping HT 131 pole pruner can reach up to 11' 6" and comes standard with 3/8" STIHL PICCO™ Micro™ Mini 3 (PMM3) saw chain.



With its durable metal gearbox construction, the fixed-length HT 134 gives users excellent maneuverability and reduces user fatigue when compared to previous models.



The HT 135 pole pruner offers a telescoping shaft and a powerful, low-emission engine to give users the reach and performance needed for challenging cutting jobs.







STIHL

STIHL

PERSONAL PROTECTIVE

With a range of glasses, gloves and hearing protection, STIHL has you covered with the gear you need to help keep you protected.

LOW-EMISSION ENGINE

Our handheld blowers have a fuelefficient and low-emission engine, while our battery models eliminate emissions altogether.



ANTI-VIBRATION

With an anti-vibration system designed to help minimize operator fatigue on select models, STIHL blowers are built for performance and comfort.

HIGH-TECH POLYMER HOUSING

Lightweight, built to withstand impact and corrosion resistant, the construction of our blower housings is a testament to STIHL durability.

CLEAR THE WAY

Designed for efficiency, ease of use and exceptional power, STIHL blowers and shredder vacs deliver the power and performance you need to keep leaves, clippings and other debris under control. From lightweight handheld blowers to powerful backpack blowers, STIHL has a range of models to meet your needs.

ElastoStart[™] HANDLE

Available on select models, the ElastoStart[™] handle provides users with a built-in shock absorber for smoother starting.

RANGE OF

From vacuum and gutter cleaning kits to a flat-shaped nozzle for higher air speed, STIHL blowers can help you take on a number of tasks on the job or around the house.

ROUND NOZZLE

The round nozzle is designed for increased air volume and many models come with the ability to adjust nozzle length for operators of different heights to find an optimal position.

SUPERIOR BALANCE & DESIGN

From handheld models to backpack units, STIHL blowers allow you to get the work done as comfortably as possible.

REAL STIHL. FIND YOURS.









SHREDDER

LARGER AREAS, NUMEROUS TREES

PROFESSIONAL JOBS, EXTENDED BLOWING TIMES



FIND THE RIGHT TOOL FOR THE JOB.

WEEKLY USE AROUND BEDS & DRIVEWAYS



BGA 45

Part of the AI Line, the battery-powered BGA 45 provides the power urban homeowners need at an incredible value.

We designed our blowers for quick and easy yard cleanup.

Our lightweight blowers are a breeze to use and can power through cluttered yards and walkways without hesitation.



BG 50

A perfect choice for homeowners seeking premium STIHL quality, the BG 50 boasts the highest power-to-weight ratio in the STIHL gasoline-powered handheld lineup.





The BG 56 C-E is easy to use, features the STIHL Easy2Start™ system and its high-performance engine makes quick work of leaves.



SH 56 C-E



The fuel-efficient SH 56 C-E is a shredder vac/blower with the convenience of the STIHL Easy2Start[™] system.





SHA 56

The first vacuum/shredder in the AK System is a versatile tool that delivers the high performance and dependability of two STIHL products in one.

Blower mode shown above. Vacuum bag not displayed.

AK)



BGE 61

Quiet and easy to use, the BGE 61 is part of a generation of lightweight, powerful corded-electric leaf blowers.




BGA 57



Part of the AK System, the battery-powered BGA 57 blower delivers powerful STIHL performance combined with great control and comfortable operation.





°A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. The BGA 57 is made in the United States with domestic and foreign components. Batteries and chargers sourced internationally. For full specification information for all STIHL blowers, please refer to page 134.



STIHLUSA.COM

126

BLOW AWAY THEIR EXPECTATION

Fun isn't something that's manufactured. It's organic, and sometimes it's found when you least expect it.

REAL STIHL. FIND YOURS.

+++



LARGER AREAS & NUMEROUS TREES





Ideal for use in neighborhoods or other noise-sensitive areas, the BG 66 L is quiet, yet powerful.

Our hardworking handheld and backpack blowers deliver power, comfort, durability, and no-fuss ease of use to tackle larger yards and jobs.







AP: 🍪

A powerful, lightweight battery-powered blower, the BGA 86 features 50% more blowing force than the previous model (BGA 85).



The BG 86 has earned the title of our most powerful gasoline-powered dedicated handheld blower, designed for landscaping professionals.



The BG 86 C-E is our most powerful gasoline-powered dedicated handheld blower, made even better with STIHL Easy2Start[™] technology.



²A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. The BGA 200 is made in the United States with domestic and foreign components. Batteries and chargers sourced internationally. For full specification information for all STIHL blowers, please refer to page 134.



SH 86 C-E

AP) 🍪 📰 🌔

The professional SH 86 C-E easily converts from a shredder vac into a handheld blower and features STIHL Easy2Start™ technology.



BGA 100

The BGA 100 variable-speed throttle trigger features three performance settings plus a boost mode to deliver great blowing power and run time.



BGA 200

High performance in a battery package, the BGA 200 is the most powerful battery-powered blower in the STIHL range.



BR 200

The BR 200 is a lightweight, professional-grade backpack blower for use around the home.







With a powerful and fuel-efficient gasoline-powered engine, the BR 350 provides rugged power to tackle heavy debris, while delivering exceptional fuel economy.



PROFESSIONAL JOBS & EXTENDED BLOWING TIMES

Our professional backpack blowers are ergonomically designed to reduce vibration and increase comfort.

Most importantly, they provide reliable power a necessity when you're using our blowers all day, every day.





BR 430



A professional-grade backpack blower with the features pros need to get the job done, the BR 430 provides excellent fuel economy and comfort.



BR 450



A professional 2-stroke backpack blower, the BR 450 has plenty of power to get the job done.



BR 430

"I can get everything done in record time with this powerful blower."



Check out this review and others on the product pages at **STIHLusa.com.**





BR 500



Reduce the noise without sacrificing the power; the BR 500 features a powerful, low-emission engine and specially designed muffled blower tube.





A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components.
The BR 430 is assembled in the United States. For full specification information for all STIHL blowers, please refer to page 134.









The BR 700 blower with adjustable tube length is one of the most powerful blowers in the STIHL range and reduces bottom-line costs with its fuel-efficient engine.



BR 700 X

The powerful, professional BR 700 X features a flexible pleated connecting hose and fixed-length lightweight tube.




BR 800 X MAGNUM®

The BR 800 X MAGNUM® offers maximum power in a lighter weight version of the BR 800 C-E MAGNUM® to tackle large properties.



BR 800 C-E MAGNUM®

The most powerful blower in the STIHL line, the BR 800 C-E MAGNUM® features a starting handle on the side of the unit, allowing users to start and restart the engine while wearing the blower on their back.



	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)	Fuel Capacity (oz.)	Sound Pressure Level – dB(A)**	Maximum Air Velocity (mph)**	Air Volume at Nozzle (cfm)**	Blowing Force // Newtons***
WEEKLY USE AROUN		DS AND DR	IVEWAYS							
BGA 45	A	-	-	18	4.4	-	60	98	247	5
BG 50		27.2/1.66	0.7/0.9	-	7.9	14.5	70	159	412	13
BG 56 C-E		27.2/1.66	0.7/0.9	-	9.3	18.3	70	159	412	13
SH 56 C-E		27.2/1.66	0.7/0.9	-	11.5	18.3	70	159	412	13
NEW! SHA 56	AK	-	-	36	S:9.3 B:7.1	-	62	125	328	8
BGA 57	AK	-	-	36	5.1	-	59	123	365	9
BGE 61	-	-	-	120	6.8	-	64	148	285	9
BGE 71	-	-	-	120	6.8	-	58/64	L:119/H:148	L:232/H:285	L:6/H:9
LARGER AREAS, NU										
BG 66 L		27.2/1.66	0.6/0.8	-	9.7	18.3	65	139	371	10
BGA 86	AP]	-	-	36	6.2	-	58	154	459	15
BG 86		27.2/1.66	0.8/1.07	-	9.7	14.9	70	F:190/R:154	F:365/R:444	15
BG 86 C-E		27.2/1.66	0.8/1.07	-	9.7	14.9	70	F:190/R:154	F:365/R:444	15
SH 86 C-E		27.2/1.66	0.8/1.07	-	12.3	14.9	70	170	444	15
BGA 100	AP :	-	-	36	5.5	-	56 ¹	168 ¹	494 ¹	17 ¹
BGA 200	AP :	-	-	36	7.1	-	59 ¹	188 ¹	553 ¹	21 ¹
BR 200		27.2/1.66	0.8/1.07	-	12.6	35.5	70	150	400	12
BR 350		63.3/3.86	2.1/2.8	-	22.0	57.5	74	201	436	17
PROFESSIONAL JOE	BS, EX	TENDED BL		MES						
BR 430		63.3/3.86	2.9/3.9	-	22.3	57.5	76	219	500	26
BR 450		63.3/3.86	2.9/3.9	-	23.4	57.5	77	219	642	28
BR 500		64.8/3.95	2.0/2.7	-	22.3	47.3	65	207	544	22
BR 600		64.8/3.95	2.8/3.8	-	21.6	47.3	75	238	677	32
BR 700		64.8/3.95	2.8/3.8	-	23.4	47.3	75	197	912	35
BR 700 X		64.8/3.95	2.8/3.8	-	23.0	47.3	75	193	901	34
BR 800 C-E MAGNUM®		79.9/4.9	3.2/4.4	-	25.8	67.6	78	239	912	41
BR 800 X MAGNUM®		79.9/4.9	3.2/4.4	-	23.1	67.6	78	239	912	41

● Standard ○ Optional - Not Applicable L = Low H = High F = Flat tube R = Round tube

*Dry weight. **As measured per ANSI B 175.2 standard (gasoline-powered blowers only). ***Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

¹Measurements in Boost mode.



Round Nozzle	Flat Nozzle	Curved Round Nozzle	Anti-Vibration System	STIHL Easy2Start™ (E)	STIHL ElastoStart™	Low-Noise Sound Damper (L)	Hip Belt	Lightweight Version (X)	Adjustable Tube	Toolless Adjustable Handle	Caring for Nature	Made in America
•	_	_	_	_	_	_	_	_	_	_		_
•	_		_		_		_	_	_		-	
•	_	_	_	-	_	-	_	_	_	-	_	
•	_	_	_	•	_	_	_	_	•	_	_	
•	0	_	_	_	_	_	_	_	•	_	_	_
•	0	_	_	_	_	_	_	_	•	_		
_	•	-	_	-	-	_	_	_	•	_	<u></u>	-
_	•	_	_	-	_	-	-		•	_	٩	_
•	-	-	_	_	-	•	-	_	•	_	_	
•	0	_	_	-	_	_	-	-	•	-		-
•	•	-	•	-	-	-	-	_	•	-	-	
•	•	-	•	•	-	-	-	_	٠	-	_	
•	-	-	•	•	-	-	-	-	•	-	-	
•	0	-	-	-	-	-	-	_	•	-		-
•	0	_	-	-	-	-	-	-	•	-		
•	-	0	•	-	-	-	-	-	•	-	-	
•	0	-	•	-	-	-	0	-	•	-		
•	0	0	•	-	•	-	0	_	•	-	-	-
•	-	0	•	-	-	-	0	-	•	•	-	
•	-	0	•	-	-	•	0	-	•	•		
•	0	0	•	-	-	-	0	-	•	-		
•	0	0	•	-	-	-	0	-	•	•		
•	-	-	•	-	-	-	0	•	-	•		
•	0	0	•	•	-	-	•	-	•	•		
•	-	-	•	-	-	-	•	•	•	•		

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



WE CAN TAKE YOU THERE

136

STIHLUSA.COM

Stand Stand

With reliable outdoor power equipment, it's easier to spend less time working and more time doing the things you want.

REAL STIHL. FIND YOURS.



SPRAYERS

Landscaping sprayers designed for liquid or granular dispersants.





SG 11

The versatile SG 11 is great for the garden or farm and features a translucent tank for managing liquid levels.



SG 20

The 18-liter SG 20 maintains constant working pressure and is comfortable and lightweight, helping professionals get through the day with less fatigue.



SG 31


The easy-to-use SG 31 is powerful, easily portable and equipped with a 5-liter tank to tackle user's spraying tasks.



The SG 51 manual backpack sprayer is a lightweight and versatile tool that combines smart design with functionality, making it dependable and easy to use.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Weight (lbs.)*	Fuel Capacity (oz.)	Container/Tank Capacity (L/gal.)	Air Velocity (m/sec / mph)	Air Volume (m³h/cfm)	Maximum Spray Range - Horizontal (m/ft.)	Maximum Spray Range - Vertical (m/ft.)	Simplified Starting Procedure	Pressure Pump Pre-installed	Translucent Fuel Tank	Variable Speed Throttle Lock	Variable Control of Liquid Discharge	Caring for Nature	Made in America
MANUAL SPR	AYERS	5															
SG 11	Manual	-	-	1.0	-	1.5/0.4	-	-	-	-	-	-	-	-	-	-	-
SG 20	Manual	-	-	11.2	-	18.0/4.75	-	-	-	-	-	-	-	-	-	-	-
SG 31	Manual	-	-	4.0	-	5.0/1.32	-	-	-	-	-	-	-	-	-	-	-
SG 51	Manual	-	-	9.9	-	12.0/3.17	-	-	-	-	-	-	-	-	-	-	-
SG 71	Manual	-	-	10.6	-	18.0/4.76	-	-	-	-	-	-	-	-	-	-	-
POWER SPRA	YERS																
NEW! SGA 85	AP	-	-	13.0	-	17.0/4.5	-	-	-	-	-	-	-	-	-	-	-
SR 200		27.2/1.66	0.8/1.07	18.7	36.5	10.0/2.1	81/181	580/341	9.0/29.5	5.5/18.0	•	0	•	•	•	-	
SR 430		63.3/3.86	2.9/3.9	27.3	57.5	14.0/3.7	90/201	920/542	14.5/48.0	13.0/43.0	•	•	٠	•	•	-	-
SR 450		63.3/3.86	2.9/3.9	28.2	57.5	14.0/3.7	90/201	920/542	14.5/48.0	13.0/43.0	•	0	•	•	•	-	-
● Standard ○ Option	nal – Not	Applicable	*Dry w	eight.													

● Standard ○ Optional – Not Applicable Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.





SG 71

The SG 71 manual backpack sprayer gives professionals a versatile and reliable option that leverages smart design with great functionality.

SPRAYER ACCESSORIES

(FOR SR 200, SR 430 AND SR 450)

PRESSURE PUMP KIT:

Provides constant delivery rate and recirculates liquid in holding tank.



LOW VOLUME NOZZLE:

For precise metering of liquids when low flow rates are needed.

TUBE EXTENSION:

Extends spraying tube for additional reach. (Only applicable for the SR 430 and SR 450)







NEW SGA 85



The SGA 85 is the first commercial grade batterypowered sprayer in the STIHL line to deliver a large spraying range to treat large areas.



SR 200 🏻 🍋 💻

The lightweight SR 200 delivers more power than a manual sprayer and is ideal for small tree farms or vineyards.



SR 430

The powerful, fuel-efficient, liquid-only SR 430 delivers a large spraying range, reducing the time it takes to treat large areas. Comes standard with pressure pump kit.



SR 450

Ideal for distributing liquid or solid compounds, the SR 450 converts from misting to dusting applications without any special tools or additional equipment.





Our vacuums have what you need to make your cleanups faster, quieter and cleaner than ever.





SEA 20

A5

The SEA 20 battery-powered vacuum and its standard attachments allow cleanup in the tightest spaces.





An economic model with the same motor output and suction as the SE 62, the SE 33 corded wet/dry vacuum cleaner gives users great performance at an excellent price point.

	Power Source Type	Voltage (V)	Motor Output (kW/amps)	Weight (lbs.)*	Suction (mbar/in H_2O)	Air Flow (L/min / cfm)	Container Capacity (L/gal.)	Suction Hose Length (m/ft.)	Power Cord Length (m/ft.)	Hose Diameter (mm)	Standard with Universal Nozzle and Crevice Tool	Wet/dry Vacuuming Options	Switchable Floor Nozzle	Handle with Quick Release Coupling	Multiple Filter System	Caring for Nature
VACUUMS																
NEW! SEA 20	A5	10.8	-	2.4	80	1,020/36	-	-	-	-	-	-	-	-	-	-
SE 33	-	120	1.0/8.3	11.7	210/84	3,600/127	12.0/3.2	2.0/6.6	4.0/13.1	32	0	•	•	-	•	-
SE 62	-	120	1.0/8.3	16.5	210/84	3,600/127	20.0/5.2	2.5/8.2	5.0/16.4	32	•	•	•	-	•	-
SE 122	-	120	1.2/10.0	26.7	250/100	3,700/130	30.0/7.9	3.0/9.8	7.5/24.6	36	•	•	•	•	٠	-

● Standard ○ Optional - Not Applicable

*Dry weight.


Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.





The rugged and quiet SE 62 is perfect for use around the home or workshop, and can be converted to a blower for additional cleaning tasks.





PRESSURE WASHERS

Pressure washers designed for convenience and durability to make jobs easier and impeccable.




NEW RE 80



The easy-to-use RE 80 delivers plenty of power for occasional use around the home, and comes standard with multiple nozzles for versatile cleaning applications.



RE 90 PLUS





Comes standard with multiple nozzles for versatile cleaning applications.

RE 110 PLUS



With an integrated pressurized hose reel that allows homeowners to easily wind and unwind its 23' high-quality hose, the RE 110 PLUS corded-electric pressure washer delivers 2,000 psi water pressure for powerful cleaning from its brushless electric motor.

RE SERIES PRESSURE WASHER ACCESSORIES



ROTARY SURFACE CLEANER Quick and easy cleanup for large, flat surfaces. Ideal for delivering a thorough cleaning to driveways, decks, sidewalks, and more.



ROTARY WASHING BRUSH

With its rotating inner brush and adjustable working angle, the Rotary Washing Brush is ideal for cleaning vehicles, boats, recreational vehicles, outdoor furniture, and other exterior surfaces.



FOAM NOZZLE Designed to spray pressure washer detergents into a rich lathery foam allowing it to cling to vertical and horizontal surfaces.



VEHICLE CLEANING KIT Consisting of a wash brush, 90° angled nozzle and flat-jet nozzle, the cleaning kit is designed for cleaning automobiles, boats, recreational vehicles, and more.



23' EXTENSION HOSE High-pressure hose is easy to coil and resists tangling. It can be used as a replacement or extension hose.



CURVED SPRAY LANCE Offers a longer shaft, giving you access to hard-to-reach places like the under-body of wheel arches.



SPRAY LANCE EXTENSION Gives you an additional 16" of reach, allowing you to take on more jobs and keep things even cleaner.



HOSE CASSETTE Built to connect the high-pressure cleaner to the water faucet, the Hose Cassette can also be used as a regular garden hose.

HOSE CASSETTE BRACKET

This mounting bracket allows for easy installation of the hose cassette onto the back of the RE 110 PLUS.

RE 110 PLUS

"The built-in cord, hose and accessory management is amazing."

\star \star \star \star \star – Jacob815

Check out this review and others on the product pages at **STIHLusa.com.**



	Part Number
RE SERIES PRESSURE WASHER ACCES	SSORIES
Rotary Surface Cleaner	4910 500 3911
Rotary Washing Brush	4910 500 5910
Foam Nozzle	4910 500 9600
Vehicle Cleaning Kit	4910 500 6111
23' Extension Hose	4910 500 0801
Curved Spray Lance	4910 500 1910
Spray Lance Extension	4190 500 0900
Hose Cassette	4910 500 8601
Hose Cassette Bracket*	4950 790 5400
OTHER ACCESSORIES	
All-Purpose Cleaner	7100 871 0274
Deck and House Wash	7100 871 0275
Heavy Duty Degreaser	7100 871 0276

Note: RB and RE accessories are not interchangeable. *Only for use with the RE 110 PLUS.



RB 200

The RB 200 features an easy start pump system and delivers 2,500 psi of water pressure to tackle tough cleaning jobs on sidewalks, driveways, decks, and more.



RB 800

The most powerful pressure washer in the STIHL line, the RB 800 boasts 4,200 psi of water pressure and is designed for heavy-duty commercial use.



RB 400 DIRT BOSS®

Boss. 🍋

RB 600

The RB 600 features 3,200 psi of water pressure and a commercial-grade Triplex pump, tackling heavyduty projects with ease.

When you need to demolish dirt, the RB 400 DIRT BOSS® combines excellent performance, delivering 2,700 psi of water pressure with renowned STIHL durability.

	Connector	Fits RB Model(s)	Part Number
RB SERIES PRESSURE WAS	HER AC	CESSORIES	
25 ft. High Pressure Hose Extension	M22	200, 400	4925 500 0817
40 ft. High Pressure Hose Extension	QC	600	4925 500 0809
50 ft. High Pressure Hose Extension	QC	600, 800	4925 500 0811
High Pressure Spray Gun	M22	200, 400	4789 500 1302
High Pressure Spray Gun w/Grip	QC	600, 800	4791 500 1300
19.75 in. Spray Lance	QC	200, 400, 600	4915 500 0938
34 in. Spray Lance	QC	200, 400, 600, 800	4915 500 0943
48 in. Spray Lance Extension	QC	200, 400, 600, 800	4915 500 0300
Spray Lance Coupler	QC	200, 400, 600, 800	4900 500 6704
Pivot Coupler	QC	200, 400, 600, 800	4789 500 6700
2.7° Detergent Nozzles (3-Pack – 15°, 25°, 65°)	QC	200	4789 007 1000
3.0° Detergent Nozzles (5-Pack – 0°, 15°, 25°, 40°, 65°)	QC	400	4790 007 1000
3.3° Detergent Nozzles (5-Pack – 0°, 15°, 25°, 40°, 65°)	QC	600	4791 007 1000
3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)	QC	800	4792 007 1000
Long-Range Detergent Nozzle	QC	200, 400, 600, 800	4900 502 1023
Multi-Function Nozzle (6 Patterns, 4,200 psi)	QC	200, 400, 600, 800	4900 502 1022
Rotating Nozzle (3,000 psi)	QC	200, 400	4900 500 1646
Rotating Nozzle (5,100 psi)	QC	600, 800	4900 500 1642
Gutter Cleaner	QC	200, 400, 600, 800	4789 007 1008
Water Broom	QC	200, 400, 600, 800	4789 500 3900
Rotary Surface Cleaner	QC	200, 400, 600, 800	4900 500 3904
All-Purpose Cleaner	-	200, 400, 600, 800	7100 871 0274
Deck and House Wash	-	200, 400, 600, 800	7100 871 0275
Heavy Duty Degreaser	-	200, 400, 600, 800	7100 871 0276
30W Pump Oil, Non-Detergent, 1 L	-	400, 600, 800	0797 210 3006
10W/30 Tech4Plus Engine Oil	-	200, 400, 600, 800	7010 319 0001
Winterization Kit	-	200, 400, 600, 800	0797 010 2058

Note: RB and RE accessories are not interchangeable.

RB SERIES PRESSURE WASHER ACCESSORIES



ROTATING NOZZLE 3000 PSI Rotating zero-degree nozzle for aggressive cleaning of

stubborn stains.



WATER BROOM Wash large surfaces like decks, sidewalks and driveways quickly.



ALUMINUM 48" SPRAY LANCE EXTENSION Add an extra 4' of reach with

this lightweight aluminum spray lance.



ROTATING NOZZLE 5100 PSI Rotating zero-degree nozzle for aggressive cleaning of

stubborn stains.



ROTARY SURFACE CLEANER Quick and easy cleanup for large surfaces. Ideal for sidewalks and driveways.



25' HIGH-PRESSURE HOSE EXTENSION

. L

Ultra-flexible high-pressure hose is easy to coil and resists tangling. It can be used as a replacement or extension hose.



MULTI-FUNCTION NOZZLE Features six spray patterns:

0°, 15°, 25°, 40°, soap and

rinse all in one nozzle.



GUTTER CLEANER Gutter cleaner allows you to clean the inside of a gutter from the ground.



50' HIGH-PRESSURE HOSE EXTENSION Steel-braided high-pressure

hose extension can be used as a replacement or as an extension hose.



LONG-RANGE **DETERGENT NOZZLE** Apply detergent to hard-toreach areas.



ΡΙΥΟΤ COUPLER Adjusts to three different angles for hard-to-reach areas.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/hp)	Weight (lbs.)*	Fuel Capacity (oz.)	Water Pressure (psi)	Water Flow (gpm)	Hose Length (ft.)	Cleaning Units	Pump Piston Type	Easy Start Pump System	Adjustable Pressure	Comes with Detergent Sprayer	Detergent Injection System	Caring for Nature
PRESSURE WASHERS															
NEW! RE 80	⇒-	-	-	16.5	-	1,600	1.2	17	1,920	Stainless Steel	-	-	•	-	۵
NEW! RE 90 PLUS	-	-	-	19.8	-	1,800	1.2	20	2,160	Stainless Steel	_	-	•	-	
RE 110 PLUS	-	-	-	42.0	-	2,000	1.2	23	2,400	Stainless Steel	-	-	•	-	۵
RB 200		173/10.6	3.7/5.0	62.5	1.5	2,500	2.3	25	5,750	Stainless Steel	•	-	-	•	-
RB 400 DIRT BOSS®		196/12.0	4.8/6.5	90.0	3.8	2,700	2.7	25	7,290	Ceramic Coated	•	-	-	•	-
RB 600		208/12.7	5.2/7.0	118.0	4.2	3,200	3.0	40	9,600	Ceramic Coated	•	•	-	•	-
RB 800		429/26.2	10.5/14.0	168.0	7.4	4,200	4.0	50	16,800	Ceramic	•	•	-	•	-

• Standard – Not Applicable

*Dry weight.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice.


Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

THE STIHL KOMBISYSTEM

Divide and conquer. One powerhead, multiple attachments.

A CARE AND A

STIHLUSA.COM









KM 91 R

The professional KM 91 R provides landscapers professional performance and offers simplified starting with its semiautomatic choke lever.



KM 94 R

The professional KM 94 R features the innovative ECOSPEED throttle set wheel, allowing the user to set the most effective throttle speed for a particular job and attachment.



The KM 111 R features a powerful, low-emission engine and offers simplified starting with its semiautomatic choke lever.



TIP

REAL VERSATILITY

The STIHL KombiSystem gives homeowners and professionals the versatility they need to take on a range of outdoor tasks. With the ability to change out KM attachments between gas- and batterypowered powerheads, STIHL KombiSystem maximizes usability.



KMA 130 R

The KMA 130 R features a commercial-grade brushless motor for optimal performance and durability for a virtually maintenancefree service life.



KM 131 R

The most powerful KombiMotor in the STIHL range, the KM 131 R has 33% more engine power than the KM 111 R.



KMA 135 R

Maximize your productivity with the versatile KMA 135 R, a battery-powered KombiMotor that delivers professional performance to rival its gas-powered counterpart.

A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. The KMA 135 R is assembled in the United States. Batteries and chargers sourced internationally.



HL-KM O° STRAIGHT HEDGE TRIMMER ATTACHMENT

Tackle hard-to-reach hedges with the efficient, fixed-angle O° attachment.

Optional HT/HL CFK shaft extension available.



HL-KM 145° ADJUSTABLE HEDGE TRIMMER ATTACHMENT

Features an adjustable 145° working range, allowing cuts at different angles. Available in 20" or 24" blade.

Optional HT/HL CFK shaft extension available.



FSB-KM CURVED SHAFT TRIMMER ATTACHMENT Designed for greater user comfort and control for trimming

around yards. Not for use with KM 131 R. KMA 130 R or KMA 135 R.



FS-KM BRUSHCUTTER WITH 4-TOOTH GRASS BLADE ATTACHMENT

Features a 4-tooth cutting blade for weeds and thick, tough grass.



flat surfaces.

BF-KM

MINI-CULTIVATOR

rejuvenation and mixing

amendments into the soil.

ATTACHMENT

Ideal for flower bed



BG-KM BLOWER ATTACHMENT Delivers the power needed for quick debris removal for outdoor cleanup projects.



FBD-KM **BED REDEFINER** ATTACHMENT Gives bed edges a professional, manicured finish.

Not for use with KM 56 RC-E.



POLE PRUNER **ATTACHMENT** Makes quick work of pruning

trees and shrubs. Optional HT/HL CFK shaft extension available. Available with 10" or 12" bar.



BRISTLE BRUSH ATTACHMENT

Wide sweeping surface makes quick work of big sweeping jobs.



FS-KM LINE HEAD TRIMMER ATTACHMENT

Delivers great maneuverability for trimming around landscape obstacles.

HT/KM SHAFT EXTENSION

When tall branches and shrubs are out of reach, this shaft extension lengthens the reach of your pole pruner attachment.



HT/HL-KM CFK SHAFT EXTENSION

A 37" carbon-fiber shaft extension for HT and HL applications. Extremely lightweight less than 2 lbs.



FH-KM 145° ADJUSTABLE POWER SCYTHE ATTACHMENT

Ideal for precise weed and grass trimming and features a 145° working range.



RG-KM RECIPROCATOR ATTACHMENT

Reciprocating action of the blades may reduce the risk of thrown objects while working. Ideal for use in high-traffic areas, and around golf course bunkers, ponds, lakes and ditch banks.

Not for use with KM 56 RC-E.



FCB-KM CURVED LAWN EDGER ATTACHMENT Features an adjustable depthcontrol wheel for edging along walkways and planting beds.



FCS-KM STRAIGHT LAWN EDGER ATTACHMENT

Features an open deflector design for cleaning up edges with more power.

KW-KM

KM/KMA SERIES KO	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Optional Attachments - Number Available	STIHL Easy2Start TM	STIHL Anti-Vibration System	Loop Handle	Multi-Function Control Handles	Electronic Ignition Module	IntelliCarb™ Compensating Carburetor	Caring for Nature	Made in America
KM 56 RC-E		27.2/1.66	0.8/1.07	-	9.5	11.5	13	•	-	٠	•	•	-		
KM 91 R		28.4/1.73	0.95/1.27	-	9.7	24.0	15	-	•	٠	•	•	•		
KM 94 R		24.1/1.47	0.9/1.2	-	8.8	18.3	15	-	•	٠	•	•	-		
KM 111 R		31.4/1.9	1.05/1.4	-	9.7	24.0	15	-	•	•	•	•	•		
KMA 130 R	AP I	-	-	36	7.1	-	14	-	-	٠	•	-	-		-
KM 131 R		36.3/2.2	1.4/1.9	-	9.7	24.0	14	-	•	•	•	•	•		
KMA 135 R	AP	-	-	36	7.5	-	14	-	-	•	•	-	-		-
STIHL YARD BOSS®															
мм 56 С-Е		27.2/1.66	0.85/1.14	_	21.8	11.5	10	٠	-	_	•	•	•	_	

● Standard ○ Optional - Not Applicable

*Dry weight and powerhead only.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

Note: STIHL KM Series KombiMotors and STIHL YARD BOSS® power tools are designed to work with a variety of attachments.



KOMBIS	YSTEM ATTACHMENTS	
BF-KM	MINI-CULTIVATOR	4.1/9.0 1
BG-KM	BLOWER	1.8/4.0
FBD-KM	BED REDEFINER	3.5/7.7
FCB-KM	CURVED LAWN EDGER	2.2/4.9 ²
FCS-KM	STRAIGHT LAWN EDGER	2.6/5.7 ²
FS-KM	BRUSHCUTTER WITH 4-TOOTH GRASS BLADE	1.2/2.6 ³
FS-KM	LINE TRIMMER	1.2/2.6 ³
FSB-KM	CURVED-SHAFT TRIMMER	0.7/1.6 3
FH-KM	145° ADJ. POWER SCYTHE	2.1/4.7
HL-KM	O° STRAIGHT HEDGE TRIMMER	1.6/3.5
HL-KM	145° ADJ. HEDGE TRIMMER	2.3/5.1
НТ-КМ	POLE PRUNER (10" BAR)	1.9/4.2 4
НТ-КМ	POLE PRUNER (12" BAR)	1.9/4.2 4
КВ-КМ	BRISTLE BRUSH	6.4/14.1
KW-KM	STIHL PowerSweep™	7.4/16.3 1
RG-KM	RECIPROCATOR	2.5/5.5

¹ With deflector

With deflector
 With outing tool and deflector
 Without cutting tool, without deflector
 Without bar and chain

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com.

Note: Weights shown are for attachments only.

For powerhead weights, refer to charts above.

Weight (kg/lbs.)

NOTO INTOTO

11

REAL STIHL. FIND YOURS.

STIN

all is

tt



When you need to multi-task in the garden.





MM 56 C-E YARD BOSS®

"Great machine....so easy to use. Very happy with the purchase...can't wait to get additional attachments for it."

 $\star \star \star \star \star$ – Sallyc

Check out this review and others on the product pages at **STIHLusa.com.**



MM 56 C-E YARD BOSS®



The MM 56 C-E YARD BOSS® is an easy-to-use, multi-tasking tool equipped to meet specific property needs. It comes standard as a cultivator and easily transitions to any of its eight optional attachments.

A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. Attachments and accessories sourced internationally.





RL-MM LAWN AERATOR ATTACHMENT Slicing blades aid water absorption and root health.



FC-MM BED EDGER ATTACHMENT Cut defined edges and separate the grass from the planting area.






BF-MM PICK TINES CULTIVATOR ATTACHMENT Break up weeds and hardened soil in the garden.









LAWN DETHATCHER ATTACHMENT

MF-MM



Make quick work of sweeping jobs on walkways and other paved surfaces.

Note: This attachment must be used with large deflector and extensions. Do not use on grass lawns.



STIHL PowerSweep^{TI} ATTACHMENT

Heavy-duty rubber flaps clean up caked dirt on concrete, move pebbles and sand from turf and water and light snow from hard, flat surfaces.

Note: This attachment must be used with large deflector and extensions. Do not use on grass lawns.





BK-MM BOLO TINES CULTIVATOR ATTACHMENT Cultivate deeper into the soil to prepare for planting.





FS-MM TRIMMER ATTACHMENT Trim around the yard and tackle heavy weeds and tough growth.

Note: The FS-MM must be used with MM Wheel Kit.





MM WEIGHT KIT Provides additional weight for optimized attachment performance.



MM WHEEL KIT Delivers improved handling, transport and maneuverability with most attachments.



Allows for variable working depths when using cultivator attachments.









LAWN MOWERS

Our revolutionary mowers are built with Lithium-Ion battery technology, making them lightweight, quiet and ready to run.

ROBOTIC MOWERS BY STIHL.

Perfect lawn, and more time to enjoy your yard.



RMI 422 PC-L

The compact RMI 422 PC-L is ideal for lawns up to 0.42 acre by providing convenient, hassle-free lawn care.



iMOW® DOCKING STATION CANOPY

Shield your iMOW® from the sun and elements with a STIHL canopy.



RMI 632 PC-L

The RMI 632 PC-L features both a wider deck and a more powerful battery than the RMI 422 PC-L series, and can automatically mow up to 1.24 acres.

YOUR STIHL IMOW® DEALER PERFORMS THE INSTALLATION.

No one knows your iMOW[®] better than an authorized STIHL iMOW[®] robotic lawn mower dealer. They can give you the personal advice and professional installation you need, right from the start. From installation to maintenance, repairs and annual service, your STIHL iMOW[®] Dealer is your main resource for all your robotic mower needs.



STEP 1: Your STIHL iMOW® Dealer makes a layout of the area to be mowed according to your instructions.



STEP 2: Your STIHL iMOW® Dealer lays the perimeter wire...



STEP 3: ...and puts the docking station in position.



STEP 4: Your STIHL iMOW® Dealer reviews the programming and sets the mowing plan with you to make any necessary adjustments.

Available in select markets only.

						Fits	Model (s)		Part Numb	er	
IMOW® ROBOTIC LAWN MO	OWER AC	CESSORI	ES								
Small Installation Kit - 164 yds. of	Perimeter V	Vire (2.3 mm	ı)			RMI	422, 632		6909 007 1053		
Large Installation Kit - 437 yds. o		RMI 632			6909 007 10	054					
Docking Station Canopy		RMI	422, 632		6909 780 5	401					
High Traction Wheels						RI	41 422		6909 700 0	425	
High Traction Wheels						RI	41 632		6909 700 0	412	
Weighted Front Wheels						RMI	422, 632		6909 007 10	052	
Replacement Blade						RM	I 422 P		6301 702 0101		
Replacement Blade						RMI 6	32 P Only		6309 702 0	102	
ARB 151 Perimeter Wire - 164 yds	. (3.4 mm)					-			0000 400 8	633	
ARB 501 Perimeter Wire - 547 yd	ls. (3.4 mm)						-		0000 400 8	626	
AFN 075 Perimeter Wire Stakes						-			6301 007 1	011	
ADV 010 Perimeter Wire Repair	Connectors	i				-			6909 007 10	090	
Care and Clean Kit - STIHL Multicl	ean, brush a	nd microfibe	er towel			-			0782 516 8600		
Care and Clean Kit Plus - STIHL M	ulticlean, br	ush, 2x micr	ofiber towel	, and carry	ing case	-			0782 516 86	05	
 Standard – Not Applicable ¹ Under ideal conditions, based on the specified maximum lawn area. 	Voltage (V)	Weight (lbs.)	Maximum Lawn Area (Acres)	Maximum Slope (Degrees)	Cutting Height Range (in.)	Cutting Width (in.)	Geofenced Mowing Area	STIHL iMOW [®] app	Recommended Weekly Mowing Duration for Maximum Lawn Size ¹ (Hours)	Caring for Nature	
IMOW® ROBOTIC LAWN MOW	ERS										
RMI 422 PC-L	18.5	19.8	0.42	22°	0.79 - 2.4	7.8	•	•	28		
RMI 632 PC-L	29	28.6	1.24	24°	0.79 - 2.4	11.0	•	٠	50		

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit **STIHLusa.com**. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



LAWN MOWERS

Battery-powered lawn mowers designed to cut your grass – and your carbon emissions – down to size.





RMA 460

AK

Part of the AK System, the RMA 460 walk-behind push lawn mower features a 19" deck and 15.85-gallon grass catcher making it a great option for small yards.



The RMA 460 V is ideal for small, suburban yards providing users with the ease and convenience of self propulsion.



TIP MOW OFTEN

When you mow your lawn often, you're promoting a lush, more uniform lawn. Ideally, you should remove no more than a third of the grass length with each mowing. This will result in smaller-sized clippings, which act as a natural fertilizer for your lawn.







AP) 🏟

The RMA 510 walk-behind push lawn mower is part of the AP System and features a 21" deck, giving homeowners the performance of a gasoline-powered mower.



RMA 510 V

AP) 🏟

The RMA 510 V provides all the features and benefits of the RMA 510 with the added benefit of self propulsion.

	Power Source Type	Voltage (V)	Weight* (lbs.)	Deck Width (in.)	Cutting Width (in.)	Cutting Height Range (in.)	Grass Catcher Capacity (gal.)	Self-Propelled	Mulch Function	Side Discharge	Bagging Capable	Eco Mode	Ball Bearing Wheels	Central Height Adjustment	Caring for Nature
LAWN MOWERS															
RMA 460	AK	36	55.1	19.0	18.1	1.4 to 3.9	15.85	No	•	•	•	•	•	•	۵
RMA 460 V	AK	36	61.7	19.0	18.1	1.0 to 3.9	15.85	Yes	•	•	•	•	•	•	۵
RMA 510	AP I	36	59.5	21.0	20.0	1.4 to 3.5	18.5	No	•	•	•	•	•	•	
RMA 510 V	AP :	36	63.9	21.0	20.0	1.0 to 3.9	19.8	Yes	٠	•	٠	•	•	•	

Standard

*Weight is with bag, without mulch insert and side discharge chute.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



REIMAGINE THE GREAT AMERICAN OUTDOORS

When you create a space you never want to leave, it's time to take your favorite indoor activities outside.

REAL STIHL. FIND YOURS.





PRUNING SAWS, POLE PRUNERS & SAWS

For clean and smooth cuts by hand.



PS 10 Folding saw

Portable pruning saw features a 6" chrome-plated blade to cut branches up to 2" in diameter.



PS 30 Folding saw

A curved 7" tapered ground blade provides precision cutting for branches 2" in diameter.



PS 40 PRUNING SAW

This 7" fixed blade with impulsehardened teeth can cut dense or frozen branches up to 2.5" in diameter.



PS 60 PRUNING SAW

Impulse-hardened blade teeth require less frequent sharpening and can tackle limbs up to 3" in diameter.



PS 70 ARBORICULTURE SAW

The 13" chemical-nickel blade makes this saw ideal for branches up to 4" in diameter.



ARBORICULTURE SAW

This 13" saw works as a versatile attachment on the PP 600, 800 or 900 telescoping pole pruner.



ARBORICULTURE SAW

The 16" nickel-plated blade makes this saw the ultimate attachment for the PP 600 or PP 800 pole pruner.



PS 90 ARBORICULTURE SAW

A 13" fixed-blade arboriculture saw for branches up to 4" in diameter.



SHARPENING FILE

Equipped to return your pruning saws to near-factory condition.

	PS 10	PS 30	PS 40	PS 60	PS 70	PS 90
PRUNING SAWS						
Cutting Capacity	2.0"	2.0"	2.5"	3.0"	4.0"	4.0"
Blade Length	6.0"	7.0"	7.0"	9.5"	13.0"	13.0"
Blade Style	Folding	Folding	Fixed	Fixed	Fixed	Fixed
Blade Shape	Straight	Curved	Straight	Straight	Curved	Curved
Blade Finish	CP	CP	CP/IH	CP/IH	CN	CP/IH
Resharpenable Blade	Yes	Yes	No	No	Yes	No
Overall Length	13.7"	14.8"	13.2"	16.0"	20.5"	19.0"

CP = Hard Chrome-Plated CN = Chemical Nickel IH = Impulse-Hardened Teeth



PP 101 EXTENDED-**REACH PRUNER**

Its 7' reach and ergonomic 180° revolving arm allow for precision cutting at almost any angle.

PP 600 TELESCOPING POLE

Lightweight and can be fitted with a lopper or saw head to reach 10' above the ground.

Lopper

PS 75 PS 80

Note: Saw heads and lopper attachments are sold separately.

PP 800 TELESCOPING POLE

A lightweight telescoping pole easily extends from 7.1' to 18.4' for precision cutting.

Note: Saw and lopper heads are included.



A high-carbon, steel blade and two durable fiberglass poles with a working reach of 18' above the ground.

	PP 101	PP 600	PP 800	PP 900
EXTENDED-REACH POLE PRU	INERS			
Cutting Capacity - with Lopper	0.75"	1.25"	1.25"	1.25"
Cutting Capacity – with Saw Blade	-	4.0"	4.0"	4.0"
Blade Length	Pruners	12.0"	16.0"	13.0" or 16.0"
Blade Finish	СР	CP	CP	CP
Replaceable Blade	Yes	Yes	Yes	Yes
Pole Material	Aluminum	Aluminum	Aluminum	Fiberglass
Overall Length	7.0'	10.8' Max.	18.4' Max.	18.0' Max.*

*Comes standard with 12' pole. Optional 6' pole extends height to 18'. CP = Hard Chrome-Plated

	PS 75*	PS 80*	Lopper Head*
EXTENDED-REACH POLE ATT	ACHMENTS		
Fits Model	PP 600, PP 800, PP 900	PP 600, PP 800, PP 900	PP 600, PP 800, PP 900
Cutting Capacity	4.0"	4.0"	1.25"
Blade Finish	CN	СР	N/A
Replaceable Blade	Yes	Yes	Yes
Available Sheath, Scabbard or Cover	-	Scabbard	Cover

*PS 75 and PS 80 require adapter to fit PP 900. See STIHL Price Book for PP 900 lopper head attachment. CN = Chemical Nickel CP = Hard Chrome-Plated

HAND PRUNERS, LOPPERS & HAND SHEARS

For precise cutting performance.

Pruners work best when sized to fit the user's hand. Use these symbols in selecting the best pruner to meet your needs.





PP 10 Hand Pruner

A lightweight, dependable hand pruner designed to tackle most pruning jobs.



PP 40 Hand Pruner

Ideal for thicker twigs and stems, featuring a longer, wider blade that resists sap and can be re-sharpened.



PP 60 Hand Pruner

A high-quality hand pruner made exclusively for smaller hands and designed to tackle tough cutting jobs.



PP 70 Hand pruner



Strong, yet precise, this hand pruner can handle anything from fine pruning tasks to twigs up to 0.8".



PP 80 Hand Pruner

U

Made for large hands, featuring a longer handle for comfort and improved grip, with a 1" cutting capacity.



LEATHER SHEATH

Fits all hand pruners. Has belt clip and belt slots.

-	0000	000	
101			

Designed for smaller hands, a PVC-

for cutting twigs, vines and stems.


coated handle delivers the right grip

PP 30

HAND PRUNER

PRUNER, AXE AND TOOL SHARPENER

With a tungsten carbide blade and a highimpact nylon handle, this tool sharpens all STIHL Precision Series[™] hand pruners, loppers, axes, and hatchets.





PL 5 LOPPER

Strong, lightweight lopper with tubular steel handles and contoured grips for comfortable use.



PL 10 LOPPER

Light and portable 24" lopper with a specially curved cutting head for vines and branches up to 1.25".



HEAVY-DUTY HEDGE SHEAR

Corrosion-resistant, cold forged steel 8.5" blades provide strength for all types of trimming and sculpting.



ADJUSTABLE HEDGE SHEAR

Nickel-plated, high carbon 6.75" blades and extendable handles designed for trimming tall bushes.



PL 30 LOPPER

A medium-sized lopper with a specialized cutting head for tree pruning jobs up to 2" in diameter.





PRECISION HEDGE SHEAR

Professionally manicure and sculpt with ergonomic, shock-absorbent handles and 7" steel blades.

PL 40 LOPPER

Large, 32" aircraft aluminum handles provide pruning leverage for higher tree branches.

	PL 5	PL 10	PL 30	PL 40
LOPPERS	-			
Cutting Capacity	2.0"	1.25"	2.0"	2.0"
Blade Shape	Offset	Offset	Offset	Offset
Blade Finish	Alloy Steel	Alloy Steel	Alloy Steel	Alloy Steel
Handle Material	Steel	Aluminum	Aluminum	Aluminum
Resharpenable Blade	Yes	Yes	Yes	Yes
Replaceable Blade	Yes	Yes	Yes	Yes
Weight	2.75 lbs.	2.1 lbs.	2.5 lbs.	2.7 lbs.
Length	28.0"	24.0"	28.0"	32.0"

	Heavy-Duty	Adjustable	Precision		
HEDGE SHEARS					
Cutting Capacity	0.375"	0.375"	0.375"		
Blade Shape	8.5"	6.75"	7.0"		
Blade Finish	Mirror Polished	Nickle Plated	Chrome Plated		
Handle Material	Oak	Aluminum	Forged Aluminum		
Resharpenable Blade	Yes	Yes	Yes		
Replaceable Blade	No	No	Yes		
Weight	1.8 lbs.	2.0 lbs.	1.7 lbs.		
Length	22.0"	Adj. 28.0" - 41.5"	25.7"		

AXES & FORESTRY TOOLS

There is a right axe for your cutting task.



LOG STAND

Connects to a cant hook or log peavey for easy elevation while cutting.



TWISTED SPLITTING WEDGE

A 45° angle provides precision and leverage for splitting logs and firewood.



CANT HOOK

Features a heavy-duty body designed to grip and move logs in a wide range of sizes.



HOOKAROON

Features a non-slip grip and curved spike to firmly grab wood and drag with ease.



LOG PEAVEY

Ideal for turning heavy logs and features a steel spike for greater control over movement.



LOG CARRIER Hinged hooks firmly grip large logs for easy transport.



WOODCUTTER HATCHET

Lightweight hatchet featuring a high-quality ash handle for comfort and durability.

PRO SPLITTING HATCHET

Premium ash handle, oversized neck and fine-tuned balance ideal for creating kindling and general use.

PRO UNIVERSAL FORESTRY AXE

A 5-piece head attachment system and a C60 steel head ideal for felling and limbing.

PRO SPLITTING AXE

"The axe head is the most heavy duty I've ever seen."

★ ★ ★ ★ ★ - HighTreeGuy

Check out this review and others on the product pages at **STIHLusa.com.**

WOODCUTTER UNIVERSAL FORESTRY AXE

A well-balanced head and premium ash handle - excellent for felling and light-duty splitting.

PRO SPLITTING AXE

A lightweight axe with a premium American hickory wood handle and durable German-forged head.

WOODCUTTER SPLITTING MAUL

A durable drop-forged steel head and precision-ground edge - ideal for driving wedges or splitting large logs.

PRO SPLITTING MAUL

An extra-large striking face designed to reduce misses and improve splitting performance.

	Woodcutter Hatchet	Pro Splitting Hatchet	Woodcutter Universal Forestry Axe	Pro Universal Forestry Axe	Pro Splitting Axe	Pro Splitting Maul	Woodcutter Splitting Maul
AXES							
Handle Material	Ash	Ash	Ash	Hickory	Hickory	Ash	Hickory
Cutting Head Weight	1.3 lbs.	2.75 lbs.	2.2 lbs.	2.8 lbs.	5.5 lbs.	6.6 lbs.	6.6 lbs.
Overall Length	15.75"	19.75"	23.5"	27.5"	31.5"	33.5"	35.0"

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com.





AUGERS & DRILLS

Don't just make a hole - make a statement.

	Part Number
BT 131 EARTH AUGER BITS	
1.6" (40 mm) dia.	4313 680 2030
2.4" (60 mm) dia.	4313 680 2031
3.5" (90 mm) dia.	4313 680 2032
4.7" (120 mm) dia.	4313 680 2033
5.9" (150 mm) dia.	4313 680 2034
7.9" (200 mm) dia.	4313 680 2035
BT 131 PLANTING AUGER BITS	
5.9" (150 mm) dia.	4311 680 2515
10.2" (260 mm) dia.	4404 680 1900
BT 131 OTHER ACCESSORIES	
18" (450 mm) Extension	4313 680 2302
7/8" Square Drive Auger Adapter	4313 680 3901
1" Square Drive Auger Adapter	4313 680 3900



A majority of STIHL gasoline-powered units sold in the United States are made in the United States from domestic and foreign parts and components. The BT 131 is assembled in the United States.



BT 131 EARTH AUGER

The high-performance and lightweight BT 131 earth auger is the right solution for post-hole digging, fence installation, large planting projects, environmental restoration, and construction projects.

Note: Augers and bits sold separately.

BORING DRILLS, A	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Weight* (lbs.)	Fuel Capacity (oz.)	Drill Speeds (rpm) - (lst/2nd/Rev)	Drilling Gear Speed (rpm)	Gear Reduction	Engine Torque (Nm / ft./lb.)	Auger Torque (Nm / ft./lb.)	Toolless Fuel Cap	STIHL Quickstop® Braking System	Simplified Starting System	Anti-Vibration System	Vibration Dampening System	Caring for Nature	Made in America
BT 45 Wood Boring Drill		27.2/1.66	0.8/1.07	10.5	8.5	663/1,972 /590	-	_	-	-	•	_	-	•	-	-	
BT 45 Earth Auger Drill		27.2/1.66	0.8/1.07	10.5	8.5	663/1,972 /590	-	-	-	-	•	-	-	•	-	-	
BT 131 Earth Auger		36.3/2.2	1.4/1.9	22.0	24.0	-	200	47.5:1	1.7/1.25	81/60	•	•	•	-	•		-

• Standard Optional – Not Applicable

*Dry weight and powerhead only.

Note: Specifications are as of Oct. 1, 2021 For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

BT 45 WOOD BORING DRILL

This portable, lightweight and gasoline-powered drill is ideal for occasional use in building or repairing bulkheads, fences or retaining walls.



Note: Augers and bits sold separately.

BT 45 EARTH AUGER DRILL


Ideal for mass flower plantings or deep root fertilization, the compact BT 45 earth auger drill helps users work through large amounts of soil quickly with less fatigue.



BT 45 with core drill adapter and water tank shown.

Note: The BT 45 planting auger is not for rocky, compacted soil or drilling large post holes.

Note: Augers and bits sold separately.





STIHL Cutquik® CUT-OFF MACHINES

Diverse construction job site solutions from the number one selling brand of gasoline-powered cut-off machines worldwide.



TSA 230 STIHL Cutquik[®]



Lightweight and easy to start, the TSA 230 is the world's first battery-powered cut-off machine, great to use outdoors or indoors for cutting brick, tile and metal.





TS 410 STIHL Cutquik®

The TS 410 features a 12" cutting wheel, while the X2 air filtration and anti-vibration system make this cut-off machine easy to use and maintain.



TS 420 STIHL Cutquik®

Compact, lightweight and reliable, the TS 420 features all the high-performance features of the TS 410 with the added benefit of a 14" cutting wheel.



TS 440 STIHL Cutquik®

The TS 440 has expanded guard adjustability made possible by the STIHL Quickstop® Wheel Brake, which is designed to reduce the risk of injury from kickback when the guard on the TS 440 has been adjusted to expose the top portion of the wheel.



TS 500i STIHL Cutquik®

The TS 500i boasts the world's first electronically controlled fuel-injection system that increases power and performance while remaining lightweight and well-balanced.





TS 700 STIHL Cutquik®



A powerhouse designed for superior handling during the toughest jobs, the TS 700 features a powerful, high-speed engine, large fuel capacity and five-point dual element vibration control system.




TS 800 STIHL Cutquik®

The TS 800 features a 16" cutting wheel, the largest size we offer in a handheld design, and a magnesium guard makes the machine a full 0.7 pounds lighter than the previous model.

IMPORTANT INFORMATION


WARNING: Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using these products.



REAL STIHL. FIND YOURS.

STIHL Cutquik[®] CART

Specially designed for matched cutting performance with the TS 410, TS 420, TS 500i, TS 700, and TS 800. This cart offers improved handling and cutting performance and features forward-weight orientation.



IMPORTANT INFORMATION

WARNING: Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using these products.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Engine Speed (rpm)	Maximum Spindle Speed (rpm)	Arbor Size (in.)	Maximum Wheel Size (in.)	Maximum Cutting Depth (in.)	STIHL ElastoStart™ Starter Handle	Anti-Vibration System	IntelliCarb™ Compensating Carburetor	Water Connection	Fuel Injection	X2 Air Filtration	Caring for Nature
STIHL Cutqui	k® Cut-	Off Mach	ines															
TS 410		66.7/4.07	3.2/4.4	-	20.7	24.0	9,000	5,350	0.79	12.0	3.9	0	٠		٠	-	•	
TS 420		66.7/4.07	3.2/4.4	-	21.2	24.0	9,000	5,350	0.79	14.0	4.9	0	٠	•	•	-	•	
TS 440		66.7/4.07	3.2/4.4	-	24.7	24.0	9,000	2,525	0.79	14.0	4.9	0	٠	•	•	-	•	
TS 500i		72.2/4.41	3.9/5.2	-	22.5	24.5	9,000	5,350	0.79	14.0	4.9	•	٠	-	•	•	•	
TS 700		98.5/6.0	5.0/6.7	-	25.6	40.6	9,300	5,350	0.79	14.0	4.9	•	٠	•	•	-	•	-
TS 800		98.5/6.0	5.0/6.7	-	28.0	40.6	9,300	4,600	0.79	16.0	5.6	•	٠	•	•	-	•	-
TSA 230	AP	-	-	36	8.6	-	-	-	0.875	9.0	2.75	-	-	-	٠	-	-	

● Standard ○ Optional – Not Applicable

*Dry weight and includes water attachment and guard.

Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice.

Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



D-A ASPHALT WHEELS

- Available in three wheel grades
- Available in 12", 14" and 16" (20 mm arbor)
- Includes undercut protection

Discontinued. Available while supplies last.

D-B CONCRETE WHEELS

- Available in three wheel grades
- Available in 9" (7/8" arbor)
- Available in 12", 14" and 16" (20 mm arbor)



D-BA CONCRETE/ ASPHALT WHEELS

Available in 12", 14" and 16" (20 mm arbor)

D-SB HARD STONE/ CONCRETE WHEELS

· Available in 14" and 16" (20 mm arbor)

D-X HARD STONE/ CONCRETE WHEELS

- Available in 9" (7/8" arbor)
- Features diamonds precisely aligned in the bond matrix for fast cutting speed and longer life.

D-G WHEELS

- Available in 14" (20 mm arbor)
- Designed for cutting ductile iron
- For use with TS 420, TS 440, TS 500i, and TS 700

	MATERIALS	Con	crete/Asphalt (I	BA)		Concrete (B)		Ductile Iron (G)	Hard Stone/ Concrete (SB)	Hard Stone/ Concrete (X)
	Wheel Grade	BA10	BA10 BA60 BA90		B 10	B 20	B 80	G 80	SB 90	X 100
	Cutting Rate*									
	Wheel Lifetime*									
ŧ	Asphalt	•	•	•	0	0	0	0	0	0
s	Green Concrete	•	•	•	0	0	0	0	0	0
Y	Sandstone, Limestone & Slate	•	٠	•	0	0	0	0	0	0
tions	Cinder Block & Pavers	•	•	•	•	•	•	0	•	•
licat	Concrete	•	•	•	•	•	•	0	•	•
App	Reinforced Concrete	•	•	•	•	•	•	0	•	•
V	Heavily Reinforced Concrete	0	0	•	0	0	•	0	•	٠
ē	Granite & Natural Stone	0	0	0	0	0	0	0	•	•
Нa	Ductile Iron	0	0	0	0	0	0	•	0	0

Approved O Not approved *Compared to other STIHL wheels with a rating of 1 to 6. WARNING! Never use carbide-tipped, wood cutting or circular saw blades on cut-off machines. They can cause severe personal injury from reactive forces, blade contact or thrown objects. Never cut wood of any type!



K-BA MASONRY

Available in 14"

• 20 mm

K-DG ASPHALT AND DUCTILE IRON

Available in 12", 14" or 16"20 mm



K-ME METAL

- Three different wheels available in 12", 14" and 16" wheels with 20 mm or 1" arbor (TS 410, 420, 500i, 700, and 800 only).
- 9" wheel with 7/8" arbor (TSA 230 only)

		K-BA Masonry	K-DG Asphalt / Ductile Iron	K-ME Metal	K-ME Metal (TS 440 only)	K-ME Metal (TSA 230 only)	K-BA Wet Applications
	Cutting Rate* Wheel Lifetime*						
9" - "	TSA 230	-	-	-	-	6,650	-
12" - "	TS 410	-	6,400	6,400	-	-	-
12" - 1 14" - 1 14" - 1	TS 420, 500i, 700	5,500	5,500	5,500	-	-	5,500
14" - '	TS 440	_	-	-	3,450	-	-
16" - "	TS 800	_	4,800	4,800	-	-	-
Aspha	t	0	•	0	0	0	0
Green	Concrete	•	0	0	0	0	•
Cinder	Block	٠	0	0	0	0	•
Brick		•	0	0	0	0	•
Mason	ry	•	0	0	0	0	•
Mason Concre Concre	ete Slab	•	0	0	0	0	•
Concre	ete	•	0	0	0	0	•
Non-Fe	errous Material	•	0	0	0	0	0
Rebar		0	0				0
Ductile	e Iron	0	•	•			0
Struct	ural Steel	0	0				0
Stainle	ess Steel	0	0	0	0	•	0
Appro	wed ONot approved						

Approved
 Not approved

*Compared to other STIHL wheels with a rating of 1 to 5.



Discontinued.

Available while supplies last.

K-BA WET CUTTING

- Available in 14"
- 20 mm or 1" arbor Designed for concrete,
- stone and brick using water. Speed is comparable to standard abrasive wheels but with up to 30% longer lifetime.

Note: These wheels are NOT for use with the TS 440. For the TS 440, use the K-ME metal wheel (14" - 20 mm).



K-ME METAL (TS 440 only)

- Available in 14"
- 20 mm or 1" arbor
- Designed for TS 440 only

Note: The K-ME metal wheel (14' - 20 mm) is for use with the TS 440 only. Do not use the K-ME metal wheel (14" - 20 mm) on other cutting machinery.



CONCRETE CUTTER

Building on our reputation for creating innovative construction equipment, our concrete cutter packs the power needed to cut deep into tough job site materials.



RUBBER BUMPER Rubber bumper in the front of the engine housing helps protect the unit in the cut.



GS 461 STIHL ROCK BOSS®

The first of its kind from STIHL, the GS 461 is a powerful concrete cutter designed for deep cutting and square corners - perfect for construction and renovation projects.



HD2 FILTER SYSTEM Long-life, heavy-duty (HD2), pleated air filter and a secondary filter that are easy to get on and off.



HOSE NOZZLE Quick-connect hose nozzle allows quick access to water hose.



DECOMPRESSION VALVE Helps reduce the effort needed to pull the starter rope.



UPRIGHT FILLER CAP Designed for upright fueling. Keeps dust out.



	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Weight* (lbs.)	Fuel Capacity (oz.)	Low-Emission Engine	Diamond Abrasive Chain	Guide Bar Length (in.) - Recommended**	HD2 Air Filter	Side-access Chain Tensioner	Bayonet-Style Fuel Cap	Captive Bar Mount
CONCRETE CUTTER												
GS 461 STIHL ROCK BOSS®		76.5/4.67	4.3/5.8	16.8	26.4	•	3/8" 36 GBM	16	•	•	•	•

• Standard O Optional – Not Applicable *Dry weight and powerhead only. **The actual listed guide bar length can vary from the effective cutting length. Note: Specifications are as of Oct. 1, 2021. For most recent updates, visit **STIHLusa.com**. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.




36 GBM - GENERAL PURPOSE DIAMOND ABRASIVE CHAIN

Diamond abrasive chain made exclusively for the GS 461 STIHL ROCK BOSS® and STIHL ROLLOMATIC® guide bar.



36 GGM - GENERAL PURPOSE DUCTILE IRON CHAIN

Diamond abrasive chain made exclusively for the GS 461 STIHL ROCK BOSS® for use with 16" STIHL ROLLOMATIC® guide bar for the cutting of ductile cast iron pipes.



PROTECTIVE APPAREL & ACCESSORIES

Supporting our customers with workwear as diverse as our product line.

REAL STIHL. FIND YOURS.

STI

PERSONAL PROTECTIVE EQUIPMENT (PPE) GUIDE[®]

Whether you use STIHL on the job or around the home, we've got you covered. STIHL offers a full line of personal protective equipment (PPE) and workwear that works as hard as you do.



RECOMMENDED PPE FOR BLOWERS



PROTECTIVE

GLASSES



PROTECTIVE



HEARING PROTECTION

RECOMMENDED PPE FOR CHAIN SAWS



CHAIN SAW PROTECTIVE HELMET SYSTEM



PROTECTIVE GLASSES



PROTECTIVE GLOVES



CHAIN SAW PROTECTIVE CHAPS

RECOMMENDED PPE FOR TRIMMERS





PROTECTIVE GLOVES



HEARING PROTECTION



BRUSH SHIELD** **Required with professional applications.

CHAIN SAW PROTECTIVE APPAREL

From lightweight open-back apron chaps to winter protective pants, we offer a complete line of chain saw protective apparel.

Our chaps are made with multiple layers of Avertic[®] Pro by Engtex[®], a cut-retardant material designed to clog up the sprocket to stop the chain on a gasoline-powered chain saw.





FUNCTION ZIP CHAPS

Full wrap-around, lightweight protective chaps.



FUNCTION APRON CHAPS

Protective, open chaps made from rugged, 400-denier nylon.



With Foreign and Domestic Materials

WARNING FOR CORDED-ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers may not stop the sprocket on most corded-electric chain saws and some battery-powered chain saws because of the constant high torque. However, to reduce the severity of injury from accidental contact with the chain, STIHL recommends that leg protection be worn who preating these types of chain saws.

IMPORTANT INFORMATION

All STIHL chain saw leg protection meets or exceeds OSHA Regulation 1910.266 for Personal Protective Equipment for chain saw operators.

Note: Chaps are measured by overall length from the waist down. All chaps have a tough outer shell of oil/waterresistant nylon treated with rain/stain repellent.



FUNCTION DENIM PROTECTIVE PANTS

Protective work pants in dark navy.



DYNAMIC ZIP CHAPS

All-weather, full wraparound chaps with heavyduty zippers along the inseam for quick on and off.



DYNAMIC WINTER PROTECTIVE PANTS

Insulated protective pants designed for use in cold climates.



DYNAMIC PROTECTIVE PANTS

Pants feature nylon/ spandex outer shell for stretch and durability. Designed for loggers and users on the ground.



DYNAMIC BIB CHAPS

Open back apron chap design, featuring a bib with multiple pockets.



DYNAMIC HI-VIS APRON CHAPS

High-visibility chaps specially designed for work by emergency service personnel, tree service personnel and municipalities.



DYNAMIC APRON CHAPS

Apron-style chaps featuring full Avertic® Pro by Engtex® cut-retardant material.



DYNAMIC WRAP CHAPS

Rugged wrap chaps feature an adjustable waistband, additional protection around the lower leg, and a cargo pocket for additional storage.



SKIDDER BIB CHAPS

Ideal for those working with skidders and other heavy-duty logging equipment.



Pro Mark™ WRAP CHAPS

Orange chaps that extend fully around the lower leg for extra protection and feature reflective accents.



Pro Mark[™] HI-VIS ZIP CHAPS

High-visibility chaps specially designed for work by emergency service personnel, tree service members and municipalities.



Pro Mark™ APRON CHAPS

Open-back design, featuring reinforced knees, reflective accents and pockets to keep things close. Available in orange or navy.



ADVANCE ARBORIST PANTS

Protective pants feature SuperFabric® abrasion resistant lower leg area, added flexibility, safe storage, and venting.



ADVANCE APRON CHAPS

Protective apron chaps designed for professional chain saw user working on the ground.



- Replacement Waist Buckle for Chaps 1.5"
- Replacement Leg Buckle for Chaps 1"
- Waist Extender for Chaps 12"



ADVANCE ARBORIST JACKET

This flexible, lightweight jacket features SuperFabric® abrasion-resistant elbows and lower arms and front chain saw protection.

WARNING FOR CORDED-ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers may not stop the sprocket on most cordedelectric chain saws and some battery-powered chain saws because of the constant high torque. However, to reduce the severity of injury from accidental contact with the chain, STIHL recommends that leg protection be worn when operating these types of chain saws.



^{NEW} Pro Mark™ SUMMER SHIRT

Made of breathable and moisturewicking fabric, this protective shirt is designed to keep you comfortable and protected.



Pro Mark[™] CHAIN SAW PROTECTIVE GLOVES

Cut-retardant gloves made with Velcro wrist closure, full-grain tanned leather palms and inner fingers provide grip.



DYNAMIC FORESTRY BOOTS

High-quality, cut-resistant work boots with arch support and climate system for air circulation.

See chart on page 198 for available sizes.



Pro Mark™ CHAIN SAW BOOTS

High-quality, water-resistant boots with chain saw protective materials and removable orthopedic insoles.

FUNCTION Protective Apparel

is ideal for paired use with any of your Homeowner STIHL products. While designed for the occasional user, it still meets and exceeds the standards required for PPE.

DYNAMIC Protective Apparel

is designed for paired use with Farm & Ranch STIHL products. This line of PPE is ideal for users focusing on both personal and work-related tasks.

Pro Mark™ Protective Apparel

is best paired with Professional STIHL products. This line of personal protective apparel is designed for professional users

during daily or frequent work.



ADVANCE Protective Apparel

is designed for paired use with Professional and/or Arborist STIHL products. This line of personal protective apparel is designed for professional users during daily or frequent work.

STIHL CHAPS WILL WORK AS HARD AS YOU DO

The STIHL CHAPS GUIDE will help you choose the ideal pair of chaps for your intended use - the correct fit, which to wear based on the weather, as well as proper care.

SCAN WITH YOUR SMART PHONE »



IMPORTANT INFORMATION

WARNING: These garments contain pads of cut-retardant material designed to reduce the risk or severity of injury to the body parts covered by the pads in the event of contact with the rotating chain. The fibers in the pads provide extra layers of material and are designed to rip apart when they come into contact with the moving chain and to clog the sprocket and stop the chain. In some contacts, the pads may stop the chain. In other contacts, the pads will resist the cutting process only for a fraction of a second. The actual degree of protection afforded will vary with the speed of the chain and the time of contact, the power and torque of the saw, the design of the chain sprocket, and similar factors. Follow the washing instructions. Improper care may destroy cut-retardant properties of the material.

NON-PROTECTIVE WORK APPAREL & ACCESSORIES

Designed to keep you visible and comfortable while on the job, our work apparel includes features like easy-fitting styles, high-visibility reflective properties, temperature-regulating materials, and convenient pockets to store the extras.



REFLECTIVE SAFETY VEST

Reflective Safety Vest meets the standard for use along roadways and other high-traffic areas.





FUNCTION WORK SHIRT

Comfortable work shirt made from a twill-weave fabric for durability and natural resistance against wind, water and wrinkles. Available in orange and orange/denim.

FUNCTION WINTER SHIRT

Water-resistant nylon shirt with a layer of breathable Thinsulate[®] that retains body heat while allowing water vapor to escape.



SHOP APRON

Apron hides grease and grime, and features pockets on the chest and the pouch for easily accessible storage.



CHAPRON

Chapron is made from a tough, nylon outer shell and designed for trimmer and brushcutter users.



PROTECTIVE HEAD & EAR GEAR

Quality hearing protection from STIHL is designed to match the level of protection required for the job.





FUNCTION HEARING PROTECTOR



DYNAMIC HEARING PROTECTOR



ADVANCE ProCOM HEADBAND

All-in-one innovative communication and hearing protection system for use without a helmet system. Designed to communicate easily in teams of up to 16 people and the headset connects wirelessly via Bluetooth® to your smart phone.



MESH VISOR KIT

A steel mesh visor that allows for airflow and fits with many STIHL hearing protectors.



DYNAMIC BLUETOOTH® HEARING PROTECTOR





Pro Mark™ HEARING PROTECTOR



ADVANCE ProCOM HELMET SYSTEM ACCESSORY

ProCOM hearing protection and communication system for use with existing helmet systems (sold separately). Designed to easily communicate in teams of up to 16 people and the headset connects wirelessly via Bluetooth® to your smart phone.



POLYCARBONATE VISOR KIT

A clear face shield that works with a range of STIHL hearing protectors.

PROTECTIVE APPAREL & ACCESSORIES 191



FUNCTION-BASIC HELMET SYSTEM

Comfortable helmet system with a sixpoint mount suspension and vented shell that provides cooling air during use.



FORESTRY HELMET SYSTEM

Hard-shell helmet system features a Cool Guard sweatband, built-in rain gutter and adjustable hearing protectors.



Pro Mark™ HELMET SYSTEM

Quality helmet system with premium features, including a vented helmet shell and six-point, ratchet-style suspension to absorb shock.



ADVANCE X-VENT BLUETOOTH® HELMET SYSTEM

Allows users to make phone calls or stream their choice of sound entertainment without ever needing to remove hearing protection.



ADVANCE X-VENT HELMET SYSTEM

Advanced technology helmet system with a six-point suspension headband and large face shield.



ARBORIST HELMET

Lightweight helmet designed specifically for arborists and features an ABS thermoplastic outer shell.



CONSTRUCTION HARD HAT SYSTEM

Durable hard hat with an ABS thermoplastic outer shell and a clear PETG full-face shield.



Pro Mark[™] PERSONAL PROTECTIVE EQUIPMENT KIT

Packed into a durable black nylon duffel bag, this money-saving kit includes items needed to help you safely get to work. Each kit includes a STIHL Pro Mark[™] Helmet System, orange 9-layer apron chaps, protective glasses, and work gloves.



PERSONAL PROTECTIVE EQUIPMENT KIT

Packed into an easy-to-store STIHL duffel bag, this money-saving kit includes everything needed to help you safely get to work. Each kit includes a FUNCTION BASIC Helmet, Black 6-ply Chaps, Protective Glasses, Work Gloves, and Duffel Bag with STIHL logo.

Note: Goggles or protective glasses meeting ANSI Standard Z87.1 must be worn under face screen and shield for primary eye protection.



SARA BENDRICK is a licensed landscape contractor with more than ten years of experience specializing in residential design. She has been featured on several DIY Network programs, and is the author of "Big Impact Landscaping: 28 DIY Projects You Can Do on a Budget to Beautify and Add Value to Your Home."



RESHAPE YOUR VIEW

WITH SARA BENDRICK

PROJECT: NATURAL PLANTER

Convert wood logs into beautiful and natural planters, bringing vibrancy and vitality to your patio area.

SUPPLIES NEEDED

- Chain Saw
- Protective Apparel
- Tape Measure
- Power Drill
- Wood Boring Drill Bit
- Spade Drill Bits
- Potted Annuals
- Potting Soil
- Wood Logs



Cut logs to desired size, but be sure to cut sections long enough to allow room to drill a 4" section for space to place plants.



Optional: Place landscape fabric in the hole to create a barrier between the wood and the soil to help prevent decomposition of the wood.



Drill a hole about 4" wide and 4" deep to create a pocket for an annual plant.



Place an annual in the hole and fill the remaining space with additional soil as needed.

EYE PROTECTION

Featuring diverse frame designs and color, our glasses offer 99% UV protection and are made from optical-grade polycarbonate for impact resistance.

All STIHL protective glasses meet the ANSI Z87.1 standard.





BLACK WIDOW GLASSES Lens: Indoor/Outdoor Mirror, Smoke Mirror



COTTON CANDY GLASSES Lens: Smoke, Clear



ULTRA LIGHT GLASSES Lens: Smoke



STIHL TIMBERSPORTS® SERIES GLASSES Lens: Smoke Mirror



BLUE MIRROR GLASSES Frame: Blue, Red



PATTERNED FRAME GLASSES Lens: Smoke, Green Mirror, Silver Mirror



GRIDIRON GLASSES Lens: Silver Mirror, Clear, Smoke



ULTRA FLEX GLASSES Brown Frame - Lens: Brown; Black Frame - Lens: Smoke, Blue Mirror



TWO-TONE WORK GLASSES Lens: Smoke, Silver Mirror



HUNTER'S CAMO GLASSES Lens: Gold Mirror



TWO-TONE SPORT GLASSES Lens: Smoke, Silver Mirror



CLEAR VISTA GLASSES Lens: Blue Mirror. Smoke



DEPUTY GLASSES Lens: Blue Mirror, Smoke, Brown Mirror



CAMO GLASSES Lens: Bronze, Smoke, Yellow



SLEEK LINE GLASSES Lens: Orange, Smoke, Mirror, Yellow



DEPUTY II GLASSES Lens: Ice Blue Mirror, Forest Grey



FROSTY GLASSES Lens: Blue Mirror, Silver Mirror

SLEEK LINE II

Lens: Smoke, Blue Mirror

GLASSES



HELLFIRE GLASSES Lens: Gold Mirror, Silver Mirror, Smoke



WHITE ICE GLASSES Lens: Blue Mirror, Orange Mirror, Silver Mirror



ADJUSTABLE GOGGLES Lens: Smoke



STIHL HELLRAISER™ GLASSES

Lens: Blue Mirror, Smoke



BLACK WORK GLASSES Lens: Blue Mirror, Grey, Silver Mirror



Pro Mark™ GOGGLES Lens: Smoke, Clear



GLOVES

For heavy-duty use on worksites or just working in the yard, STIHL has work gloves for almost every outdoor task.





VALUE WORK GLOVES M-L-XL



COTTON CANDY GLOVES S-M



VALUE PRO GLOVES M-L-XL



WORK GLOVES One Size Fits Most



HUNTER'S CAMO GLOVES L-XL



HEAVY-DUTY WORK GLOVES M-L-XL




GENERAL PURPOSE GLOVES M-L-XL



STIHL HOMESCAPER SERIES™ GLOVES S-M-L-XL




LANDSCAPER SERIES GLOVES S-M-L-XL



OUTDOOR PRO GLOVES

"For the level of protection these gloves provide, they amazingly retain near full dexterity!... The nylon fabric that holds the glove together is sturdy, flexible, breathes well, and does a great job at wicking sweat away."

 \star \star \star \star \star - HappyGoatroach





ß

MECHANIC STYLE GLOVES M-L-XL



MESHBACK GLOVES M-L-XL



HIGH PERFORMANCE PRO GLOVES M-L-XL



ANTI-VIBRATION GLOVES L-XL



STIHL TIMBERSPORTS® SERIES GLOVES M-L-XL



PROSCAPER SERIES GLOVES M-L-XL



OUTDOOR PRO GLOVES M-L-XL

98	STIHL	USA.CC	DM	Small	Medium	Larga	X Large	XXI argo	XXX Large	XXXX Lorgo
CHA	IN SAW PR	OTECTI	VE APPAREL	Small	Medium	Large	X-Large	XX-Large	XXX-Large	XXXX-Large
DYNA	MIC Protec	tive Mitts	s (Disc.)	0000 886 1100	0000 886 1101	0000 886 1102	0000 886 1103			
Pro M	lark™ Proteo	tive Glov	es	7010 883 1500	7010 883 1501	7010 883 1502	7010 883 1504	7010 883 1504		
Pro M	lark™ Cut-R	etardant S	Shirt (Disc.)	0000 886 3516	0000 886 3517	0000 886 3518	0000 886 3519	0000 886 3520	0000 886 3521	7010 886 35
DYNA	MIC Winter	· Pants - 6	laver	0797 901 0001	0797 901 0002	0797 901 0003	0797 901 0004			
	Pro Mark™		•	7010 883 7500	7010 883 7501	7010 883 7502	7010 883 7503	7010 883 7504	7010 883 7505	7010 883 75
	ADVANCE			7010 883 3500	7010 883 3501	7010 883 3502	7010 883 3503			
				Small	Medium	Large	X-Large		Custom-Made to Ord	ler
NEW!	ADVANCE	Arborist P	ants (Men's sizes)	32: 7010 883 4200	32: 7010 883 4202	32: 7010 883 4204	32: 7010 883 4206	7010 883 4299		
				34: 7010 883 4201	34: 7010 883 4203	34: 7010 883 4205	34: 7010 883 4207	,		
NEW!	ADVANCE A	Arborist Pa	nts (Women's sizes)	R: 7010 883 4208	R: 7010 883 4209	R: 7010 883 4210		1		
~ 11 A 1		OTECTI	VE CHAPS	32" Length	36" Length	38" Length	40" Length	44" Length	Medium	Large
				0000 884 7201	0000 884 7202		0000 884 7007	0000 884 7004		
	-	-	Orange – 6 layer	0000 886 3201	0000 886 3202		0000 886 3203	0000 886 3206	1	
			mber® Camo - 6 layer	0463 092 0101	0463 092 0201	0.447.000.001	0463 092 0301			
			nber® Camo – 6 layer	7010 00 (0007	7010 00 4 0000	0463 092 1101	7010 00 / 0000	7010 00 4 0070		
			aps – 6 layer	7010 884 0827	7010 884 0828		7010 884 0829	7010 884 0830		
	-	-	nge – 6 layer	7010 884 0815	7010 884 0816		7010 884 0817	7010 884 0818		
			Drange - 9 layer	0000 886 3904	0000 886 3905		0457 970 0108		_	_
			lavy – 9 layer	7010 885 0800	7010 871 1217		7010 885 0801			
	lark™ Hi-Vis		,	7010 884 0819	7010 884 0820		7010 884 0821	7010 884 0822		
	ark™ Hi-Vis		-	7010 884 0819	7010 884 0820		7010 884 0821	7010 884 0822		
		-	range – 9 layer		0000 886 3907		7010 886 3900			
Skidd	er Bib Chap	/ Orange	- 6 layer	0797 901 0012	0797 901 0013					
UNC	TION Apro	n Chaps /	Black – 6 layer	7010 884 0800	0797 333 9200					_
UNC	TION Zip C	haps / Bla	ick – 6 layer	7010 884 0823	7010 884 0824		7010 884 0825	7010 884 0826		
DYNA	MIC Wrap O	Chaps / O	range – 6 layer		0000 886 3204		0000 886 3205			
IEW!	ADVANCE	Apron Cha	aps	7010 885 2103	7010 885 2104		7010 885 2105	7010 885 2106		
			Black	Coyote	Denim			STIHL Pro Mark™ Chain Saw Boot	STIHL DYNAMIC Medium	Forestry Boot Wide
HA	IN SAW PR	οτεςτιν		00,010	Denim	CHAIN SA	W PROTECTIV			1
;	30" - 32"	30"	7010 885 6100	7010 885 6116	7010 888 6100	6.5		0000 885 3839	7010 885 3800	7010 885 3811
	30" - 32"	32"	7010 885 6101	7010 885 6117	7010 888 6101	7		0000 885 3839	7010 885 3812	7010 885 3813
5	30" - 32"	34"	7010 885 6102	7010 885 6118	7010 888 6102	7.5		0000 885 3840	7010 885 3814	7010 885 3815
	30" - 32"	36"	7010 885 6103	7010 885 6119	7010 888 6103	8		0000 885 3840	7010 885 3816	7010 885 3817
4	34" - 36"	30"	7010 885 6104	7010 885 6120	7010 888 6104	8.5		0000 885 3841	7010 885 3818	7010 885 3819
1	34" - 36"	32"	7010 885 6105	7010 885 6121	7010 888 6105	9		0000 885 3842	7010 885 3820	7010 885 3821
M	34" - 36"	34"	7010 885 6106	7010 885 6122	7010 888 6106	9.5		0000 885 3843	7010 885 3822	7010 885 3823
М	34" - 36"	36" 30"	7010 885 6107	7010 885 6123	7010 888 6107 7010 888 6108	10 10.5		0000 885 3844	7010 885 3824	7010 885 3825
L	38" - 40" 38" - 40"	30	7010 885 6108 7010 885 6109	7010 885 6124 7010 885 6125	7010 888 6109	10.5		0000 885 3844 0000 885 3845	7010 885 3826 7010 885 3828	7010 885 382
-	38" - 40"	36"	7010 885 6110	7010 885 6126	7010 888 6110	11.5		0000 885 3845	7010 885 3820	7010 885 3831
_	38" - 40"	36"	7010 885 6111	7010 885 6127	7010 888 6111	12		0000 885 3846	7010 885 3832	7010 885 383
XL	42" - 44"	30"	7010 885 6112	7010 885 6128	7010 888 6112	12.5		0000 885 3846	7010 885 3834	7010 885 3835
KL	42" - 44"	32"	7010 885 6113	7010 885 6129	7010 888 6113	13		0000 885 3847	7010 885 3836	7010 885 3837
KL	42" - 44"	34"	7010 885 6114	7010 885 6130	7010 888 6114	13.5		0000 885 3847	7010 885 3838	7010 885 3839
(L	42" - 44"	36"	7010 885 6115	7010 885 6131	7010 888 6115	14		0000 885 3848	7010 885 3840	7010 885 384
JEA	D/FACE PR	OTECT				ACCESSO	DIES			
				7	010 884 0110		it Pouch and Refil			7010 00 4 0/ 0
	NCE X-VEN		-							7010 884 2600
ADVANCE X-VENT Bluetooth® Helmet System				010 888 0801	First Aid Ki	it Belt Pouch			7010 884 2601	
	lark™ Helme	-			010 871 0199	First Aid Ki	it Refill			7010 884 2602
FUNCTION-BASIC Helmet System			t System	7	7010 888 0800 Lawn Mower Bag					0797 010 1900
ores	stry Helmet	System		0	000 886 0100	Lawn Mowe	er Bag – Personali	zed		0797 010 1901
Arborist Helmet			7	7010 883 9100 Leg Buckle for Chaps 1" - Replacement					0000 886 580	
Construction Hard Hat System				0	0000 884 0175 Waist Buckle for Chaps 1.5" - Replacement					
NEW	Polycarbo	nate Visor						0000 886 580 0000 886 590		
IEW	Steel Mesi	n Visor Kit	t	7	010 884 0512		-			
	RING PRO					-	l Tool Pouch	. 171.		0000 886 160
	ouflage Hear			0	000 884 0513		ANCE ProCOM H	-		0000 889 904
Cotto	on Candy He	aring Pro	tector	7	010 884 0507	NEW! ADV	ANCE ProCOM M	icrophone		0000 889 904
	MIC BT Hea	-			000 884 0519					
		-	Hearing Protector		010 884 0508			Small	Medium	Large
			learing Protector		010 884 0509	DUFFEL B	AGS			
	lark™ Heariı		-		010 884 0510	STIHL Duff	el Bag	0463 901 0418	0463 901 0420	0464 091 050
	27 Reusable	-			010 884 0401	Personalized	STIHL Duffel Bag	0463 901 0417	0463 901 0419	0000 886 1700
	32 Foam Ear	-			010 884 0404			ŗ	ŗ	
		-	in Plastic Reclosab		010 884 0405					
				/	0.0004 0400					

0000 884 0544

0000 889 8011

NEW! ADVANCE ProCOM Helmet System Accessory

NEW! ADVANCE ProCOM Headband Version

PROTECTIVE APPAREL & ACCESSORIES 199

Bits NOUME NOUME <		Red Mirror Brown Mirror	Silver Mirror/ Smoke Mirror	lirror Mirror	Green M	Orange Orange Mirror	Brown/Coffee	Yellow/Clear	Grey/Smoke	Indoor/ Outdoor	
Pick Work Glasses 0 000 84 037 0			7010 884 0301							7010 884 0307	PROTECTIVE GLASSES
Bink Wrap Glasse: 0 000 84 037 <th></th> <th></th> <th></th> <th>84 0378</th> <th>7010.88</th> <th></th> <th></th> <th></th> <th>7010 884 0370</th> <th>7010 004 0307</th> <th></th>				84 0378	7010.88				7010 884 0370	7010 004 0307	
Base Mirror Glasse Galo Base 0321 Image 0	884 0371	7010 884 0371	7010 004 0300								
Cance GlassesComo 24,03202010 84,0320Como 24,0324Como 24,0324	504 0571	7010 004 0071							7010 004 0372		•
Cattor Canal Qiassa <bth>Qin0 R84 037 Porport J Giassa Porport J Giassa Porport J Giassa Porport J Giassa Porport J Giassa Porport J Giassa Porport J Giassa Porport J Gias</br></br></br></br></br></bth>				04 0304	7010 864			7010 00 4 0701	7010 00 4 0700		
Depuip disease None action Image disease None action None action <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>											
Party if diams NOD 84 0330		7010 00 / 0777		0 / 0775	7010.00			/010 884 03/4			•
resty Glasses image: constraint of the sector of the se	384 0377	7010 884 0377		84 03/5	/010 884						
Griding GlassesNDIO B84 0350NDIO B84 0350NDI									7010 884 0396		• •
Heinfre Glasses Image Ima Image Image Image<				84 0388	7010 884						
Hundre's Canno Glasses Image: Control Section Glasses Image: Control								7010 884 0355			
Patterned Frame Glasses 0 000 884 033 0 0 000 884 033 0 0 000 884 033 0 000 884 033 0 000 884 033 0 0 000 884 033 0 0 000 884 033 0 0 0 000 884 033 0 0 0 000 884 033 0 0 0 000 884 033 0 0 0 000 884 033 0 0 0 000 884 033 0 0 0 000 884 033 0 0 0 0 000 884 033 0 0 0 0 0 0 0 0 000 884 033 0 <	7010 884 035		7010 884 0352						7010 884 0351		
Sheck Line Glasses Qin 08 40.03 Qin 084.033	7010 884 038										Hunter's Camo Glasses
Seek Line It Glasses 0 <td< td=""><td></td><td></td><td>7010 884 0383</td><td>84 0382</td><td>7010 884</td><td></td><td></td><td></td><td>7010 884 0381</td><td></td><td>Patterned Frame Glasses</td></td<>			7010 884 0383	84 0382	7010 884				7010 884 0381		Patterned Frame Glasses
STHL HullRaizer" Glasses 0 000 84 033 0 I 0			7010 884 0326			7010 884 032		7010 884 0333	7010 884 0325		Sleek Line Glasses
STHL PROBRING Series Glassesomo				84 0392	7010 884				7010 884 0393		Sleek Line II Glasses
Two-Tone Short Glasses 7010 884 0369 Image: Construct on the state of the state on the state of the state on the state on the state of the state on the				84 0354	7010 884				7010 884 0353		STIHL HellRaiser™ Glasses
Two-rone Work GlassesOIO 884 036OIO 884 030OIO 884 030 <th< th=""><th></th><th></th><th>7010 884 0316</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>STIHL TIMBERSPORTS® Series Glasses</th></th<>			7010 884 0316								STIHL TIMBERSPORTS® Series Glasses
Utra Fiex Glasses n010 884 0331 n010 884 0331 n010 884 0331 n			7010 884 0368						7010 884 0369		Two-Tone Sport Glasses
Utralight Glassesnoisen			7010 884 0387						7010 884 0386		Two-Tone Work Glasses
Chear Vista Glasses TOIO 884 0378 Image: Control 884 0356 TOIO 884 0376 TOIO 884 037				84 0332	7010 884		7010 884 0330		7010 884 0331		Ultra Flex Glasses
Clear Vista GlassesNOID 884 0389NOID 884 0380NOID 884 0380 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>7010 884 0391</td><td></td><td>Ultralight Glasses</td></th<>									7010 884 0391		Ultralight Glasses
STILL Pro Mark** Goggles NO Set 0 I				84 0397	7010 884				7010 884 0398		Clear Vista Glasses
Adjustable Goggles 7010 884 0325 7010 884 0315			7010 884 0365	84 0366	7010 884	7010 884 036					White Ice Glasses
Adjustable Goggles 7010 884 0325 7010 884 0315 7010 884								7010 884 0362	7010 884 0363		
ProPack 4.Pack Glasses* 7010 884 0315 Note of the sector of the se	884 0377	7010 884 0377		84 0375	7010 884						
PROTECTIVE CLOVES Smill Medium Larg Anti-Vibration Gloves 7010 884 1152 7010 884 1152 7010 884 1152 7010 884 1152 7010 884 1152 7010 884 1152 7010 884 1152 7010 884 1152 7010 884 1152 7010 884 1161 7010 8	I nes with two grey and two cl							7010 884 0315			
Anti-Vibration GlovesIndexJord 88Jord 88Cotton Candy Gloves7010 884 11537010 884 11537010 884 11637010 88General Purpose Gloves (Disc.)Index7010 884 11047010 887010 88Heavy-Duty Work GlovesIndexIndex7010 884 11047010 88High Performance PRO GlovesIndexIndex7010 884 11047010 88Hunter's Camo GlovesIndex7010 884 11047010 887010 88Hunter's Camo GlovesIndex7010 884 11047010 887010 88Indexcaper Series GlovesIndex7010 884 11377010 887010 88Outdoor PRO GlovesIndexIndex7010 884 11367010 887010 88Proscaper Series GlovesIndexIndex7010 884 11367010 887010 88STIHL HomeScaper Series "GlovesIndex7010 884 11367010 887010 887010 88STIHL Mechanic Style GlovesIndexIndex7010 884 11367010 887010 88STIHL TIMBERSPORTS* Series GlovesIndexIndex7010 884 11367010 88Value PRO GlovesIndexIndexIndex7010 884 11367010 88Value Qrod GlovesIndexIndexIndexIndex7010 884 11367010 88STIHL TIMBERSPORTS* Series GlovesIndexIndexIndexIndex7010 887010 88Value Qrod GlovesIndexIndexIndexIndexIndexIndex7010 88StiHL TIMBERSPORTS* Series Gloves </th <th></th> <th>Large</th> <th>l l edium</th> <th>M</th> <th>mall</th> <th></th> <th></th> <th></th> <th>1 / 010 00 1 0010</th> <th>I</th> <th></th>		Large	l l edium	M	mall				1 / 010 00 1 0010	I	
Cotton Candy Gloves7010 884 11527010 884 11537010 884General Purpose Gloves7010 8847010 8847010 8847010 884Great Grip Gloves (Disc.)17010 8847010 8847010 8847010 884Hadry-Duty Work Gloves7010 8847010 8847010 8847010 8847010 8847010 884Hunter's Camo Gloves7010 8847				- î							
General Purpose Gloves700 884 11/6700 88Great Grip Gloves (Disc.)700 884 11/6700 88700 88Heavy-Duty Work Gloves700 884 100700 88 100700 88High Performance PRO Gloves700 884 100700 88 100700 88Hunter's Camo Gloves700 884 100700 884 110700 88Landscaper Series Gloves700 884 110700 88 1100700 88Outdoor PRO Gloves700 884 100700 884 110700 88Proscaper Series Gloves700 884 100700 884 110700 88Proscaper Series Gloves700 884 110700 884 110700 88STIHL HomeScaper Series Gloves700 884 113700 88700 88STIHL Mechanic Style Gloves700 884 113700 88700 88Value PRO Gloves700 884 113700 88700 88Value Work Gloves8700 884 113700 88Value Work Gloves8700 884 113700 88Value Work Gloves8700 884 113700 88Work Gloves8700 88700 88Work Gloves8700 88700 88Work Gloves8700 88700 88Work Gloves9700 88700 88Horiu1000100 88700 88 <t< th=""><th>4 1128 7010 884 1129</th><th>7010 884 1128</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>	4 1128 7010 884 1129	7010 884 1128									
Great Obsc.)No 800 mmNo 800 mmHeavy-Duty Mork GlovesINo 800 mmNo 800 mmHigh Performance PRO GlovesINo 800 mmNo 800 mmHunter's Camo GlovesINo 800 mmNo 800 mmNo 800 mmHunter's Camo GlovesNo 800 mmNo 800 mmNo 800 mmNo 800 mmMeshback GlovesNo 800 mmNo 800 mmNo 800 mmNo 800 mmOutdoor PRO GlovesINo 800 mmNo 800 mmNo 800 mmProscaper Series GlovesINo 800 mmNo 800 mmNo 800 mmProscaper Series GlovesINo 800 mmNo 800 mmNo 800 mmSTHL HomeScaper Series GlovesINo 800 mmNo 800 mmNo 800 mmSTHL Mechanic Style GlovesINo 800 mmNo 800 mmNo 800 mmValue PRO GlovesINo 800 mmNo 800 mmNo 800 mmValue Work GlovesINo 800 mmNo 800 mmNo 800 mmValue PRO FLETETE TEPTETEIINo 800 mmNo 800 mmTenter TepTerterINo 800 mmNo 800 mmNo 800 mmTenter TepTerterINo 800 mmNo 800 mmNo 800 mmTenter TepTerterINo 800 mmNo 800 mmNo 800 mmTenter TepTerterINo 800 mm				7010	884 1152	7010					Cotton Candy Gloves
Heavy-Duty Work Gloves7010 8841107010 8847010 884High Performance PRO Gloves7010 8847010 8847010 8847010 884Hunter's Camo Gloves7010 8847010 8847010 8847010 8847010 8847010 884Landscaper Series Gloves7010 884		7010 884 1147									General Purpose Gloves
High Performance PRO GlovesIndex700 883 85007010 88Hunter's Camo GlovesIndex	4 1117 7010 884 1118	7010 884 1117	884 1116 70	7010							Great Grip Gloves (Disc.)
Hunter's Camo GlovesIndex7010 884 11207010 884Landscaper Series Gloves7010 884 11007010 884	4 1111 7010 884 1112	7010 884 1111	884 1110 70	7010							Heavy-Duty Work Gloves
Landscaper Series Gloves 7010 884 1120 0000 886 1104 0000 88 Meshback Gloves 7010 884 1120 7010 884 1137 7010 88 Outdoor PRO Gloves Image: Control of the second	3 8501 7010 883 850	7010 883 8501	883 8500 70	7010						es	High Performance PRO Glov
Meshback Gloves7010 884 11577010 884Outdoor PRO Gloves7010 884 11007010 8847010	3 1162 7010 883 1163	7010 883 1162	70								Hunter's Camo Gloves
Outdoor PRO Gloves7010 88411497010 88411497010 884Proscaper Series Gloves7010 8847010 8847010 88Pruning Gloves (Disc.)7010 8847010 8847010 8847010 8847010 88STIHL HomeScaper Series Moloves7010 8847010 8847010 8847010 8847010 8847010 884STIHL TIMBERSPORTS* Series Gloves7010 8847010 8847010 8847010 8847010 8847010 884Value PRO Gloves7010 8847010 8847010 8847010 8847010 8847010 884Value Work Gloves67010 8847010 8847010 8847010 884Value Work Gloves67010 8847010 8847010 884Work Gloves67010 8847010 8847010 884More Gloves7010 8847010 8847010 8847010 884More Gloves67010 7010 7007010 7010 7007010 7010 7010Forestry Gloves666 <th>36 1105 0000 886 110</th> <th>0000 886 1105</th> <th>0 886 1104 00</th> <th>0000</th> <th>884 1120</th> <th>7010</th> <th></th> <th></th> <th></th> <th></th> <th>Landscaper Series Gloves</th>	36 1105 0000 886 110	0000 886 1105	0 886 1104 00	0000	884 1120	7010					Landscaper Series Gloves
Proscaper Series Gloves 7010 8841100 7010 88	4 1160 7010 884 1161	7010 884 1160	884 1157 70	7010							Meshback Gloves
Pruning Gloves (Disc.) Image: Still HomeScaper Series "Gloves 7010 884 1133 7010 884	4 1150 7010 884 1151	7010 884 1150	884 1149 70	7010							Outdoor PRO Gloves
STIHL HomeScaper Series [™] Gloves 7010 884 1136 7010 884 1103 7010 88 <td< th=""><th>4 1101 7010 884 1102</th><th>7010 884 1101</th><th>884 1100 70</th><th>7010</th><th></th><th></th><th></th><th></th><th></th><th></th><th>Proscaper Series Gloves</th></td<>	4 1101 7010 884 1102	7010 884 1101	884 1100 70	7010							Proscaper Series Gloves
STIHL Mechanic Style Gloves 7010 884 1140 7010 88 STIHL TIMBERSPORTS® Series Gloves 7010 884 1133 7010 88 Value PRO Gloves 7010 884 1137 7010 88 Value Work Gloves 7010 884 1137 7010 88 Value Work Gloves 7010 884 1137 7010 88 Work Gloves 7010 884 1137 7010 88 More Gloves 8 7010 88 7010 88 More Gloves 9 7010 9000 9 Forestry Tool Vest (Disc.)	4 1158 7010 884 1159	7010 884 1158	70								Pruning Gloves (Disc.)
STIHL TIMBERSPORTS® Series Gloves 7010 884 1133 7010 88 Value PRO Gloves 7010 884 1133 7010 88 Value Work Gloves 7010 884 1134 7010 88 Work Gloves 7010 884 1154 7010 88 Work Gloves 7010 884 1154 7010 88 More Gloves 7010 884 1154 7010 88 More Gloves 7010 884 1154 7010 88 More Gloves 1 1 1 More Gloves 1 1 1 More Gloves 1 1 1 More Gloves 1 <td< th=""><th>4 1104 7010 884 1105</th><th>7010 884 1104</th><th>884 1103 70</th><th>7010</th><th>884 1136</th><th>7010</th><th></th><th></th><th></th><th>Gloves</th><th>STIHL HomeScaper Series™</th></td<>	4 1104 7010 884 1105	7010 884 1104	884 1103 70	7010	884 1136	7010				Gloves	STIHL HomeScaper Series™
Value PRO Gloves 7010 884 1137 7010 884 11	4 1141 7010 884 1142	7010 884 1141	884 1140 70	7010						; ;	STIHL Mechanic Style Gloves
Value PRO Gloves 7010 884 1137 7010 884 11	4 1134 7010 884 1135	7010 884 1134	884 1133 70	7010						ies Gloves	STIHL TIMBERSPORTS® Ser
Value Work Gloves 7010 884 1154 7010 88 Work Gloves 7010 884 1154 7010 88 Small Medium Large X-Large NON-PROTECTIVE APPAREL 0797 110 9000 0797 333 900 0797 333 900 0797 333 900		7010 884 1138									
Work Gloves Image: Constraint of the sector of		7010 884 1155									
Small Medium Large X-Large NON-PROTECTIVE APPAREL <		7010 884 1126									
NON-PROTECTIVE APPAREL 0797 110 9000 0 Chapron 0797 33 9000 0797 33 0 0797 33 0 <td>I</td> <td>X-Large</td> <td>1</td> <td>I L</td> <td>edium</td> <td>I M</td> <td>Small</td> <td></td> <td></td> <td></td> <td></td>	I	X-Large	1	I L	edium	I M	Small				
Forestry Tool Vest (Disc.) 0797 333 9000 0797 33			-							REL	NON-PROTECTIVE APPA
			7 110 9000	0797							Chapron
7010 884 0400 7010 884 0401 7010 88	3 9001 0797 333 900	0797 333 9001	7 333 9000 07	0797							Forestry Tool Vest (Disc.)
Reflective Safety Vest 7010 864 0600 7010 864 0601 7010 864	4 0602 7010 884 060	7010 884 0602	884 0601 70	0 7010	884 0600	7010					Reflective Safety Vest
Shop Apron 0000 886 3200			0 886 3200	0000							Shop Apron
FUNCTION Winter Shirt 0797 333 9115 0797 333 9116 0797 333 9117 0797 333	3 9118 0797 333 9119	0797 333 9118	7 333 9117 07	0797	333 9116	9115 079	0797 333				FUNCTION Winter Shirt
FUNCTION Work Shirt / Orange 0797 333 9105 0797 333 9106 0797 333 9107 0797 33	3 9108 0797 333 910	0797 333 9108	7 333 9107 07	0797	333 9106	9105 079	0797 333			nge	FUNCTION Work Shirt / Ora
FUNCTION Work Shirt / Orange/Denim 0797 333 9100 0797 333 9101 0797 333 9102 0797 333	3 9103 0797 333 910	0797 333 9103	7 333 9102 07	0797	333 9101	9100 079	0797 333			nge/Denim	FUNCTION Work Shirt / Ora
32" Length 36" Len	igth 40" Length	36" Length	'Length	32"							
PPE KITS											PPE KITS
Personal Protective Equipment Kit 7010 87	0280	7010 871 0280	70							nt Kit	Personal Protective Equipme
NEW! Pro Mark™ Personal Protective Equipment Kit 7010 885 2100 7010 88	5 2101 7010 885 2102	7010 885 2101	885 2100 70	7010					ment Kit	rotective Equip	NEW! Pro Mark™ Personal P



STIHL TIMBERSPORTS

STIHL TIMBERSPORTS[®] – known as The Original Extreme Sport – began in 1985 and features the world's top lumberjack sports athletes. The sport is seen by more than 20 million viewers annually in more than 62 countries around the world on networks like CBS, CBS Sports, Eurosport, and more.

Learn more at **STIHLTIMBERSPORTS.COM.**





STIHL Inc. is proud to be a founding sponsor of Independent We Stand, an organization that promotes independently owned business and touts the benefits of "buying local." Since 1974, STIHL has "walked the walk" by selling its products through a network of independent servicing dealers.

Stand up and become part of the movement today at **IndependentWeStand.org.**

WARRANTIES AND TRADEMARKS

The following trademarks are owned by ANDREAS STIHL AG & Co. KG, Waiblingen: March 2020

STIHL REGISTERED TRADEMARKS

1. STIHL* 2. STIHL (Registered) STIHL (Official Logo) 3. EI The color combination 4 (US Registrations #2,821,860; 3,010,057; 3,010,058; 3,400,477; and 3,400,476) লি 5 R 6. 7. R 8 8 9. 10. SERVICE II. AutoCut^a 12. DIRT BOSS 13. FARM BOSS® 14. ICADEMY 15. iMOW® 16. KISS MY AXE® 17. MAGNUM® 18. MasterWrench Service 19. MotoMix 20. OILOMATIC* 21. ROCK BOSS 22. STIHL Cutquik® 23. STIHL DUROMATIC® 24. STIHL Quickstop*

25. STIHL ROLLOMATIC* 26. STIHL WOOD BOSS*

27. TIMBERSPORTS

- 28 WOOD BOSS®
- 29. YARD BOSS®

SOME OF THE STIHL COMMON LAW TRADEMARKS

30. STIHL Injection™ 31. Team STIHL 32. 4-MIXTH 33. BioPlus" 34. Easy2Start™ 35. EasySpool 36. ElastoStart^m 37. Ematic** 38. FixCut* 30 IntelliCarb* 40 Master Control Lever 4). Micro 42. On A Single Charge™ 43, Pro Mark" 44 Quiet Line* 45 STIHI Matad" 46. STIHL M-Tronic" 47 STIHL OUTFITTERS 48. STIHL PICCO™ 49. STIHL PolyCut" 50, STIHL PowerSweep" 5) STIHL Precision Series" 52. STIHL RAPID** 53. STIHL SuperCut[™] 54. TapAction" 55. TrimCut™

STIHL Limited Warranty Time Periods

Current Models	Personal, Family Household Use	Commercial Use
Battery-Powered Tools (Except top-handle chain saws and cut-off machines)	3 years	2 years
Gasoline Chain Saws (Except top-handle chain saws)	l year	3 months
120 Volt Electric Chain Saws	1 year	3 months
Top-Handle Chain Saws"	-	3 months
Cut-Off Machines, Concrete Cutter*		3 months
Pressure Washers	2 years	l year
Trimmers and Brushcutters, Clearing Saws, Edgers, Blowers and SR Sprayers, Hedge Trimmers, Pole Pruners, KM Series, MM Series and Wet/Dry Vacuums	2 years	2 years
SG Manual Pump Sprayers	l year	1 year
Gearbox and Interchangeable Attachments	2 years	2 years
*Made tool for commercial use only		

*Marketed for commercial use only.

Additional information regarding the STIHL Limited Warranty policy is available at www.STIHLusa.com/warranty.html.



The 2-Year Limited Warranty Coverage

For commercial users on STIHL lawn care equipment and other selected power tools for commercial users, the 2-Year Limited Warranty is in addition to STIHL's industry-leading, extended warranty coverage for the drive shaft. You can depend on your STIHL equipment to work as hard as you do, and for STIHL to stand behind its equipment. See your STIHL Dealer for details.



When you purchase either STIHL HP Ultra Oil (six bottles) or STIHL MotoMix® Patented Premixed Fuel (one gallon minimum)

Double limited warranty protection applies to select STIHL gasoline-powered products purchased for personal non-income producing, household purposes only. Other restrictions apply. See dealer for details or refer to STIHL's Limited Warranty Policy at www.STIHLusa.com.

All STIHL products are warranted for 3 months when product is used for rental purposes.

All STIHL model PA axes, PH hedge shears, PL loppers, PP pruners, and PS pruning saws are warranted to the original consumer for as long as the appropriate spare part or product continues to be available from STIHL. Products used for rental use are excluded.

STIHL products sold through U.S. retailers are for distribution in the United States only.

Get the Official STIHL App

((-))

Your mobile device is about to get even more powerful. The official STIHL App puts a wide range of STIHL resources at your fingertips. Find products, find STIHL Dealers and connect to the STIHL community. Already a STIHL owner? Enjoy quick access to product manuals, how-to articles and videos. Available in the iTunes App StoreTH and Google Play.TH

NOTE: STIHL recommends using fuel with no more than 10% Ethanol content. Using fuel with greater than 10% Ethanol content may cause damage to your equipment and may void your STIHL limited warranty.

This listing of trademarks is subject to change. Any unauthorized use of these trademarks without the express written consent of ANDREAS STIHL AG & Co. KG. Waiblingen is strictly prohibited. STIHL's philosophy is to continually improve all of its products. As a result, engineering changes and improvements are made from time to time. Specifications and photos are as of October 2021, and are subject to change without notice.

FIND III III

HAMPIAN

IN HIRIT



.

STIHLUSA.COM f 20 (stihlusa) 0463.931.3023.M307.843.K21.RLC ©2021 STIHL Incorporated