

COMMITTED TO TRADITION

For us as a family business now in its third generation, long-range thinking is a tradition. It is the prerequisite for creating something substantial and valuable –in short: quality – and passing it on to the next generation. It is also fundamental in providing you, our customer, tangible improvements through innovation and technical leadership with every new development that targets superior performance and user-friendliness.

This tradition is at the heart of every single one of our products. Everything is designed so that a STIHL product can become an heirloom: the raw materials, the technical construction, the design, and the production. Another prerequisite, and one of paramount importance to us, is the long-term serviceability of our products. Through long-term spare parts reliability, we enable STIHL Dealers to restore our products to the top condition that you, our customer, require to master your tasks.

For us, this is "STIHL quality." It is sustainability in the best sense. Because durable, repairable products conserve our resources in the best possible way. And this is becoming increasingly important - for you as a customer and for us as a company.

In this sense, quality, innovation and sustainability go hand in hand and have been a tradition of the Stihl family for nearly 100 years.



YOUR STIHL FAMILY

Selina Stihl Vice Chairperson of the STIHL Advisory Board Karen Tebar Vice Chairperson of the STIHL Advisory Board Dr. Nikolas Stihl Chairman of the STIHL Advisory Board








THE STIHL DEALER DIFFERENCE

SEE WHY HOMEOWNERS AND PROS CHOOSE STIHL.

STIHL products are sold through authorized local STIHL Dealers. Why? Because we require that dealers are knowledgeable about the STIHL products they sell. That way, they can help match you with the right tool for your job.



- You won't find that at the big box stores and that's why you won't find STIHL there either.
- Visit your local STIHL Dealer for great prices on the most essential outdoor equipment.
- Order products online with STIHL Express and they'll be ready for you to pick up.
- With more than 10,000 authorized local STIHL Dealers nationwide, there's one conveniently located near you.









BATTERY POWER. MADE BY STIHL.

Projects. Tools. Peace of mind.

Whatever it is you are looking for as it relates to your outdoor space, STIHL can help you find it. Whether you love beautifying your landscape or you want to get the job done so you can enjoy time with family and friends, STIHL has a wide selection of tools to meet your needs and help you find yours.

DISCOVER WHAT YOU COULD CREATE



COMFORT & CONVENIENCE

The innovative AS Battery Hand Tool System combines capability, convenience and comfort. Perfect for precision gardening and landscaping tasks, these tools are designed to be versatile, compact, lightweight, and easy to use.



GRAB-AND-GO POWER

Ideally suited for quick tasks around smaller yards and condominiums, the AI Line of battery-powered tools gives users the easy, all-in-one convenience that they prefer when tackling small projects.









TAKE CHARGE OF YOUR YARD

As a homeowner, there is always another landscaping task or project just around the corner. The STIHL AK Homeowner System has a tool for just about everything your outdoor space can throw at you. From mowers and blowers to trimmers and chain saws, take on your yard with relentless power and clean, quiet performance.



PRO-LEVEL PERFORMANCE

Professional jobs demand tools that are built to withstand the work, day in and day out. The STIHL AP Professional System of battery-powered tools are designed to not only take on pro tasks, but to get them done with the performance pros expect.





PERFORMANCE IN YOUR PALM




AS 2

The AS 2 battery is designed to provide users with a lightweight power source that provides the comfort they want while also delivering the performance they demand. With its quick charge time and ability to handle up to 1,500 charge cycles, the AS 2 battery is a powerful addition to the STIHL AS Battery System.



HSA 26





GTA 26

The innovative and versatile GTA 26 battery-powered garden pruner features a 4" guide bar to prune small diameter branches and timber.



The STIHL Inc. "Caring for Nature" seal identifies its powered products and oils that are more environmentally conscious. For powered products, the seal signifies that they produce zero- or low-exhaust emissions. STIHL Inc. defines "low-exhaust emissions" as being cleaner than EPA and/or CARB exhaust emission standards. For oils, the seal means that the oils are biodegradable, degrading by 80 percent or more within 21 days.



STIHL's first battery-powered handheld vacuum, the lightweight SEA 20 can take on a variety of cleanup tasks with its powerful suction and versatile cleaning attachments.





STREAMLINE EFFICIENCY

The battery-powered tools that comprise the AI Line feature an integrated battery that plugs right into the wall, allowing users to unplug and get right to work.





FSA 45



The FSA 45 features an integrated battery and is a great choice for occasional use in small environments. This trimmer is lightweight and features an adjustable shaft and trimmer head. Plus, when fully charged, it has enough power to trim the same length as three football fields - that's up to 1,080 ft.*



HSA 45



The HSA 45 hedge trimmer is a great option for urban homeowners. It features an integrated battery and high cutting speeds of 2,500 strokes per minute. On a single charge, it can trim a hedge 20" wide and a length longer than a football field (360 ft.).* This hedge trimmer combines performance in a compact design.




BGA 45



The BGA 45 handheld blower delivers the power you need at an incredible value. It is exceptionally quiet, lightweight and features an integrated battery. On a single charge, the BGA 45 can clear more than 13 parking spaces (2,153 square ft.) with a blowing speed of 85 mph.*



^{*}Usage claim tested and verified by an independent third-party test laboratory. Run time may vary based on battery type, charge level and capacity, model, operating style and conditions







AK 10 BATTERY



AK 20 BATTERY



AK 30 BATTERY



NEW

MSA 60 C-B



The MSA 60 C-B is your new go-to chain saw for storm cleanup or limb removal around your property. It is lightweight and features an interlock safety lever, low vibration and quick chain adjustment.



NEW

MSA 70 C-B



The most powerful chain saw in the AK System now features a new interlock safety lever for added protection when starting. The MSA 70 C-B delivers excellent performance for up to 45 minutes of run time with the AK 30 battery.* This chain saw is a good option for suburban homeowners who perform yard work in noise-sensitive areas.





NEW HTA 50



The HTA 50 allows homeowners to prune hard-to-reach areas in their yard with confidence. Featuring a lightweight, extended-reach design, it can be comfortably operated with its 9.2' overall length - or nearly 11' when paired with an optional 19.5" shaft extension.



FSA 57



Ideal for suburban yards, the lightweight FSA 57 packages the convenience of battery in a value-priced set, with a run time of up to 25 minutes with the AK 10 battery or up to 50 minutes with the AK 20 battery.* Now comes standard with AutoCut® C 3-2.



NEW

HSA 50



The HSA 50 battery hedge trimmer features double-sided, droplet-shaped cutters with diamond-ground blades for exceptional performance at an affordable price.



HSA 56



Part of the AK System, the HSA 56 delivers a high cutting speed of 2,800 strokes per minute and a run time up to 50 minutes with the AK 10 battery.*



NEW

HSA 60



The HSA 60 is the most powerful battery-powered hedge trimmer in the AK System. Delivers fast cutting speeds of 3,000 strokes per minute and features a rotating handle.



FSA 60 R



With its lightweight design and exceptional performance, the FSA 60 R is the most powerful trimmer in the AK System. Optimally paired with the AK 20 battery, the FSA 60 R has a run time of up to 25 minutes*. Now comes standard with AutoCut® C 6-2.



RMA 460



Part of the STIHL AK System, the RMA 460 features a 19" steel mowing deck and is highly maneuverable for quick and efficient grass cutting. This lawn mower features an adjustable handle bar, grass catcher and is compatible with the AK 30 battery. It is a great option for small to medium suburban yards.



RMA 460 V



The RMA 460 V is the only self-propelled lawn mower in the AK System. This lawn mower provides a smooth and convenient operation that adjusts to conserve energy and optimize run time. With a 19" steel mowing deck and a 15.85-gallon grass bag, homeowners can enjoy a wide cutting path and the ability to minimize stops needed for emptying.

[°]Made in America of U.S. and foreign materials. Batteries and chargers sourced internationally.

^{*}Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.



BGA 57



The BGA 57 blower delivers powerful STIHL performance combined with great control and comfortable operation. A slim design and even weight distribution allow the blower to be held close to the user's body, keeping fatigue to a minimum while maximizing maneuverability.



NEW

BGA 60



With a 65% increase in blowing power (as compared to the BGA 57) and a host of features - including a one-touch adjustable blower tube and boost mode - the BGA 60 gives homeowners a premium tool to get more done in less time. A brushless motor minimizes maintenance and keeps noise down, while a built-in hanging slot provides easy storage.



Product shown in blower mode.



SHA 56

The battery-powered SHA 56 shredder vac/blower is the first of its kind in the AK System. This versatile 2-in-1 tool will help keep your yard free from leaves and debris yearround. With its lightweight padded shoulder strap and rotatable handle, you can work comfortably in either operating mode until the job is done right.



Product shown in shredder mode.







AR 2000 L BACKPACK BATTERY



AR 3000 L BACKPACK BATTERY







AP 300 BATTERY



AP 300 S BATTERY



NEW
AP 300 S BATTERY
w/ STIHL connect



NEW AP 500 S BATTERY



FSA 86 R



The FSA 86 R trimmer is capable of delivering strong, consistent performance that is perfect for homeowner and professional tasks.



FSA 90 R



A quiet trimmer, the FSA 90 R features the STIHL exclusive ECOSPEED throttle set wheel for variable-speed control, which can extend battery life. The trimmer's high cutting speed plus its 15" cutting width will help you trim more in less time.



FSA 135 R



The FSA 135 R trimmer delivers professional performance for a wide range of cutting applications, including trimming, cutting and weed clearing.



FSA 135



The FSA 135 battery-powered bike-handle trimmer is a true game changer for professional landscapers. Versatile for different cutting applications and with three performance settings to maximize productivity, its quiet operation and weatherresistant design provides flexibility and extended working hours.



BGA 300



The BGA 300 backpack blower is the most powerful battery blower in the STIHL lineup. It features a patented noise reduction system as well as long run times with little to no maintenance for efficient operation.





BGA 86



A lightweight, well-balanced design, combined with a powerful brushless motor, make the BGA 86 an excellent battery-powered blower for those who desire a professional-grade product.



BGA 100





The BGA 100 uses a battery belt or AR-style backpack battery, meaning a lighter blower and easy handling for the user. To deliver the optimal balance of power and run time, the BGA 100 features four performance levels through a variable-speed throttle trigger.



BGA 200







With nearly a 25% increase in blowing power (as compared to the BGA 100) and a range of features – including a one-touch adjustable blower tube and cruise control – the BGA 200 gives landscapers and large property owners power comparable to gas, and ease of use they need to tackle almost any job.



Tools do not have an onboard-style battery. Instead, they are equipped with a socket that connects a cable to a battery source

°Made in America of U.S. and foreign materials. Batteries and chargers sourced internationally. The FSA 135 units are assembled in America.



FCA 135



The FCA 135 is a professional edger with a curved shaft offering quiet, high-powered performance on par with gas-powered equipment. With a lightweight design, high blade speed and variable-speed trigger, this edger offers maneuverability ideal for flower beds or well-maintained edges.

FCA 140



The straight-shaft, battery-powered STIHL FCA 140 edger provides trusted durability and professional-grade performance. With its high torque, variable-speed trigger and adjustable depth wheel, you are in control of the power you'll need to cut through packed soil or create completely new edges.



HSA 66



The HSA 66 features optimized blade geometry and diamondground blade edges for clean cuts, even through thick and tough shrubbery. The 20" blade length is an efficient working length for most applications and a tip protector helps protect blade tip from damage.



HSA 130 R





Designed with high torque, low blade speed and wide tooth spacing, the HSA 130 R is ideal for making powerful pruning cuts. It also has instant-start technology and features a variable-speed throttle trigger with three performance levels.



HSA 100



The HSA 100 features a rotating handle for increased user ergonomics, optimized blade geometry and diamond-ground blades for clean cuts.



HSA 130 T





The HSA 130 T is perfect for professionals looking for lightweight, precision performance. With a commercial-grade, brushless electric motor, this energy-efficient hedge trimmer is quiet and delivers ideal speed and run times.



°HLA 135 units are made in America of U.S. and foreign materials. Batteries and chargers sourced internationally. FCA 135, FCA 140 and KMA 135 R units are assembled in America.







KMA 135 R



Designed for professionals, the powerful and versatile batterypowered KMA 135 R KombiMotor features over a dozen optional attachments that empower you and your crew to more easily and efficiently take on a wide range of landscaping tasks.



HLA 66



The HLA 66, with its 115° articulating head and 20" cutter bar, delivers professional grade performance with the convenience of battery power.



HLA 86



The HLA 86 can telescope an additional 27.6", bringing pros within reach of jobs that might otherwise be inaccessible. The -45° to +70° articulating head with 20" cutter bar delivers versatility with seven different positions, while the brushless motor and variable-speed trigger provide the power and control pros demand to get the job done right.



HLA 135 K (145°) 🍪 🚟°





For professionals seeking optimal control and uncompromising performance in a battery-powered tool, the HLA 135 K (145°) extended reach hedge trimmer delivers with 12 cutting positions to maximize adaptability.



HLA 135 K (O°) 👜 🚟



With a short shaft (designated by K) and O° fixed blade for precision trimming, the HLA 135 K (0°) extended reach hedge trimmer gives pros the precision and performance they demand.



HLA 135 (145°)



For a combination of versatility and control, the extended shaft design of this pro-grade hedge trimmer with its articulating 145° cutting head gives users all they need in a durable design.



NEW MSA 160 C



The MSA 160 C starts instantly, and the commercial-grade high torque electric motor requires less maintenance, resulting in a longer motor life. The Quick Chain Adjuster allows you to adjust the chain tension without tools for added convenience.



MSA 161 T



The MSA 161 T is lightweight, quiet and delivers ideal speed, cutting capacity and run times. This top-handle battery chain saw also features instant start technology and is easy to use and maneuver, reducing user fatigue. The MSA 161 T is perfect for professional arborists looking for a low maintenance and high-performance chain saw.

For in-tree professional use only!

NEW MSA 300 C-O



MSA 300 C-O is the most powerful battery-powered chain saw in the STIHL lineup. The advanced electronic operating system with oil sensor provides status updates for operators. Captive bar nuts and magnesium motor housing give this chain saw added durability.



NEW MSA 200 C



The lightweight and quiet MSA 200 C features a Quick Chain Adjuster that allows you to adjust the chain tension without tools for added convenience. This powerful battery chain saw is ideal for storm cleanup and firewood cutting.



NEW MSA 220 C



One of the most powerful rear-handle battery-powered chain saws in the STIHL line, the MSA 220 C delivers the speed, cutting capacity and run time to take on just about any cutting task with ease.



Shown with optional Light PO4 guide bar

NEW MSA 220 TC-O



The STIHL MSA 220 TC-O is the most powerful top-handle chain saw in the STIHL battery-powered lineup. An LED display screen provides quick status updates to keep pros moving. Downtime is limited with its weather-resistant design, low maintenance, easy service, and replaceable parts. The MSA 220 TC-O provides the power and dependability pros trust from STIHL chain saws.

For in-tree professional use only!







HTA 66



The HTA 66 is a fixed-length pole pruner that features a robust branch hook, allowing easy removal of loose clippings from trees up to 12 ft. high, and the variable-speed trigger offers three performance settings for maximum efficiency and effectiveness.



The HTA 135 is an advanced battery-powered pole pruner that extends over 13 ft. and features a weather-resistant design, giving users commercial-grade power, durability and flexibility.



Shown with optional 9" diamond wheel.

HTA 86



The HTA 86 pole pruner features a telescoping shaft that can extend up to 10.5 ft. This pole pruner offers professionals lightweight, balanced cutting throughout the job.

TSA 230



The world's first cut-off machine powered by battery, the TSA 230 STIHL Cutquik® starts with ease. Its brushless, high-torque motor delivers solid cutting performance in a lightweight, compact package that can be used indoors or outdoors.



SGA 85

Built with the needs of the professional user in mind, the SGA 85 sprayer is the first battery-powered sprayer in the STIHL lineup. Featuring strong Viton® seals for durability and reliability, an easy to use diaphragm-style pump and a leak-resistant design, pros can count on the robust construction of the SGA 85 for the long haul.



The RMA 510 walk-behind push lawn mower features a 21" steel deck and features an adjustable handlebar, grass catcher and large rear wheels for riding over rough terrain.



RMA 510 V



The RMA 510 V is a self-propelled lawn mower that features a 21" steel deck. The mower's self-propelled function features a variable-speed setting control, allowing the user to choose a mowing speed between 0.6 mph to 2.8 mph. For added convenience and customization, the deck of the RMA 510 V is adjustable to seven different cutting heights. Plus, the handlebar adjusts to three height positions for user comfort.

BATTERY CHARGERS AND ACCESSORIES

COMING SOON

VEHICLE INTEGRATED CHARGING SOLUTIONS & CHARGING CABINET

- Multiple modes available for use in your truck, trailer or workshop
- Features built-in cooling with three powerful fans to extend charging temperature ranges
- Robust locks to secure batteries and chargers
- Room for up to three AL 301-4 chargers



AL 1 CHARGER





AL 101 CHARGER





AL 301 CHARGER

AK AP





AL 500 CHARGER







AL 301-4 MULTI CHARGER AP]

AR 2000 L / AR 3000 L

BATTERY HARNESS



BATTERY CARRYING CASE*





AF *Case inserts sold separately



BATTERY BELT WITH HARNESS

AP]

AP:



AP ADAPTER

AP:



AP BATTERY BACKPACK

AP:



AP BATTERY BAG AVAILABLE WITH CONNECTING CABLE





AR 2000 L / AR 3000 L CONNECTING CABLE AP:

SELECTING THE BEST AP OR AR BATTERY **ACCESSORIES FOR YOUR NEEDS**

Some AP System battery-powered tools do not have an onboard-style battery. Instead, they are equipped with a socket that connects a cable to a battery source. The combination of accessories you need for this type of battery power supply is based on which battery type you choose - the AP cartridge style or AR backpack style battery. See below for compatible configurations.

POWER TOOLS EQUIPPED WITH A SOCKET (NO ONBOARD BATTERY SLOT)



POWER OPTIONS FOR POWER TOOLS EQUIPPED WITH A SOCKET (NO ONBOARD BATTERY SLOT)

AP SYSTEM BATTERIES

- · AP 200
- · AP 300
- · AP 300 S
- NEW AP 300 S w/ STIHL connect
- **NEW** AP 500 S



AR BATTERIES

- AR 2000 L
- AR 3000 L

Note: The AP adapter and connecting cable are required for charging the AR backpack batteries.



OPTIONAL ACCESSORY / POWER SOURCE COMPATIBILITY FOR POWER TOOLS EQUIPPED WITH A SOCKET

- AP BATTERIES



Power Tool	with Harness ¹	Backpack	Connecting Cable ²	Carrying System	Hip Pad	Battery Harness ³	Connecting Cable ⁴
BGA 100	•	•	•		• •	•	•
BGA 200	•	•	•	• •	• •	•	•
HSA 130 R	•	•	•			•	•
HSA 130 T	•	•	•			•	•

- Used in conjunction with AP Battery Bag with Connecting Cable (separate accessory shown above). May also use optional AP Battery Bag for spare battery (separate accessory not shown).
 Used in conjunction with AP Battery Belt with Harness or AP Battery Backpack (separate accessories shown above).
 Only compatible with AR 2000 L and AR 3000 L Backpack Batteries. Used in conjunction with AR 2000 L Connecting Cable (separate accessory shown above).

- 4 Only compatible with AR 2000 L and AR 3000 L Backpack Batteries. Used in conjunction with AR 2000 L / 3000 L Battery Harness (separate accessory shown above).

BATTERY CHARGE AND RUN TIME INFORMATION

AS SYSTEM BATTERIES	
Battery Charging Times - Minutes (80%/100% capacity using	ng AL 1 Charger)
AS 2	55/70
Run Times Per Battery Charge - Minutes ¹	
GTA 26	25
HSA 26 w/ Hedge Shear	110
NEW! SEA 20	14
AI LINE BATTERIES	
Battery Charging Times - Minutes (80%/100% capacity usi	ng LK 45 Charger)
FSA 45	145/210
HSA 45	145/210
BGA 45	210/300
Run Times Per Battery Charge - Minutes ¹	
FSA 45 (STIHL PolyCut™ 2-2 blades / .65" line)	20/12
HSA 45	40
BGA 45	10

* Rec	duced	tool	pert	orma	nce	- 1	Not A	Appli	cab	le
	_									

 $\textbf{Note:} \ \mathsf{Battery/tool} \ \mathsf{combinations} \ \mathsf{providing} \ \mathsf{the} \ \mathsf{best} \ \mathsf{balance,} \ \mathsf{adequate} \ \mathsf{run} \ \mathsf{time} \ \mathsf{and} \ \mathsf{performance} \ \mathsf{are} \ \mathsf{shown} \ \mathsf{in} \ \mathsf{bold}.$

STIHL battery technologies continue to improve. As a result, battery run times may vary depending on specific version used.

	AK 10	AK 20	AK 30				
AK SYSTEM BATTERIES							
Battery Charging Times - Minutes (80%/100% capacity)							
AL 101 CHARGER	70/95	135/180	160/205				
NEW! AL 301 CHARGER	30/45	35/55	35/60				
AL 500 CHARGER	30/45	35/55	35/60				
Run Times Per Battery Charge - 1	Minutes ¹						
NEW! MSA 60 C-B	18*	40	55				
NEW! MSA 70 C-B	18*	40*	45				
FSA 57	25	50	60				
FSA 60 R	13	25	32				
HLA 56	50	100	120				
NEW! HSA 50	50	100	120				
HSA 56	50	100	120				
NEW! HSA 60	70	140	175				
NEW! HTA 50	25*	45	60				
BGA 57	13	25	30				
NEW! BGA 60	9	13	16				
SHA 56	12	25	30				
Working Range Per Battery Charge - Sq. Ft.1							
RMA 460	-	-	2,852				
RMA 460 V	_	_	2,347				

		AP 200	AP 300	AP 300 S	AR 2000 L	AR 3000 L		
KMA 135	R KOMBISYSTEM ATTACHI	MENTS						
Run Times Per Battery Charge - Minutes (Performance Levels 1-3) ¹								
BF-KM	Mini-Cultivator	31-25	46-37	57-46	200-160	300-230		
BG-KM	Blower	26-10	39-15	48-19	170-60	245-90		
FBD-KM	Bed Redefiner	9-9	14-14	-	60-60	90-90		
FCB-KM	Curved Lawn Edger	23-12	33-18	41-22	145-75	210-110		
FCS-KM	Straight Lawn Edger	23-12	33-18	41-22	145-75	210-110		
FS-KM	Line Head Trimmer	30-14	38-18	47-22	170-81	250-120		
FS-KM	Brushcutter	60-30	75-40	93-50	325-170	470-240		
FH-KM	145° Power Scythe	123-81	185-123	229-152	810-540	1,150-790		
HL-KM	O° Hedge Trimmer	123-81	185-123	229-152	810-540	1,150-790		
HL-KM	145° Hedge Trimmer	123-81	185-123	229-152	810-540	1,150-790		
HT-KM	Pole Pruner	42-19	63-29	78-36	275-120	320-180		
KB-KM	Bristle Brush	31-25	46-37	57-46	200-160	300-230		
KW-KM	STIHL PowerSweep™	31-25	46-37	57-46	200-160	300-230		
RG-KM*	Reciprocator	57	70	85	300	450		

The battery run time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

	AP 200	AP 300	AP 300 S	AP 500 S	AR 2000 L	AR 3000 L
AP AND AR BATTERIES						
Battery Charging Times - Minutes (80%/100% cap	acity)	ı	ı	l	I	I
AL 101 CHARGER	150/200	190/250	230/300	280/355	_	_
NEW! AL 301 CHARGER	40/50	45/65	55/70	70/90	210/270	310/400
AL 301-4 CHARGER	40/50	45/65	55/70	70/90	210/270	310/400
AL 500 CHARGER	30/45	25/35	30/45	40/55	110/150	170/220
Run Times Per Battery Charge - Minutes ¹	•	•			•	
NEW! MSA 160 C	42	50	62	74	196	300
MSA 161 T**	42	50	62	74	196	300
NEW! MSA 200 C	42*	45	50	60	174	261
NEW! MSA 220 C	_	35*	40	44	201*	281*
NEW! MSA 220 TC-O**	16*	25*	29	34	109*	174*
NEW! MSA 300 C-O	_	_	_	20-44	_	_
HTA 66	42	55	68	82	195	300
HTA 86	42	55	68	82	195	300
HTA 135	22*	35	45	54	160	240
KMA 135 R (FS-KM line) ²	30-14*	38-18	47-22	54-26	170-81	250-120
FSA 86 R	30	36	45	55	185	280
FSA 90 R (line head)	24	30	37	44	130	196
FSA 135 (line head) ²	28-17*	36-19	45-25	120-60	160-90	220-130
FSA 135 R (line head) ²	28-17*	36-19	45-25	54-30	160-90	220-130
FCA 135	28*	35	45	52	165	250
FCA 140	28*	35	45	52	165	250
HSA 66	144	180	223	268	717	1043
NEW! HSA 100	125	_	225	270	_	_
NEW! HSA 130 R ²	108-84	135-105	167-130	200-155	550-480	900-740
NEW! HSA 130 T ²	108-84	135-105	167-130	200-155	550-480	900-740
HLA 66	145	180	220	268	715	1,040
HLA 86	145	180	220	268	715	1,040
HLA 135 (145°)	64	77	95	114	345	520
HLA 135 K (145°)	64	77	95	114	345	520
HLA 135 K (0°)	64	77	95	114	345	520
BGA 86	17	21	26	31	90	140
BGA 100 ³	66-12*	83-16	103-20	123-24	320-65	510-95
BGA 200 ³	49-7*	78-12	95-14	114-17	315-53	500-85
NEW! BGA 300 ³	-	-	-	-	97-48*	140-61
SGA 85	1,000	_	_	_	_	_
TSA 230	14*	18	22	26	80	125
Working Range Per Battery Charge - Sq. Ft. ¹						
RMA 510	-	3,056	3,767	4,542	_	_
RMA 510 V	_	2,583	3,186	3,842	_	_

 $^{^*}$ Reduced tool performance — Not Applicable

Note: Battery/tool combinations providing the best balance, adequate run time and performance are shown in bold.

1 The battery run time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

2 Level 1 – Level 3

3 Level 1 – Boost

**WARNING: If using an AR System battery or AP System battery in a battery bag with connecting cord, always use a lift bucket for in-tree surgery and maintenance. Do NOT climb in the tree.



LOOK AT WATT HOURS, NOT VOLTS.



VOLTS × AMP HOURS = WATT HOURS

HAT REALLY MATTER

POWER -

WORK CAPACITY RUN TIME





VOLTS ONLY TELL HALF THE STORY

STIHL lithium-ion batteries feature advanced construction and innovative engineering to maximize run times (watt hours). Simply put, more watt hours mean longer run times, allowing you to finish more work on a single charge.

APIII



AK 10 72 WH

36 volt 2.0 amp hour | 1.8 lbs. |



36 volt 4.0 amp hour | 2.7 lbs. |



AK 30 180 WH*

36 volt 4.8 amp hour 2.9 lbs.



AP 200 187 WH*

36 volt 4.8 amp hour | 2.9 lbs. |



AP 300 227 WH

36 volt 6.0 amp hour | 3.8 lbs. |



AP 300 S 281 WH*

36 volt 7.2 amp hour | 3.96 lbs. |



AP 500 S 337 WH

36 volt 9.4 amp hour | 4.2 lbs. |

^{*}Stored energy. Usable energy will be less.

ROBOTIC MOWERS BY STIHL.

Finally, the automation you've been waiting for.

With the STIHL iMOW®, enjoy your lawn without doing any of the work! This smart mower with high-performance STIHL battery technology will quietly and efficiently mow your lawn for you and has automated and customizable features, such as intelligent hood sensor, flexible programming, automatic charging, and more.

EVERYTHING YOU NEED TO MANAGE YOUR IMOW®.

Compatible with Apple and Android devices, the STIHL iMOW® App puts complete control of robotic mowing at your fingertips.



Track from Anywhere*

The app allows users to easily track the location of their iMOW® robotic mower, which is especially beneficial for pros with multiple units.



Time is Everything

Whether it is setting flexible "Active Times" for your iMOW® or making adjustments on the fly, the STIHL iMOW® App makes mowing fit your schedule.



Manage Multiple Units

Another great benefit for professional users, the app is capable of true fleet management as it allows for an unlimited number of units.

*Location tracking not available when unit is in standby mode.





RMI 422 PC-L



FOR SMALL LAWNS UP TO .42 ACRE.

Perfect for small lawns, around pools and even yards with hilly terrain, this fast, maneuverable RMI 422 PC-L covers every last corner of your lawn. Its compact dimensions are well suited to easily navigate your yard.



RMI 632 PC-L



FOR LARGE YARDS UP TO 1.24 ACRES.

With a more powerful battery, the RMI 632 PC-L handles larger lawns with ease. Mows up to 150 minutes on a single charge and includes a removable control panel for easy access and programming without bending down to reach the controls.



The STIHL iMOW® App puts complete control of robotic mowing at your fingertips.

EASY APP MANAGEMENT

ADDITIONAL IMOW® ADVANTAGES



MORE INTELLIGENCE – A MOWER THAT THINKS

iMOW® has a mowing plan tailored to your yard. It's fast and easy to use for a great looking lawn.



MOWS EVENLY ACROSS ALL AREAS

iMOW® can be programmed to mow a variety of yard layouts (like a front or back yard).



A BEAUTIFUL LAWN IN EVERY WAY

iMOW® has an edge mowing option to get a clean cut along the edges of your mowing area.



MAXIMUM FLEXIBILITY DURING CHARGING AND MOWING

To cover a large area in a short time, iMOW® can recharge faster and adjust its speed to suit the mowing conditions.



QUIET

iMOW® mows so quietly, your neighbors will hardly notice it's there. Plus, iMOW® emits no exhaust emissions while working.



ALLERGY RELIEF

iMOW® doesn't kick up dust and dirt like a traditional mower, providing relief for people with allergies.

IMOW® WORKING RANGES (AREA AND TIME)	MAX AREA	WEEKLY MOWING TIME
RMI 422 PC-L	.42 acre	28 hours
RMI 632 PC-L	1.24 acres	50 hours

Note: Specifications are under ideal conditions, based on the specific maximum lawn area.



DIGITAL FLEET MANAGEMENT WITH STIHL CONNECTED





STIHL SMART CONNECTOR



SMART CONNECTOR 2 A



STIHL connected HUB



STIHL connected MOBILE HUB



ONE SYSTEM - MANY ADVANTAGES

SAVE TIME

MAINTAIN OVERSIGHT

Always have an overview of your power tool fleet

AUTOMATICALLY RECEIVE POWER TOOL DATA

No more need to scan or manually make notes

TRACK POWER TOOL LOCATIONS

Helps track tools within Bluetooth® range

PUT YOUR MIND AT EASE

REDUCE DOWNTIME

Complete clarity about the condition of your power tools

NOTHING IMPORTANT IS FORGOTTEN

Remember key events such as safety checks

OPTIMIZED INFORMATION

Digital notes enhance transparency

SAVE MONEY

KEEP TRACK OF YOUR POWER TOOLS

No more power tools left behind at the place of use

OPTIMIZE YOUR FLEET SIZE

Get the facts about power tool utilization

ALL INFORMATION ALWAYS ON HAND

Move away from inefficient paper systems

SYSTEM COMPONENTS AND CONNECTIVITY

CONNECTED PRODUCTS

Connectivity for your products is the concept behind STIHL connected. Your products are connected using STIHL Smart Connector or the connectivity function already integrated into select STIHL batteries.

STIHL connected App

The STIHL connected App is the easy way to maintain a full overview of your power tool fleet when you're on the move, as it transmits the data on your connected products to the STIHL Cloud. Available for iOS and Android.

STIHL connected Hub

As an alternative to the STIHL connected App, you can also capture data using the STIHL connected Hub. Installed in a central location, it forwards data about your connected products once they are within range.



STIHL connected Portal

Machine data saved in the STIHL Cloud is then available in the STIHL connected Portal for analysis and use.







PROJECT:

SALSA GARDEN PLANTER BOX

WITH SARA BENDRICK

Licensed landscape contractor and Team STIHL member Sara Bendrick takes you through all the steps to help you build a planter box that can also serve as a one-stop shop for a delicious side dish.



SUPPLIES NEEDED

- STIHL MM 56 C-E YARD BOSS®
- STIHL BT 45 Wood Boring Drill
- · STIHL Chain Saw
- Shovel
- Power Drill
- · Rubber Mallet
- · Mini Sledgehammer
- · Protective Apparel



Find good spot for veggie garden (6-8 hours of sun minimum). Measure and mark off the area the planter box will sit.



Using a shovel, remove the top layer of grass.



Once grass is removed, use the STIHL YARD BOSS® to loosen up the dirt so 3-4" of dirt can be removed to establish a level area for your planter box.



Pour gravel around the perimeter of where the box will be built. Lay out planter beds according to design.



Cut timbers to size with MSA 70 C-B overlapping edge, roughly lay out.



Drill hole using BT 45 Wood Boring Drill (1/2" bit) to drill through overlapping pieces. (2-3 pieces)



Use a mini sledgehammer and rebar to lock lumber into place. If needed, line planter with landscape fabric and staple on (only if large gaps between wood pieces).



Fill with garden soil. You can mix native soil with amendments and worm castings/composting for a great start. Plant salsa garden plants.





FALLEN LIMBS, **PRUNING &** LIGHTER CUTTING

If you're looking to choose a chain saw for work around your home, STIHL has you covered.

Legendary performance in an easy-to-use package, and built for all your fallen limbs, pruning and lighter cutting tasks.





NEW

MSA 60 C-B





The AK System MSA 60 C-B is the go-to chain saw for storm cleanup or limb removal around the suburban yard.



MSA 70 C-B





The most powerful chain saw in the AK System, the MSA 70 C-B delivers excellent cutting performance for up to 45 minutes of run time with the AK 30 battery.*



MSE 141





The MSE 141 is our lightest, most affordable corded-electric chain saw with excellent cutting performance for occasional users.



MS 170





Compact, lightweight and with just the right amount of power, the MS 170 is ideal for trimming or cutting small trees, fallen limbs and other tasks around the yard.

[°]Made in America of U.S. and foreign materials.

Note: STIHL recommends the use of green-labeled bars and saw chains.

Refer to saw chain selection guide on page 70.

^{*}Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.

For full specification information for all STIHL chain saws, please refer to page 52.



MSE 170 C-B



The durable MSE 170 C-B features a coast-down brake and delivers all the power needed for tasks around the yard.



MS 171



The lightweight and fuel-efficient MS 171 features reducedemission engine technology, perfect for homeowners seeking a chain saw for pruning and lighter cutting.



MS 180



The light-duty MS 180 provides consistent performance in the field, making quick work of trimming branches and cutting small trees.



MS 180 C-BE

"Absolutely easy to start. Cuts excellent. Wonderful product."



Check out this review and others on the product pages at STIHLusa.com.



MS 180 C-BE





The MS 180 C-BE features the same power and performance as the MS 180 along with the STIHL Easy2Start $^{\text{TM}}$ system for almost effortless starting.



MS 181 C-BE





The lightweight and easy-to-use MS 181 C-BE features the STIHL Easy2Start™ system for almost effortless starting, great for woodcutting chores around the home.



STORM CLEANUP & FIREWOOD CUTTING

No matter where there's work to be done, the proven dependability of a STIHL is on the job.

We offer a variety of high-performance chain saws engineered for service, day in and day out.



MS 151 C-E



Designed for homeowner use, and weighing only 6.1 lbs., the MS 151 C-E boasts an excellent power-to-weight ratio in a compact design.



NEW MSA 160 C





Powered by a STIHL lithium-ion battery, the MSA 160 C workhorse starts instantly, delivering 36 volts of power from its commercial-grade, high-torque brushless motor.





MS 194 C-E



The MS 194 C-E features a powerful STIHL engine in a lightweight package, providing the power to get the job done with minimal user fatigue.



NEW

MSA 200 C





Part of the AP System, the lightweight and quiet MSA 200 C delivers the cutting power of gasoline with up to 45 minutes of run time with the AP 300 battery.*

*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.





MSE 210 C-B

"The performance is way ahead of any other electric chainsaw I have used. Built to last, and let you do the job safe, yet fast."



Check out this review and others on the product pages at STIHLusa.com.



MS 201 C-EM







The MS 201 C-EM delivers power and smart technology with the STIHL M-Tronic™ intelligent engine management system and STIHL Easy2Start™ system for almost effortless starting.



MSE 210 C-B





The high-performance MSE 210 C-B corded-electric chain saw delivers the power needed for projects, such as woodworking and firewood cutting, without fuel costs and engine maintenance.



TIP

WINTER STORAGE

STIHL recommends storing your gasoline-powered chain saws with STIHL MotoMix® Premixed Fuel, a stable, ethanol-free, high-performance fuel that's ideal for occasional use over the long winter months. Also never leave your tools outside and exposed to the weather, especially in the winter.

[°]Made in America of U.S. and foreign materials.
For full specification information for all STIHL chain saws, please refer to page 52.

Note: STIHL recommends the use of green-labeled bars and saw chains.
Refer to saw chain selection guide on page 70.



MS 211





The MS 211 uses advanced technology in the form of a powerful reducedemission, fuel-efficient engine and reduces engine maintenance with a professionally inspired pre-separation air filtration system.



MS 211 C-BE







The MS 211 C-BE takes all the reduced-emission and air filtration technology of the MS 211 and adds the STIHL Easy2Start™ system for fast and easy starts and our toolless Quick Chain Adjuster.



MSA 220 C





The most powerful rear-handle batterypowered chain saw in the STIHL line, the MSA 220 C delivers the speed, cutting capacity and run time to take on just about any cutting task with ease.



MS 250





A longstanding customer favorite, the MS 250 features an exceptional power-to-weight ratio to cut through small limbs and trees and tackle clearing or cleanup tasks.



MS 251 WOOD BOSS® Wood Boss









The MS 251 WOOD BOSS® is designed to deliver all the power with a comfortable and ergonomic design, perfect for felling small trees, pruning and thinning, and cutting firewood simply and efficiently.



MS 251 C-BE







The MS 251 C-BE features all the comfort and ease of the MS 251, plus the STIHL Easy2Start™ system, perfect for felling small trees, pruning and thinning, and cutting firewood.



[°]Made in America of U.S. and foreign materials.. For full specification information for all STIHL chain saws, please refer to page 52.

Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 70.







LARGER WOODCUTTING **JOBS & FIREWOOD BUSINESS**

When it comes to logging, land clearing, tree service, and big firewood-cutting jobs, professionals trust the unique features that make STIHL the number one selling brand of gasoline-powered handheld outdoor power equipment in America.*





MSE 250



The MSE 250 offers professional-grade cutting power – ideal for experienced professionals including builders and contractors - because it's strong enough to handle tough cutting jobs and firewood cutting.



MS 261





Designed for large-volume cutting, the MS 261 offers an optimized power-to-weight ratio, low emissions, high fuel efficiency, and professional-grade performance.



MS 261 C-M





The MS 261 C-M has all the same great features as the MS 261 - low exhaust emissions, high fuel efficiency and robust performance - but also features STIHL M-Tronic™ intelligent engine management technology.



MS 271 FARM BOSS® Farm Boss.







A true powerhouse, the MS 271 FARM BOSS® takes charge when it comes time for felling, cutting firewood or storm cleanup, tackling cutting jobs with a fuel-efficient engine.

°Made in America of U.S. and foreign materials. The MS 261 units are assembled in America. Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 70.





MS 291



The high-performance, fuel-efficient MS 291 chain saw features an advanced anti-vibration system to reduce operator fatigue – great for felling, firewood cutting and storm cleanup.



MS 311



The MS 311 is a high-tech workhorse with a step up in horsepower and features over the MS 291, including improved engine technology and fuel economy for longer run time.











MS 362





The MS 362 is a no-fuss, hardworking chain saw that mixes great power with fuel efficiency, ideal for any professional tree or forestry personnel.

MS 362 R wrap-handle version available.

The MSA 300 C-O is the most powerful battery-powered chain saw in the STIHL lineup. The advanced electronic operating system with oil sensor provides status updates for operators.

^{*&}quot;Number one selling brand" is based on syndicated Irwin Broh Research as well as independent consumer research of 2009-2021 U.S. sales and market share data for the gasoline-powered handheld outdoor power equipment category combined sales to consumers and commercial landscapers.

For full specification information for all STIHL chain saws, please refer to page 54.



MS 362 C-M





The MS 362 C-M features the same great power, weight and fuel efficiency as the MS 362, but also features the exclusive STIHL M-Tronic $^{\text{TM}}$ intelligent engine management technology. MS 362 R C-M wrap-handle version available.



MS 391



Featuring engine technology that provides great fuel efficiency while reducing emissions, the MS 391 is more powerful than the MS 311 and is cut out for the big jobs in the field, farm and ranch.



MS 400 C-M





The STIHL MS 400 C-M is the world's first chain saw with a piston made of magnesium, which gives users added power and performance without the added weight in a modern design.

MS 400 C-M shown with optional lightweight guide bar.



MS 462



Lightweight, professional chain saw featuring a flush-cut handle design and a standard adjustable carburetor.

MS 462 R wrap-handle version available.
MS 462 shown with optional lightweight guide bar.





MS 462 C-M





The MS 462 C-M is a lightweight, powerful chain saw fit for any forest, offering performance at the highest capacity with STIHL M-Tronic™ engine management technology.

MS 462 R C-M wrap-handle version available.



MS 500i



The first chain saw in the world with electronically controlled fuel injection technology, the MS 500i provides unmatched power and performance.

MS 500i R wrap-handle version available.
MS 500i shown with optional lightweight guide bar.





MS 661 MAGNUM®





Designed for professionals, the MS 661 MAGNUM® chain saw makes taking down trees a breeze by delivering power, operator comfort, rugged dependability, and reliable performance.

MS 661 R MAGNUM® wrap-handle version available. MS 661 shown with optional lightweight guide bar.



MS 661 C-M MAGNUM®





When professionals need to fell large trees in large quantities, they reach for the MS 661 C-M, which features an impressive power-to-weight ratio and STIHL M-Tronic™ engine management technology.

MS 661 R C-M wrap-handle version available.
MS 661 C-M shown with optional lightweight guide bar.



MS 881 MAGNUM®





For professionals who demand the utmost performance for the toughest jobs, there is no substitute for the most powerful production chain saw currently on the market.

MS 881 R MAGNUM® wrap-handle version available.



MS 881 MAGNUM®

"This is the greatest chain saw on earth.

We love it. It is the biggest and baddest chain saw on the planet."



Check out this review and others on the product pages at STIHLusa.com.

For full specification information for all STIHL chain saws, please refer to page 54.

Note: STIHL recommends the use of green-labeled bars and saw chains.

Refer to saw chain selection guide on page 70.

PROFESSIONAL ARBORISTS

Made for professionals, by professionals. STIHL professional in-tree chain saws are compact, maneuverable and feature a top handle.



MSA 220 TC-0





The STIHL MSA 220 TC-O is the most powerful top-handle chain saw in the STIHL battery-powered lineup boasting power and performance similar to professional gas top-handle chainsaws.

Shown with optional Light PO4 guide bar.

For in-tree professional use only!





MS 151 T C-E





The MS 151 T C-E is lightweight, compact and designed for maximum maneuverability for in-tree cutting.

For in-tree professional use only!



MSA 161 T





Powered by a STIHL lithium-ion battery, the MSA 161 T is lightweight and compact, making it easy to use and maneuver in trees, reducing operator fatigue.

For in-tree professional use only!



MS 194 T



The MS 194 T is designed to be compact and agile for tree maintenance and pruning tasks.

For in-tree professional use only!



MS 201 T C-M





The MS 201 T C-M is the ultimate chain saw designed for professional arborists for in-tree use and the only STIHL top-handle saw equipped with STIHL M-Tronic™ technology.

For in-tree professional use only!

°Made in America of U.S. and foreign materials. For full specification information for all STIHL chain saws, please refer to page 54. Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 70.

SPECIALTY RESCUE CHAIN SAW





MS 462 R C-M RESCUE





For fire/rescue service only!

The ultimate rescue saw designed exclusively for emergency personnel. The MS 462 R C-M RESCUE features the remarkable OILOMATIC® STIHL RAPID™ Duro Rescue Chain (RDR) capable of cutting through glass, sheet metal, roofing, and wood.

Shown with optional depth limiter.

MS 462 R C-M RESCUE **OPTIONAL DEPTH LIMITER**

An optional depth limiter allows for rapid depthcontrolled cutting for the toughest of applications, such as roof venting and technical entry, while a muffler guard plate limits the amount of debris on the muffler.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Powerhead Weight* (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Guide Bar Lengths (in.) - Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type
FALLEN LIMBS, PRUNI	NG, LIGH	TER CUT	TING							
NEW! MSA 60 C-B	AK	-	-	36	6.0	-	3.7	10 - 12	1/4" P	PM3
NEW! MSA 70 C-B	AK	-	-	36	6.0	-	3.7	12	1/4" P	PM3
MSE 141	-	-	-	120	6.38	-	7.27	12	3/8" P	РММ3
MS 170		30.1/1.8	1.3/1.7	_	8.6	8.5	4.9	12 - 16	3/8" P	РММ3
MSE 170 C-B	-	-	-	120	8.4	-	6.8	12 - 16	3/8" P	PM3
MS 171		31.8/1.9	1.3/1.7	_	9.5	9.1	9.0	12 - 16	3/8" P	РММ3
MS 180		31.8/1.9	1.5/2.0	-	8.6	8.5	4.9	12 - 16	3/8" P	РММ3
MS 180 C-BE		31.8/1.9	1.5/2.0	_	9.3	8.5	4.9	12 - 16	3/8" P	РММ3
MS 181 C-BE		31.8/1.9	1.5/2.0	-	10.1	9.1	9.0	12 - 16	3/8" P	РММ3
STORM CLEANUP, FIRE	EWOOD C	UTTING								
MS 151 C-E		23.6/1.44	1.1/1.5	-	6.2	6.76	5.07	10 - 12	1/4" P	PM3
NEW! MSA 160 C	AP:	-	-	36	6.8	-	7.1	10 - 14	1/4" P	PM3
MS 194 C-E		31.8/1.9	1.4/1.9	-	7.7	9.1	7.4	12 - 16	3/8" P	РММ3
NEW! MSA 200 C	AP:	-	_	36	6.8	_	7.1	10 - 18	1/4" P	PM3
MS 201 C-EM		35.2/2.15	1.8/2.41	-	9.0	10.5	7.4	12 - 16	3/8" P	PS3
MSE 210 C-B	—	-	_	120	9.4	_	6.8	12 - 16	3/8" P	PM3
MS 211		35.2/2.15	1.7/2.3	-	9.5	9.1	9.0	18	3/8" P	PM3
MS 211 C-BE		35.2/2.15	1.7/2.3	_	10.1	9.1	9.0	18	3/8" P	PM3
NEW! MSA 220 C	AP:	-	-	36	6.8	-	7.1	12 - 18	3/8" P	PS3
MS 250		45.4/2.77	2.2/3.0	-	10.1	15.9	6.8	18	.325"	RM3
MS 251 WOOD BOSS®		45.6/2.78	2.2/3.0	-	11.0	13.2	6.7	16 - 18	.325"	RM3
MS 251 C-BE		45.6/2.78	2.2/3.0	_	11.5	13.2	6.7	16 - 18	.325"	RM3

[●] Standard ○ Optional − Not Applicable

**The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

*Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice.

*Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



^{*}Dry weight and powerhead only.

Side-Access Chain Tensioner	Quick Chain Adjuster (B)	STIHL Quickstop® Plus - an additional chain braking feature	STIHL M-Tronic™ (M)	STIHL Easy28tart™ (E)	Wrap Handle	Master Control Lever [™]	Throttle Trigger Lockout	Pre-Separation Air Filtration System	Anti-Vibration System	Toolless Fuel and/or Oil Cap with Retainers	Caring for Nature	Made in America	
-	•	•	_	_	-	_	•	_	_	•		_	
-	•	•	-	_	_	-	•	_	_	•		_	
•	-	•	-	-	-	-	•	-	-	-		_	
-	0	-	-	-	-	•	•	_	•	_	_		
-	•	•	-	_	-	-	•	_	-	•		_	
•	0	_	-	_	_	•	•	_	•	•	_		
0	0	_	-	_	-	•	•	_	•	-	_		
-	•	_	-	•	_	•	•	_	•	_	_		
-	•	-	-	•	-	•	•	•	•	•	-		
•	-	-	-	•	-	-	•	-	•	•	-	-	
-	•	•	-	_	_	-	•	_	_	•		_	
•	-	-	-	•	-	-	•	-	•	•	-		
-	•	•	-	_	_	-	•	_	_	•		_	
•	-	-	•	•	-	•	•	_	•	•		_	
-	•	•	-	_	_	-	•	_	_	•		_	
•	0	_	-	_	-	•	•	•	•	•	_		
-	•	_	-	•	_	•	•	•	•	•	_		
-	•	•	-	-	-	-	•	-	-	-		_	
•	0	-	-	_	-	•	•	-	•	•	-		
•	-	-	-	-	-	•	•	•	•	•			
_	•	_	_	•	_	•	•	•	•	•	<u></u>		



	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Powerhead Weight* (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Guide Bar Lengths (in.) - Recommended**	Saw Chain Pitch	STHL OILOMATIC® Saw Chain Type
LARGER WOODCUTTIN	IG JOB	S, FIREWO	OD BUSI	NESS						
MSE 250	>	-	-	120	9.4	-	6.8	16 - 20	3/8"	RS3 or RM3
MS 261		50.2/3.06	3.0/4.0	-	10.8	16.9	9.13	16 - 20	.325"	RM3
MS 261 C-M		50.2/3.06	3.0/4.0	_	10.8	16.9	9.13	16 - 20	.325"	RM3
MS 271 FARM BOSS®		50.2/3.06	2.6/3.49	-	12.3	16.9	8.12	16 - 20	.325"	RM3
MS 291		55.5/3.39	2.8/3.76	_	12.3	16.9	8.12	16 - 20	.325"	RM3
NEW! MSA 300 C-O	AP	-	-	36	9.9	-	3.6	16 - 20	.325"	RS3
MS 311		59.0/3.6	3.1/4.2	_	13.67	20.3	11.8	16 - 20	3/8"	RS3
MS 362		59.0/3.6	3.4/4.6	-	12.3	20.3	11.0	16 - 25	3/8"	RS3
MS 362 C-M		59.0/3.6	3.5/4.69	_	12.35	20.3	11.0	16 - 25	3/8"	RS3
MS 362 R C-M ¹		59.0/3.6	3.5/4.69	-	13.2	20.3	11.0	16 - 25	3/8"	RS3
MS 391		64.1/3.9	3.3/4.4	_	13.67	20.3	11.8	16 - 20	3/8"	RS3
MS 400 C-M		66.8/4.1	4.0/5.4	-	12.8	20.3	11.0	16 - 25	3/8"	RS3
PROFESSIONAL ARBO	RISTS,	TREE CUT	TING SER	RVICES						
MS 151 T C-E ²		23.6/1.44	1.0/1.3	-	5.7	6.76	5.07	10 - 12	1/4" P	PM3
MSA 161 T ²	AP	-	-	36	4.6	-	3.6	12	1/4" P	PM3
MS 194 T ²		31.8/1.94	1.4/1.88	-	7.28	9.1	7.4	12 - 16	3/8" P	PM3
MS 201 T C-M ²		35.2/2.15	1.8/2.41	_	8.16	10.5	7.4	12 - 16	3/8" P	PS3
NEW! MSA 220 TC-O	AP	-	-	36	6.0	-	3.6	12 - 16	3/8"	PM3
MS 462		72.2./4.41	4.4/5.9	_	13.2	24.3	11.5	16 - 36	3/8"	RS3
MS 462 R ¹		72.2./4.41	4.4/5.9	_	13.9	24.3	11.5	16 - 36	3/8"	RS3
MS 462 C-M		72.2/4.41	4.4/5.9	_	13.2	24.3	11.5	16 - 36	3/8"	RS3
MS 462 R C-M ¹		72.2/4.41	4.4/5.9	-	13.9	24.3	11.5	16 - 36	3/8"	RS3
MS 462 R C-M1 "RESCUE"		72.2/4.41	4.4/5.9	_	14.3	24.3	11.5	20	3/8"	RDR
MS 500i		79.2/4.83	5.0/6.7	-	13.9	26.5	11.0	16 - 36	3/8"	RS3
MS 500i R1		79.2/4.83	5.0/6.7	_	14.8	26.5	11.0	16 - 36	3/8"	RS3
MS 661 MAGNUM®		91.1/5.56	5.4/7.2	-	16.5	28.7	13.5	16 - 36	3/8"	RS3
MS 661 R ¹ MAGNUM®		91.1/5.56	5.4/7.2	_	16.8	28.7	13.5	16 - 36	3/8"	RS3
MS 661 C-M MAGNUM®		91.1/5.56	5.4/7.2	-	16.5	28.7	13.5	16 - 36	3/8"	RS3
MS 661 R C-M ¹ MAGNUM®		91.1/5.56	5.4/7.2	-	16.8	28.7	13.5	16 - 36	3/8"	RS3
MS 881 MAGNUM®		121.6/7.42	6.4/8.6	-	21.8	44	23.7	21 - 41	3/8"	RS3
MS 881 R ¹ MAGNUM®		121.6/7.42	6.4/8.6	_	22.0	44	23.7	21 - 41	3/8"	RM3

[●] Standard ○ Optional − Not Applicable

^{*}Dry weight and powerhead only.
**The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

¹ Wrap-handle version. ² For in-tree professional use only!

Side-Access Chain Tensioner	Quick Chain Adjuster (B)	STIHL Quickstop® Plus - an additional chain braking feature	STIHL M-Tronic™ (M)	STIHL Easy2Start™ (E)	Wrap Handle	Master Control Lever ⁷⁴	Throttle Trigger Lockout	Pre-Separation Air Filtration System	Anti-Vibration System	Toolless Fuel and/or Oil Cap with Retainers	Caring for Nature	Made in America
•	_	•	_	-	_	_	•	-	_	•		
•	-	-	_	-	-	•	•	•	•	•		_
•	_	_	•	-	-	•	•	•	•	•	&	_
•	-	-	-	-	-	•	•	•	•	•	-	
•	-	-	-	-	-	•	•	•	•	•	-	
•	-	-	-	-	-	-	•	-	•	•		_
•	_	_	-	-	-	•	•	•	•	•	-	_
•	-	-	-	-	0	•	•	•	•	•		_
•	-	-	•	-	0	•	•	•	•	•		-
•	-	-	•	-	•	•	•	•	•	•		_
•	-	-	-	-	-	•	•	•	•	•		-
•	-	-	•	-	-	•	•	•	•	•		_
•	-	-	-	•	-	•	•	-	•	•	-	_
•	_	•	-	-	_	-	•	-	-	•		_
•	-	_	-	-	-	•	•	-	•	•	-	
•	_	-	•	-	-	•	•	-	•	•		_
•	_	_	-	-	0	•	•	-	•	•		_
•	_	_	_	_	•	•	•	•	•	•	_	_
•	_	_	•	_	0	•	•	•	•	•	<u> </u>	_
•	_	_	•	_	•	•	•	•	•	•		_
•	_	_	•	_	•	•	•	•	•	•		_
•	_	_	_	_	0	•	•	_	•	•	-	_
•	_	_	_	-	•	•	•	-	•	•	_	_
•	-	-	-	-	0	•	•	-	•	•		_
•	_	_	-	-	•	•	•	-	•	•		_
•	-	-	•	-	0	•	•	-	•	•		-
•	-	-	•	-	•	•	•	-	•	•		_
•	-	-	-	-	0	•	•	-	•	•		_
•	-	-	-	-	•	•	•	-	•	•		-

GARDEN & POLE PRUNERS

Smooth, precise cutting that makes quick work of branches.





GTA 26



The innovative and versatile GTA 26 battery-powered garden pruner features a 4" guide bar to prune small diameter branches and timber.



GTA 26

HOLSTER

The GTA 26 holster connects to a user's belt and leg and features a strengthened back panel for increased durability.





GTA 26

"Every time I use it, I seem to find more jobs to use it for. It makes short work of many tasks."



Check out this review and others on the product pages at **STIHLusa.com.**

HTA 50 The first pole pruner in the AK System is ideally suited for occasional pruning of hard-to-reach areas and use in noise-sensitive environments.









[°]Made in America of U.S. and foreign materials. For full specification information for all STIHL pole pruners, please refer to page 59.



HT 131

The telescoping HT 131 pole pruner can reach up to 11' 6" and comes standard with 3/8" STIHL PICCO $^{\text{TM}}$ Micro $^{\text{TM}}$ Mini 3 (PMM3) saw chain.




HT 134

With its durable metal gearbox construction, the fixed-length HT 134 gives users excellent maneuverability and reduces user fatigue when compared to previous models.



HT 135

The HT 135 pole pruner offers a telescoping shaft and a powerful, low-emission engine to give users the reach and performance needed for challenging cutting jobs.





The battery-powered HTA 135 telescoping pole pruner is designed for professional use and features a robust design.



HT 250

The 7' fixed-length HT 250 pole pruner is equipped with a high displacement engine, providing the power needed for tough forestry or arboriculture pruning applications.




	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Overall Length (in.) - With Cutting Attachmer	Guide Bar Length (in.) - Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type	Side-Access Chain Tensioner	Shaft Type (Fixed/Telescoping)	STIHL Easy2Start™ (E)	Caring for Nature	Made in America
GARDEN PRUN																
GTA 26	<i>A5</i>	-	-	10.8	2.7	_	_	_	4	1/4" P	PM3	-	_	-		_
POLE PRUNER	S															
HT 56 C-E		27.2/1.66	0.8/1.1	-	14.1	11.5	4.1	110	10	1/4" P	PM3	•	Fixed	•		
NEW! HTA 50	AK)	_	_	36	8.6	_	3.6	_	10	1/4" P	PM3	•	Fixed	_		_
HTA 66	AP	_	-	36	7.3	_	3.6	94.8	10	1/4" P	PM3	•	Fixed	_		_
HTA 86	AP]	_	_	36	10.1	_	3.6	126	10	1/4" P	PM3	•	Telescoping	_		_
HT 105		31.4/1.9	1.05/1.4	-	17.4	17.9	7.4	-	12	1/4" P	PM3	•	Telescoping	-	-	
HT 131		36.3/2.2	1.4/1.9	-	15.9	17.9	7.4	_	14	3/8" P	РММ3	•	Telescoping	_		
HT 134		36.3/2.2	1.4/1.9	-	13.2	17.9	7.4	-	14	3/8" P	РММ3	•	Fixed	-	-	
HT 135		36.3/2.2	1.4/1.9	_	17.4	17.9	7.4	_	14	3/8" P	РММ3	•	Telescoping	_	-	
HTA 135	AP	-	-	36	15	_	-	159	10	3/8" P	РММ3	•	Telescoping	-		
HT 250		40.2/2.45	1.6/2.1	_	13.9	21.6	7.4	84	14	3/8" P	РММ3	•	Fixed	_	_	_

[●] Standard ○ Optional - Not Applicable *Dry weight. **The actual listed guide bar length can vary from the effective cutting length based on the gear head design.

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

 $^{^\}circ$ Made in America of U.S. and foreign materials. Batteries and chargers sourced internationally. The HT 250 is assembled in America.





OILOMATIC® SAW CHAINS

High-quality saw chains ready to work.





STIHL PICCO™ Micro™ MINI 3 CHAIN (PMM3)


The PMM3 is a unique saw chain with low vibration, designed for corded-electric, battery- and gasoline-powered chain saws or pole pruners with less than 1.5 kW (2.0 bhp) of power output.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.043"					3610
Low-Kickba	k Chain				

CUTTING ATTACHMENTS IN DETAIL

FINDING THE RIGHT SAW CHAIN FOR YOU

To find the right saw chain for your intended purpose, and to ensure that the chain saw, bar and chain fit together, you need some information. The service field on the bar will provide you with the following four values:



01 BAR LENGTH

Choose the right bar length depending on your intended use.

02 CHAIN PITCH

The chain pitch specifies the determined distance between the rivets. The pitches of the chain, bar and chain saw must be coordinated with one another.

03 MUMBER OF DRIVE LINKS

The number of drive links determines the length of the chain. Only the drive links are counted here. The blade teeth are not included.

04 PGROOVE WIDTH / DRIVE LINK THICKNESS

The chain is guided around the bar by means of the drive links. The groove width of the guide bar must match the drive link of thickness.

Select the right chain type for your intended use. The chain type is determined by the shape of the blade tooth. The following chain types are available:









You can use the available information to determine the 11-digit order number for your preferred saw chain:

A 4-DIGIT PART ORDER NUMBER

Depending on the chain type, chain pitch and groove width/drive length thickness. These can be found on page 70.

- B + 005
- C + 00 + required number of drive links. The number of drive links required depends on the bar length and can be found on the bar on page 70. The number of drive links determines the length of the chain. If the number of drive links goes into triple digits, the second zero should not be used. This results in an 11-digit order number.



Please note that not all products are equipped with the features presented here. Only the most important features are described on this page For further explanations and information, see STIHLusa.com.



STIHL PICCO™ Micro™ 3 CHAIN (PM3)

The PM3 chain replaces the 3/8" PM1. It cuts faster and smoother and has a lower kickback tendency than the 3/8" PM1.

	.325"	3/8"	.404"	3/8" PICCO™	1/4" PICCO™
0.043"					3670
0.050"				3636	
A Low Kiekhaa	lı Chain				



STIHL PICCO™ Micro™ CHAIN (PM)

The PM is a low vibration version of the original STIHL PM saw chain. This chain retains all of the performance of the previous PM, with the added benefit of lower vibration levels for less operator fatigue.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"					3613
_					





STIHL RAPID™ Micro™ CHAIN (RM)

The RM is a low-vibration saw chain, which helps reduce operator fatigue due to the lower vibration levels.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"	3660	3693	3650		
0.058"		3685	3651		
0.063"		3686	3652	3668	
_					

WARNING: See information below




STIHL RAPID™ Micro™ 3 CHAIN (RM3)

The RM3 is the reduced-kickback tendency version of the RM. It retains similar performance features of the RM saw chain.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"		3695	3662		
0.058"		3688			
0.063"		3689	3664		



This symbol indicates that the chain is a low-kickback chain. STIHL recommends the use of a green-labeled, low-kickback chain. For more information on saw chain selection and identification, please see chart on page 70.




STIHL recommends green-labeled low-kickback chains for all users.



STIHL RAPID™ Micro™ FULL SKIP CHAIN (RMF)

The RMF is the skip pattern version of the RM. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3654		
0.063"				3671	







STIHL PICCO™ SUPER CHAIN (PS)

The PS has improved cutting and boring efficiency plus reduced vibration as compared to the PM saw chain.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"					3617





STIHL PICCO™ SUPER 3 CHAIN (PS3)

The PS3 is a low-kickback and low-vibration saw chain with improved cutting and boring efficiency, less feed force and 15% longer cutting life as compared to the PM3.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
NEW! 0.043"					3699
0.050"					3616

Low-Kickback Chain



STIHL RAPID™ SUPER CHAIN (RS)

The RS is a reduced-vibration saw chain. A cutter and tie strap reduce vibration levels significantly, while still utilizing the aggressive full-chisel cutter design.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"		3690	3623		
0.058"		3638	3622		
0.063"		3639	3621		

WARNING: See information below.

HOW TO READ THIS CHART

STIHL saw chain is available in a variety of pitches and gauges. Use the charts to identify the correct chain part number of the chain.

	PITCH	PITCH
GAUGE	PART#	PART #



STIHL RAPID™ SUPER 3 CHAIN (RS3)

RS3 is an aggressive full-chisel chain but has a single-humped drive link to reduce kickback tendency, and the new cutter and tie strap design reduces vibration levels when cutting.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"		3694	3624		
0.063"			3626		





STIHL RAPID™ SUPER FULL SKIP CHAIN (RSF)

The RSF is the skip pattern version of the RS. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3676		



WARNING: See information below.



STIHL RAPID™ SUPER L FULL SKIP CHAIN (RSLF)

The RSLF is the skip pattern, square-ground chisel version of the RS. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3672		
0.063"			3673	3851	






STIHL RAPID™ SUPER KLASSIC CHAIN (RSK)

The RSK has a special cutter geometry providing excellent control characteristics and very good chip flow, which helps enhance cutting efficiency.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3874		









STIHL RAPID™ SUPER L KLASSIC CHAIN (RSL)

The RSL is a variation of the RSL full chisel chain for special professional applications. The cutter on this chain is square ground and has an "L" shape. Use special square ground files to sharpen this chain.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3679		
0.063"			3680		



WARNING: See information below.



STIHL RAPID™ SUPER L HALF SKIP KLASSIC CHAIN (RSLH)

The RSLH is the semi-skip pattern version of the RSL. The RSLH alternates cutter spacing to create a chain with cutting characteristics and maintenance frequency between full skip (RSLF) and regular pattern (RSL).

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3674		
0.063"			3675		



WARNING: See information below.



STIHL RAPID™ HEXA CHAIN (RH)

STIHL RAPID™ HEXA (RH) saw chain features a brand new high-performance full-chisel cutter design that cuts up to 10% faster, stays sharper for longer, and is easier and faster to sharpen with a hand file*. This saw chain features an exclusive, patented, STIHL cutter design. This saw chain requires a 6-sided, hexagon-shaped HEXA file or HEXA-shaped grinding wheel for the STIHL USG. Both are designed specifically to maintain the high-performance HEXA cutter shape.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3133		
0.063"			3132		



WARNING: See information below.



STIHL RAPID™ HEXA CHAIN (RH3)

STIHL RAPID $^{\text{TM}}$ HEXA (RH3) is the reduced-kickback tendency version of the RH saw chain.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3135		
0.063"			3134		




ck Chain *When compared to STIHL RAPID™ Super (RS) saw chain



STIHL RAPID™ HEXA FULL SKIP CHAIN (RHF)

RHF is the full skip pattern version of RH. There are two tie straps between every two cutting teeth, allowing for better chip discharge and higher chain speed.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3137		
0.063"			3136		





STIHL RAPID™ DURO 3 CHAIN (RD3)

The RD3 is the first carbide-tipped .325" saw chain that stays sharp up to four times longer than standard chains. It is also a low-vibration chain with a reduced kickback tendency.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"		3696	3681		3612
0.063"		3667	3683		





STIHL PICCO™ DURO 3 CHAIN (PD3)

The PD3 is specifically designed for longer cutting-edge life, resulting in less frequent sharpening and is especially suited for cutting dirty wood, treated wood, roots and hardwoods. This chain must be sharpened with a formed diamond grinding wheel.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"					3612



SPECIAL APPLICATION SAW CHAIN



STIHL RAPID™ Micro™ RIPPING CHAIN (RMX)

RMX ripping saw chain is primarily for professional use in conjunction with small sawmills. This semi-chisel toothed saw chain is characterized by a low vibration level, high performance, smoother work surface after the cut, and 10-degree filing angle.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"			3691		
0.063"			3653	3838	





STIHL RAPID™ DURO RESCUE CHAIN (RDR)

The RDR is purpose-built for the demanding needs of fire and rescue specialists and is for use by specially trained emergency services personnel only.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.063"			3944		
_					

WARNING: See information on page 64.



STIHL RAPID™ Micro™ SPECIAL (RMS) CARVING CHAIN

The RMS has a special cutter shape that reduces cutting friction to a minimum, ensuring fast cutting speed with good efficiency in many types of wood.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.050"	3661				





STIHL RAPID™ Micro™ HARVESTER CHAIN (RMH)

The RMH is a specially designed and reinforced version of the .404" pitch saw chain and is designed to withstand the stresses of mechanized tree harvesting. RMH is designed for use on hydraulic harvester heads only.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.080"				3996	

WARNING: See information on page 64.



STIHL RAPID™ Micro™ HARVESTER SPECIAL CHAIN (RMHS)

The RMHS is a significantly reinforced version of the RMH. This chain is designed to last longer than competing saw chains and to minimize expensive harvester downtime. RMHS is designed for use on hydraulic harvester heads only.

	1/4"	.325"	3/8"	.404"	3/8" PICCO™
0.080"				3620	

WARNING: See information on page 64.

HOW TO READ THIS CHART

STIHL saw chain is available in a variety of pitches and gauges. Use the charts to identify the correct chain part number of the chain.

	PITCH	PITCH
GAUGE	PART #	PART#

GUIDE BARS

High-quality guide bars for your chain saw.



STIHL ROLLOMATIC® E MINI

TRANSITIONING TO **V**



STIHL LIGHT 01

Three-piece welded guide bar for use with chain saws and pole pruners using the $\frac{1}{4}$ " STIHL PICCOTM and $\frac{3}{8}$ " STIHL PICCOTM saw chain, a single rivet (01) in the nose.



STIHL ROLLOMATIC® E STANDARD

TRANSITIONING TO ▼



STIHL LIGHT 04

The standard version of the STIHL guide bar consists of three electrically welded metal plates (laminated guide bars), four-rivet (O4) sprocket nose.

NOTE: The actual listed guide bar length can vary from the effective cutting length based on which chain saw it is installed on.



STIHL ROLLOMATIC® E MINI LIGHT

TRANSITIONING TO ▼



STIHL LIGHT PO1

A lightweight guide bar with one rivet (O1) in the sprocket nose consisting of three electrically welded plates, a fiber-reinforced polymer core (P).



STIHL ROLLOMATIC® E LIGHT

TRANSITIONING TO ▼



STIHL LIGHT PO4

A lightweight guide bar with four rivets (O4) in the sprocket nose consisting of three electrically welded plates, a fiber-reinforced polymer core (P).



STIHL LIGHT 06

The standard version of the STIHL lightweight guide bar consists of three electrically welded metal plates (laminated guide bars), six-rivet sprocket nose.



NEW GUIDE BAR DESIGN

In 2023, the guide bars will continue to transition to the updated modern graphic as seen above.



STIHL ROLLOMATIC® E SUPER

A solid-machined bar made of high-grade steel with the groove milled out and a replaceable sprocket nose assembly riveted in place. The sprocket is incorporated in the replaceable sprocket nose assembly of the bar and carries the saw chain from the top to the bottom of the bar.



STIHL ROLLOMATIC® ES LIGHT

Long channels are milled out of the center of a solid guide bar, then a thin steel plate is welded over the channels using a special laser welding process to make it up to 30% lighter than the STIHL ROLLOMATIC® E Super guide bar. A replaceable sprocket nose assembly is incorporated in the nose of the bar to increase service life.



STIHL DUROMATIC® E

A rugged bar made from a solid, laser-welded, high-carbon alloy steel bar with induction hardened rails and special hard surface alloy tipping on the nose for extra long life. Made from the highest quality steel and cut by laser for consistent quality, durability and high-wear resistance.



STIHL DUROMATIC® C CARVING

TRANSITIONING TO W



STIHL CARVING

A high quality guide bar for carving with an updated modern graphic design. Available in 12" length with a solid nose, this unique bar can only be used with $\frac{1}{4}$ " and $\frac{1}{4}$ " STIHL PICCOTM saw chains.



FILES & TOOLS

Keep saw chains sharp for fast cutting.

SOFT-GRIP HANDLE FOR FLAT FILE





(FH1 SOFT GRIP)



HEXA FILE HANDLE



DELUXE FILE HANDLE



SWISS FILE HANDLE



FILE HOLDER



DEPTH GAUGE TOOL



2-IN-1 FILING GUIDE



FILING GUIDES AND HOLDERS

These mount on the chain saw guide bar for accurate on-thejob saw chain sharpening. Instructional DVDs showing proper sharpening procedures for the FF 1 or FG 4 are also available.



FF 1 FILE GUIDE HOLDER



FG 4 ROLLER FILING GUIDE

BAR SCABBARDS

STIHL scabbards accommodate a variety of chain saw bar lengths.



STUMP VISE

Makes filing easy. Securely holds chain saw while cutters are filed. Mounts on any stump or log.



FELLING WEDGE

Available sizes include: 5.5", 7.5", 10", 10" (Tri-taper), 12".



12-VOLT PORTABLE CHAIN GRINDER

Features adjustable gauge to achieve proper filing angles. Clips attach to vehicle battery.



REPLACEMENT GRINDING STONES

For 12-volt chain grinder. Sizes available include: 9/64"; 5/32" for 3/8" STIHL PICCO™ Micro™, 3/8" PMN, and 1/4"; 3/16" for .325"; 13/64" for 3/8"; 7/32" for .404"; 1/4" for Depth Gauges; Kool-Grind Grinding Compound.



MEDIUM CHAIN SAW CARRYING CASE

Fits MS 170 to MS 500i. (Excludes wrap-handle chain saws (R)).

LARGE CHAIN SAW CARRYING CASE

Fits MS 661 MAGNUM® and MS 881 MAGNUM®. (Excludes wrap-handle chain saws (R)).

ENGINE OILS, PREMIXED FUEL, BAR & CHAIN OIL

Quality fuel specially formulated to keep your STIHL running strong.



HIGH PERFORMANCE 2-CYCLE ENGINE OIL

STIHL High Performance Engine Oil is a high quality 2-cycle oil developed for all STIHL gasoline-powered products and especially suited for professional chain saws.



HP ULTRA 2-CYCLE ENGINE OIL

STIHL HP Ultra is a fully synthetic 2-cycle engine oil specially suited for high-performance chain saws and power tools. The oil has outstanding engine cleaning characteristics, plus "ultra" superior lubricating qualities in comparison to other 2-cycle engine oils. It is also biodegradable, degrading by 80% in 21 days.



STIHL MotoMix®

A patented premixed 50:1 fuel mixture, created with premium 92 octane gasoline and STIHL HP Ultra Oil. MotoMix® doesn't contain ethanol and maintains stability for up to two years after the seal is broken.



STIHL MotoMix® SUMMER BLEND

This 2-cycle premixed fuel is specially designed to help keep your equipment running smoothly when you need to work in high temperatures or at higher elevations where vapor lock is more common.



STIHL Moto4™

Patented STIHL Moto4™ utilizes an ethanol-free formula, allowing the fuel to stay fresh longer — up to two years after the container is opened — than alternative fuel options containing ethanol. Designed for use in 4-stroke products only, with a minimum octane range of 93, to consistently deliver excellent engine performance.



WOODCUTTER BAR AND CHAIN OIL

STIHL Woodcutter Bar and Chain Oil is affordably priced and specially formulated from base oils and additives to provide proper lubrication of chain saw guide bars, saw chains and oil pumps.



BioPlus™ BAR AND CHAIN OIL



STIHL BioPlus[™] Bar and Chain Oil is made with a vegetable oil base, making it less harmful to humans, animals, micro-organisms, and plants. Rated by the Coordinating European Council to be 93.8% biodegradable in only 21 days.



PLATINUM BAR AND CHAIN OIL

STIHL Platinum Bar and Chain Oil is formulated to adhere to the bar and chain, and to reduce wear. Special base oil formulation helps keep sap and pitch from clinging to the bar and chain.

STIHL RECOMMENDS A MIX OF 50:1 HIGH-QUALITY 89 OCTANE OR HIGHER UNLEADED GASOLINE TO STIHL ENGINE OIL. THIS SAME MIX RATIO SHOULD BE USED DURING BREAK-IN.

NOTE: STIHL recommends using fuel with no more than 10% ethanol content. Using fuel with greater than 10% ethanol content may cause damage to your equipment and may void your STIHL limited warranty.

	Pitch	Gauge	Length(s)	Count	Rec. Chain Loop Marketing #	Rec. Guide Bar Part #	Guide Bar Type*	Sprocket Nose Teeth
STIHL GASOLINE-	AND ELE	CTRIC	-POWE	RED M	ODELS			
MS 170, MS 171, MS 180, MS 180 C-BE, MS 181 C-BE	3/8" STIHL PICCO™ Micro™ Mini 3	.043"	12" 14" 16"	44 50 55	61 PMM3 44 61 PMM3 50 61 PMM3 55	3005 008 3905 3005 008 3909 3005 008 3913	R R R	7
MS 151 C-E, MS 151 T C-E, MS 211, MS 211 C-BE,	3/8" STIHL	.050"	12" 14" 16"	44 50 55	63 PM3 44 63 PM3 50 63 PM3 55	3005 000 4805 3005 000 4809 3005 008 4813	R R R	9
MSE 170 C-B, MSE 210 C-B	PICCO™		14" 16"	50 55	63 PM3 50 63 PM3 55	3005 000 7409 3005 008 4813	LW R	9
MS 194 C-E, MS 194 T, MS 201 C-EM, MS 201 T C-M	3/8" STIHL PICCO™	.050"	12" 14" 16"	44 50 55	63 PM3 44 63 PM3 50 63 PM3 55	3005 000 7405 3005 000 7409 3005 000 7413	LW LW LW	9
MS 241 C-M, MS 250, MS 251 WOOD BOSS®, MS 251 C-BE	3/8" STIHL PICCO™	.050"	12" 14" 16" 18"	44 50 55 61	63 PM3 44 63 PM3 50 63 PM3 55 63 PM3 61	3005 000 4805 3005 000 4809 3005 008 4813 3005 008 4817	R R R	9
	.325"	.063"	16" 18" 18"	62 68 68	26 RM3 62 26 RM3 68 26 RM3 68	3005 000 4713 3005 008 4717 3005 810 4717	R R R	11
		.050"	18" 18"	68 68	23 RM3 68 23 RM3 68	3005 008 7017 3005 810 7017	R R	11
MS 271 FARM BOSS®	.325"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 008 6813 3003 812 6817 3003 812 6821	R R R	11
		.050"	18" 20"	74 81	23 RM3 74 23 RM3 81	3003 812 3317 3003 812 3321	R R	10
MS 261, MS 261 C-M	.325"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 008 6813 3003 008 6817 3003 008 6821	R R R	11
		.050"	16" 18" 20"	67 74 81	23 RM3 67 23 RM3 74 23 RM3 81	3003 000 3313 3003 008 317 3003 008 3321	R R R	10
MS 291	.325"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 812 7013 3003 812 7017 3003 812 7021	R R R	11
		.050"	18" 20"	74 81	23 RM3 74 23 RM3 81	3003 008 3317 3003 008 3321		
MS 311, MS 391, MSE 250	3/8"	.050"	16" 18" 20"	60 66 72	33 RS3 60 33 RS3 66 33 RS3 72	3003 008 8913 3003 008 8917 3003 008 8921	R R R	10
MS 362, MS 362 R, MS 362 C-M, MS 362 R C-M, MS 400 C-M	3/8"	.050"	18" 20" 25" 28" 25"* 25"	66 72 84 91 84 84	33 RS3 66 33 RS3 72 33 RS3 84 33 RS3 91 33 RS3 84 33 RS3 84	3003 008 8917 3003 008 8921 3003 000 4030 3003 000 8838* 3003 000 8830* 3003 000 2231*	R R RS RS RS SL	10 10 10 11 11
	3/8"	.063"	18" 20" 22" 25" 25"	66 72 76 84 84	36 RS3 66 36 RS3 72 36 RS3 84 36 RS3 84 33 RS3 84	3003 008 6117 3003 008 6121 3003 000 9425* 3003 000 9831* 3003 000 2031*	R R RS RS SL	10 10 11 13
MS 462, MS 462 R, MS 462 C-M, MS 462 R C-M	3/8"	.050"	28" 32" 36"	91 105 114	33 RS3 91 33 RS3 105 33 RS 114	3003 000 8838* 3003 000 2246* 3003 000 2253*	RS SL SL	11 11 11
	3/8"	.063"	28" 32" 36"	91 105 114	36 RS3 84 33 RS3 105 33 RS 114	3003 000 6038* 3003 000 2246* 3003 000 2253*	RS SL SL	11 11 11
MS 500i, MS 500i R, MS 661 MAGNUM®, MS 661 R MAGNUM®, MS 661 C-M MAGNUM®,		.050"	20" 25" 28" 32" 36"	72 84 91 105 114	33 RS3 72 33 RS3 84 33 RS3 91 33 RS3 105 33 RS3 114	3003 008 8921 3003 000 4030 3003 000 8838* 3003 000 8846* 3003 000 8853*	R RS RS RS RS	10
MS 661 R C-M MAGNUM®	3/8"	.063"	20" 22" 25" 28" 30" 32" 36	72 76 84 91 98 105 114	36 RS3 72 36 RS3 76 36 RS3 84 36 RS3 91 36 RS3 98 36 RS3 105 36 RS3 114	3003 008 6121 3003 000 9425* 3003 000 5231* 3003 000 6038* 3003 000 6046* 3003 000 6053*	R RS R RS RS RS	10
	.404"	.063"	32" 36"	95 105	46 RS 95** 46 RS 104**	3003 000 7346* 3003 000 7353*	RS RS	10
MS 881 MAGNUM®,	3/8"	.063"	21"	75	36 RS3 75	3002 000 9123	RS	10
MS 881 R MAGNUM®	.404"	.063"	25" 30" 36" 41"	80 91 108 123	46 RS 80** 46 RS 91** 46 RS 108** 46 RS 123**	3002 000 9731* 3002 000 9741* 3002 000 9753* 3002 000 9757*	RS RS RS RS	12
			36" 41"	104 123	46 RS 104** 46 RS 123	3002 001 8052* 3002 000 8058*	D D	12

IDENTIFYING STIHL SAW CHAIN

STIHL uses a Marketing Number System in addition to the part number. This allows easy identification of any chain. For example, chain with a Marketing Number of 33RS3:

Pitch	Gauge	Type	Shape	Special
3	3	R	S	3
3/8"	.050"	STIHL RAPID™	Super	Single- Humped
				Datus I tale





Pitch

Distance between three rivets divided by two as shown.

- **1** = 1/4" **2** = .325"
- **3** = 3/8"
- **4** = 404"
- 6 = STIHL PICCO™
- (3/8" Extended) 7 = STIHL PICCOT
- (1/4" Extended)

Cutter Type

P = STIHL PICCO™ R = STIHL RAPID™

- Cutter Shape D = Duro (Carbide Tip)
- H = HEXA (Full Chisel)
- M= Micro™ (Semi Chisel) R = Rescue (RDR chain,
- especially designed for MS 461 R and MS 462 R C-M
- "Rescue" chain saws) S = Super (Full Chisel)

(Marked on drive link)

- 1 = .043" (1.1 mm)
- **3** = .050" (1.3 mm) **5** = .058" (1.5 mm)
- **6** = .063" (1.6 mm)
- **0** = .080" (2.0 mm) (O = Harvester Chain Only)

Special

1 = Triple-Humped Tie Strap on PM chain

- 2 = Triple-Humped Tie
- Strap on RM chain 3 = Single-Humped
- Drive Link
- F = Full Skip
- H = Semi Skip (Half-Skip) or Harvester (i.e. on .404" RMH)
- K = Klassic Cutter Design
- L = Square Ground Chisel
- M= Mini MM = Micro Mini
- N= Narrow (PMN)
- S = Special
- X = Ripping Chain

Number of Drive Links in Reels 100' Reel Туре

.,,,,	
1/4"	2400
3/8" STIHL PICCO™	1640
.325"	1840
3/8"	1640
.404"	1480

ANSI/OPEI Chain Saw Kickback Standard

STIHL's green and yellow color code system serves to identify STIHL bars and chains with different kickback reduction characteristics. Green (go) marks those products which are designed to reduce the risk of kickback injury and comply with the ANSI B175.1 kickback standard. ŚTIHL's low-kickback chain features a green tie strap that identifies each loop as "low-kickback" chain that meets the ANSI standard. Recommended for both the experienced and inexperienced chain saw user. Yellow (caution) marks products with increased risk of kickback injury. They are for use only by persons with extraordinary cutting needs and experience and specialized training in dealing with kickback conditions.

*Recommended STIHL green-labeled, reduced-kickback bars are not available in the lengths marked with an * in the chart. For such guide bars, STIHL yellow-labeled bars are listed. Please read and follow the yellow warning information that is included on the guide bar package.

*Recommended STIHL green-labeled, low kickback chains are not available in .404" pitch. For .404" chain, STIHL yellow-labeled chains are listed which have reduced-kickback characteristics as compared to other STIHL yellow-labeled chains. Read and follow the yellow warning information included with these chains. STIHL recommends the use of 3/8" sprockets in combination with STIHL greenlabeled, low-kickback saw chain and STIHL green-labeled, reduced-kickback guide bars whenever possible.

	Pitch	Gauge	Guide Bar Length(s)	Drive Link Count	Rec. Chain Loop Marketing #	Rec. Guide Bar Part #	Guide Bar Type*	Sprocket Nose Teeth
STIHL BATTE	RY-POWERED	MODE	LS					
	1/4" STIHL		10"	56	71 PMM3 56	3005 008 3403	R	8
MSA 60 C-B	PICCO™	.043"	12"	64	71 PMM3 64	3005 008 3405	R	
	Micro™ Mini		14"	72	71 PMM3 72	3005 008 3409	R	
	1/4" STIHL		12"	64	71 PM3 64	3005 008 3405	R	8
MSA 70 C-B	PICCO™	.043"						
	Micro™ Mini							
	1/4" STIHL		10"	56	71 PM3 56	3005 008 3403	R	8
MSA 160 C-B	PICCO™	.043"	12"	64	71 PM3 63	3005 008 3405	R	
	Micro™ Mini		14"	72	71 PM3 72	3005 008 3409	R	
	1/4" STIHL		12"	65	71 PM3 65	3005 008 3405	R	8
MSA 161 T	PICCO™	.043"						
	Micro™ Mini							
	1/4" STIHL		10"	56	71 PM3 56	3005 008 3403	R	8
MSA 200 C-B	PICCO™		12"	64	71 PM3 64	3005 008 3405	R	
	Micro™ Mini		14"	72	71 PM3 72	3005 008 3409	R	
	7 /O" CTU U		14"	50	63 PS3 50	3005 000 4809	R	9
MSA 220 C-B	3/8" STIHL PICCO™ Super 3	.050"						
	PICCO Super S		16"	55	63 PS3 55	3005 000 4813	R	
	7 /O!! CT!! !!		12"	44	63 PM3 44	3005 000 7405	LW	9
MSA 220 TC-O	3/8" STIHL PICCO™	.050"	14"	50	63 PM3 50	3005 000 7409	LW	
	FICCO		16"	55	63 PM3 55	3005 000 7413	LW	
MSA 300 C-O	3/8" STIHL	0501	14"	50	63 PS3 50	3005 000 4809	R	9
M3A 300 C-0	PICCO™ Super 3	.050"	16"	55	63 PS3 55	3005 000 4813	R	

*Recommended STIHL green-labeled, reduced-kickback bars are not available in the lengths marked with an * in the chart. For such guide bars, STIHL yellow-labeled bars are listed. Please read and follow the yellow warning information that is included on the guide bar package.

**Recommended STIHL green-labeled, low-kickback chains are not available in .404" pitch. For .404" chain, STIHL yellow-labeled chains are listed which have reduced-kickback characteristics as compared to other STIHL yellow-labeled chains. Read and follow the yellow warning information included with these chains. STIHL recommends the use of 3/8" sprockets in combination with STIHL green-labeled, low-kickback saw chain and STIHL green-labeled, reduced-kickback guide bars whenever possible.

Note: The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

	PICCO Super 5		16"	55	6
		·	·		
PORTABLE ELEC		GRINDE	R & AC	1	
STIHL Portable 12 Volt				0000 882 40	
3/16" Grinding Stone (Pkg. of 3)			0000 882 410)1*
5/32" Grinding Stone (Pkg. of 3)			0000 882 410)2*
7/32" Grinding Stone (Pkg. of 3)			0000 882 410)3*
9/64" Grinding Stone (Pkg. of 3)			0000 882 410)4*
13/64" Grinding Stone	(Pkg. of 3)			0000 882 410)5*
1/4" Grinding Stone (P	kg. of 3)			0000 882 410	00*
Chain, Bar and Sprocke	t ID Gauge			0000 893 410)5
DEPTH GAUGE T	OOLS				
1/4" STIHL PICCO™ Mi	cro™ Depth Gaug	e Tool		0000 893 40	05
1/4", 3/8" STIHL PICCO	O™ 0.325" and 3/8	3" Depth Gau	ıge Tool	1110 893 4000)
0.404" Depth Gauge T	ool			1106 893 4000	Э <u></u>
FILES					
1/4" STIHL PICCO™	3.2 mm (1/8'	') File (Pkg. o	of 12)	7010 871 0400	0
3/8" STIHL PICCO™	4.0 mm (5/3	2") File (Pkg	. of 12)	7010 871 0401	1
.325"	4.5 mm (11/6	4") File (Pkç	g. of 12)	7010 871 0402	2
.325"	4.8 mm (3/1	6") File (Pkg.	of 12)	7010 871 0403	3
3/8"	5.2 mm (13/d	54") File (Pk	g. of 12)	7010 871 0404	4
.404" STIHL PICCO™	5.5 mm (7/3	2") File (Pkg	. of 12)	7010 871 0405	5
HEXA Basic Filing Kit				7010 881 9406	
HEXA File				5607 772 5201	ı
STIHL Special File for s	harpening Square	Ground Chi	sel Chain	7010 871 0282	2
STIHL Flat File for main	ntaining Depth Ga	uges (Pkg. o	f 12)	7010 871 0043	3
Complete Filing Kit for 1	/4" STIHL PICCO	[™] Saw Chain		5605 007 100	0
Complete Filing Kit for 1	/4" and 3/8" STIHL	. PICCO™ Sa	w Chain	5605 007 1027	7
Complete Filing Kit for (0.325" Saw Chain			5605 007 1028	3
Complete Filing Kit for 3	3/8" Saw Chain			5605 007 1029	9
Complete Filing Kit for (0.404" Saw Chain			5605 007 1030	Э
Complete Filing Kit for 3	3.8" Rapid HEXA			5607 007 1000	0
FILE HANDLES					
SWISS File Handle (Fla	t w/ Filing Guide)			0814 498 1501	
Standard File Handle (C	Orange Poly)			0811 490 7863	3
Standard File Handle (Display Bagged)			0811 490 7864	1
Deluxe File Handle				0000 881 450	00
Soft Handle for Round	File "FH1 Soft Grip	»"		0000 881 450)2
Soft Handle for Flat File	e "FH3 Soft Grip"			0000 881 450)3
Heavy Duty Stump Vise	•			0000 881 040)3
GREASE GUNS					
Guide Bar Grease Gun	(Bulk Packed)			1108 890 2580)
Sprocket Bearing Grea	se			0000 000 20)11
Twisted Splitting Wedg	je			0000 881 222	1

*All for portable 12V chain grinder

HIGH-IMPACT FELLING WEDGES (Not for sp	litting w	ood)
5-1/2" Wedge		0000 893 6880
7-1/2" Wedge		0000 893 6802
10" Wedge		0000 893 6882
10" Tri-Taper Wedge		0000 893 6883
12" Wedge		0000 893 6884
TELESCOPING GUIDE BAR SCABBARDS		
14" 3005 Arbor Saw		0000 792 9160
16" 3005 Arbor Saw		0000 792 9161
10" 3005 Mini		0000 792 9170
14" 3005 Mini		0000 792 9171
14" 3005		0000 792 9172
18" 3005		0000 792 9173
15" 3003		0000 792 9174
18" 3003		0000 792 9175
22" 3003, 3002		0000 792 9176
25" 3003, 3002		0000 792 9177
30" 3003, 3002		0000 792 9178
36" 3003, 3002		0000 792 9179
Extension 12"		0000 792 9140
CASES		
Medium Chain Saw Case		0000 900 4011
Large Chain Saw Case		0000 900 4010
Small Chain Saw Bag (Up to 18" Bar)		7010 881 0503
Large Chain Saw Bag (Up to 25" Bar)		7010 881 0504
Latch for Woodsman Chain Saw Case (0000 900 4008)		7010 881 5600
Plastic Latch for 0000 900 4006 (Old Style)		0000 903 1302
Bar Scabbard for Woodsman Case		0000 792 9127
	File Size	Part Number

STIHL FILE GUIDES AND HOLDERS 2-in-1 Filing Guide for 1/4" STIHL PICCO™ 5605 750 4306 1/8" 5/32" 2-in-1 Filing Guide for 3/8" STIHL PICCO™ 5605 750 4303 2-in-1 Filing Guide for .325" 3/16" 5605 750 4304 2-in-1 Filing Guide for 3/8" 13/64" 5605 750 4305 2-in-1 Filing Guide for 0.404" 0000 750 4300 FF 1 File Guide Holder for 3/8" STIHL PICCO™ Mini 5614 000 7503 FF 1 File Guide Holder for 3/8" STIHL PICCO™ 5614 000 7502 FF 1 File Guide Holder for .325" 5614 000 7501 FF 1 File Guide Holder for 3/8" 5614 000 7500 FF 1 File Guide Holder for .404" STIHL PICCO™ 5614 000 7505 FG 4 Roller Filing Guide for 3/8" STIHL PICCO™ Mini 5612 000 7503 FG 4 Roller Filing Guide for 3/8" STIHL PICCO™ 5612 000 7502 FG 4 Roller Filing Guide for .325" 5612 000 7501 FG 4 Roller Filing Guide for 3/8" 5612 000 7500





WEEKLY USE AROUND BEDS, DRIVEWAYS, ETC.

Our trimmers are lightweight, powerful and easy to use.

Just start them up and watch as they make quick work of those hard-to-reach areas mowers leave behind.





FS 38



A lightweight, value-priced consumer trimmer with many quality design features, the FS 38 is ideal for the occasional use homeowner.



FS 40 C-E







Lightweight and reliable, the FS 40 C-E trimmer provides balanced operation and is equipped with STIHL Easy2Start™ for effortless starting. Now comes standard with AutoCut® C 6-2.



FSA 45





The FSA 45 delivers STIHL quality at a value price, and features a powerhead that swivels for vertical edging.



[°]Made in America of U.S. and foreign materials. Batteries and chargers sourced internationally. The FSE 60 is assembled in America.

For full specification information for all STIHL trimmers, please refer to page 82.



FS 50 C-E



The fuel-efficient FS 50 C-E features the STIHL Easy2Start™ system and has an elongated shaft for taller users.



FS 56 RC-E (a) STIHL



The fuel-efficient FS 56 RC-E features the STIHL Easy2Start™ system for quick, smooth starts, and has an elongated shaft for taller users. FS 56 C-E bike-handle version available. Now comes standard with AutoCut® C 26-2.



FSA 57





Ideal for suburban yards, the lightweight FSA 57 packages the convenience of battery in a value-priced set, with a run time of up to 25 minutes with the AK 10 battery or up to 50 minutes with the AK 20 battery.* Now comes standard with AutoCut® C 3-2.



FSA 60 R





With its lightweight design and exceptional performance, the FSA 60 R battery-powered trimmer is the most powerful in the AK System.



FSE 60



With an easy squeeze of the trigger, the FSE 60 lightweight corded-electric trimmer is capable of handling small to moderate yard work.



TRIMMER LINE STORAGE

To prolong the shelf life of your STIHL trimmer line, keep the line out of direct sunlight. For best performance, buy fresh trimmer line at the beginning of the growing season.

*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.



LARGER YARDS & LONGER FENCE **LINES**

Our trimmers are available in various handles and shaft lengths including loop handle and bike handle configurations.

Whether you're tackling your larger yard or longer fence lines, there's a trimmer to meet your unique needs.





FS 70 R





The FS 70 R features a powerful and fuel-efficient engine, making quick work of daily professional landscaping tasks.



FSA 86 R





The FSA 86 R trimmer is capable of delivering strong, consistent performance that is perfect for homeowner and professional tasks.



FSA 90 R





A quiet, battery-powered trimmer, the FSA 90 R features the STIHL exclusive ECOSPEED throttle set wheel for variable-speed control, which can extend battery life.

°Made in America of U.S. and foreign materials. For full specification information for all STIHL trimmers, please refer to page 82.





FS 91 R





The robust FS 91 R features a low-emission engine and large fuel tank, which provides 30% longer run time than the previous model. FS 91 bike-handle version available.



FS 91 R

"Easy to start & string. Line feeds nicely when stringed properly & has plenty of power."



Check out this review and others on the product pages at **STIHLusa.com.**



FS 94 R







The FS 94 R trimmer delivers one of the best power-to-weight ratios in its class, weighing just over 10 pounds - great for maneuvering around hills and other terrain.



FS 111 RX







The FS 111 RX is the perfect choice for demanding trimming tasks. It saves users time with a simplified threestep start procedure.





PROFESSIONAL JOBS & EXTENDED TRIMMING TIMES

Our professional trimmers and brushcutters feature power, fuel efficiency and lasting durability - and they're specially designed for heavy-duty tasks - from controlled trimming jobs to extended trimming applications.





FS 111 R







A fuel-efficient, powerful trimmer, the FS 111 R handles tough jobs and meets emissions requirements. FS 111 bikehandle version available.



FS 131 R







A professional loop-handle trimmer, the FS 131 R delivers incredible performance, long run times and a simplified starting procedure. FS 131 bike-handle version available.



FSA 135 R





The FSA 135 R trimmer delivers professional performance for a wide range of cutting applications, including trimming, cutting and weed clearing. FSA 135 bike-handle version available.



FS 240 R





The heavy-duty FS 240 R combines a rugged design with the versatility needed to handle a variety of challenging clearing situations. FS 240 bikehandle version available.

°Made in America of U.S. and foreign materials.

The FSA 135 and FS 311 units are assembled in America of U.S. and foreign materials. Batteries and chargers sourced internationally.

For full specification information for all STIHL trimmers, please refer to page 82.



FS 311



This rugged bike-handle trimmer is powerful, versatile and designed for all-day professional use.



FS 361 C-EM



The FS 361 C-EM has a low-emission, fuel-efficient engine and features the STIHL M-Tronic™ engine management system.



FS 461 C-EM



The robust FS 461 C-EM delivers professional power and features the STIHL M-Tronic™ system for optimum engine performance.



FS 561 C-EM



The most powerful STIHL brushcutter in its class the FS 561 C-EM cuts through wild growth, hedges and thickets with ease.



	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)*	Fuel Capacity (oz.)	Standard Cutting Tool
WEEKLY USE AROUND BEDS, DRIVEWAYS, ETC.						ı	ı
FS 38		27.2/1.66	0.65/0.87	-	9.3	11.2	AutoCut®
FS 40 C-E		27.2/1.66	0.7/0.94	-	9.9	11.5	AutoCut®
FSA 45	AI	-	-	18	5.1	-	STIHL PolyCut™
FS 50 C-E		27.2/1.66	0.8/1.07	-	10.1	11.5	AutoCut®
FS 56 C-E		27.2/1.66	0.8/1.07	-	11.5	11.5	AutoCut®
FS 56 RC-E		27.2/1.66	0.8/1.07	-	10.6	11.5	AutoCut®
FSA 57	AK	-	-	36	5.95	-	AutoCut®
FSA 60 R	AK)	_	_	36	7.1	_	AutoCut®
FSE 60	→	_	-	120	8.8	_	AutoCut®
LARGE YARDS, LONGER FENCELINES							
FS 70 R		27.2/1.66	0.9/1.2	-	10.6	11.5	AutoCut®
FSA 86 R	AP)	_	_	36	7.3	_	AutoCut®
FSA 90 R	AP :	_	-	36	6.2	_	AutoCut®
FS 91		28.4/1.73	0.95/1.27	_	12.8	24.0	AutoCut®
FS 91 R		28.4/1.73	0.95/1.27	_	12.1	24.0	AutoCut®
FS 94 R		24.1/1.47	0.9/1.2	_	10.1	18.3	AutoCut®
FS 111 RX		31.4/1.9	1.05/1.4	-	11.0	24.0	AutoCut®
PROFESSIONAL JOBS, EXTENDED TRIMMING	TIMES						
FS 111		31.4/1.9	1.05/1.4	-	12.8	24.0	AutoCut®
FS 111 R		31.4/1.9	1.05/1.4	_	12.1	24.0	AutoCut®
FS 131		36.3/2.2	1.4/1.9	-	12.8	24.0	AutoCut®
FS 131 R		36.3/2.2	1.4/1.9	-	12.1	24.0	AutoCut®
FSA 135	AP)	_	-	36	10.8	_	AutoCut®
FSA 135 R	AP)	_	-	36	10.1	_	AutoCut®
FS 240		37.7/2.3	1.7/2.3	-	15.2	25.4	AutoCut®
FS 240 R		37.7/2.3	1.7/2.3	-	14.6	25.4	AutoCut®
FS 311		36.3/2.2	1.4/1.9	-	15.9	24.0	AutoCut®
FS 361 C-EM		37.7/2.3	1.7/2.3	-	19.18	25.4	N/A
FS 461 C-EM		45.6/2.8	2.2/3.0	-	19.22	25.4	N/A
FS 561 C-EM		57.1/3.48	2.8/3.75	-	22.5	33.5	N/A

[●] Standard ○ Optional − Not Applicable
*Dry weight without cutting attachment or deflector.



	Cutting Swath (in.)	STIHL Easy2Start™ (E)	Anti-vibration System	STIHL M-Fronic™ (M)	Electronic Ignition Module	Multi-function Control Handle	Simplified Starting Procedure	Standard Handle Type	Purge Pump Primer	IntelliCarb™ Compensating Carburetor	Translucent Upright Fuel Tank	Caring for Nature	Made in America
1	15	-	-	-	•	•	-	Loop	•	-	•	-	-
1	15	•		-	•	•	•	Loop	•	-	•		
	9	-	-	-	-	-	-	Loop	-	-	-		_
10	6.5	•	-	-	•	•	•	Loop	•	-	•	-	
10	6.5	•	-	-	•	•	•	Bike	•	-	•		
10	6.5	•	-	-	•	•	•	Loop	•	-	•		
	11	-	-	-	-	-	-	Loop	-	-	-		
13	3.8	-	-	_	-	-	-	Loop	-	-	_		-
1	14	-	-	-	-	-	-	Loop	-	-	_		_
10	6.5	-	-	-	•	•	•	Loop	•	-	•		
13	3.8	-	-	-	-	-	-	Loop	-	-	_		-
1	15	-	-	-	-	-	-	Loop	-	-	_		-
10	6.5	-	•	-	•	•	•	Bike	•	•	•		
10	6.5	-	•	-	•	•	•	Loop	•	•	•	@	
10	6.5	-	•	_	•	•	•	Loop	•	-	•		
10	6.5	-	•	-	•	•	•	Loop	•	•	•		
10	6.5	-	•	-	•	•	•	Bike	•	•	•	(a)	
10	6.5	-	•	_	•	•	•	Loop	•	•	•		
10	6.5	-	•	-	•	•	•	Bike	•	•	•		
10	6.5	-	•	-	•	•	•	Loop	•	•	•		
10	6.5	-	-	-	-	-	-	Bike	-	-	_		_
10	6.5	-	-	-	-	-	-	Loop	-	-	_		-
10	6.5	-	•	-	•	•	•	Bike	•	•	•		-
10	6.5	-	•	_	•	•	•	Loop	•	•	•		-
18	8.9	-	•	-	•	•	•	Bike	•	•	•		_
20	0.5	•	•	•	•	•	•	Bike	•	•	•	-	-
20	0.5	•	•	•	•	•	•	Bike	•	•	•	-	-
2	22	•	•	•	•	•	•	Bike	•	•	•	-	_

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit **STIHLusa.com**. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

 $\textbf{Note:} \ \mathsf{STIHL} \ \mathsf{trimmers} \ \mathsf{and} \ \mathsf{brushcutters} \ \mathsf{are} \ \mathsf{designed} \ \mathsf{to} \ \mathsf{work} \ \mathsf{with} \ \mathsf{a} \ \mathsf{variety} \ \mathsf{of} \ \mathsf{cutting} \ \mathsf{attachments}.$



Head / Blade Type	Part Number	Trimmer Standard	Line Diameters Optional	FSA 45*	FSA 57*	FSA 60 R	FSE 60*	FSA 85*	FSA 86 R	FSA 90 R	FSA 130 R	FSA 135 / FSA 135 R
LIGHT GRASS TRIMMER	HEADS											
AutoCut® 2-2	4008 710 2103	.080"	_		●5							
AutoCut® C 3-2	4009 710 2106	.080"	_		●6							
AutoCut® C 4-2	4006 710 2123	.080"	_					•				
AutoCut® 5-2	4006 710 2103	.080"	_				•					
AutoCut® C 6-2 .080"	4006 710 2126	.080"	.095"				•					
AutoCut® C 6-2 .095"	4006 710 2140	.095"	.080"			•	•		•			
AutoCut® 25-2	4002 710 2191	.095"	.105"							•	•	•
AutoCut® C 26-2	4006 710 2169	.095"	.105"								•	•
NEW! AutoCut® 27-2	4002 820 2302	.095"	.105"							●7	•	•
AutoCut® 36-2	4002 710 2170	.105"	.118"/.130"									•
AutoCut® 46-2	4003 710 2115	.105"	.118"/.130"									
AutoCut® 56-2	4005 710 2107	.105"	.118"/.130"									
DuroCut 5-2	4006 710 2131	.080"	.065"/.095"			•			•			
DuroCut 20-2	4002 710 2182	.120"	.080"/.095"/.105"				•			•	•	•
DuroCut 40-4	4005 710 2114	.155"	.120/.130"									
FixCut [™] 31-2	4001 710 2105	-	.080"/.095"/.105"							•	•	•
STIHL SuperCut™ 20-2	4002 710 2184	.095"	_							•	•	•
STIHL SuperCut™ 40-2	4003 710 2142	.095"	_									
TrimCut™ C 32-2	4002 710 2198	.095"	.105"/.118"								•	•
TrimCut™ C 42-2	4003 710 2122	.105"	.095/.118"									
TrimCut™ C 52-2	4005 710 2117	.105"	.095"/.118"/.130"									



FS 38* FS 40 C-E* FS 50 C-E*	FS 56 C-E	FS 56 RC-E FS 70 R FS 94 R	FS 91 R FS 111 R FS 131 R	FS 111 RX	FS 91 FS 111 FS 131	FS 240	FS 240 R	FS 311	FS 361 C-EM FS 461 C-EM	FS 561 C-EM	FSB-KM with KM 56 RC-E KM 91 R KM 111 R**	FS-KM with KM 56 RC-E**	FS-KM with KM 91 R / KM 94 R KM 111 R / KM 131 R**	FS-KM with KMA 130 R / KMA 135 R
_														
•														
•											•			
	•	•	•	•	•	•	•					•	•	•
	•	•	•	•²	•	•	•					•	•	•
			3	•	3	•	•						•	•
								•	•					
										•				
•	•	•	•	•	•	•	•				•	•	•	•
	_	_			-		-	•	•	•				
	•	•	•		•	•4	●4					•	•	•
	•	•	•	•	•	•	•	•	•			•	•	•
	•	• 1	•	•	•	•	•	•				•	•	•
								•	•					
										•				

- * Trimmers equipped with loop handles.
- ** 2018 models and newer.
- Approved for use with designated unit as originally equipped.
- \bigcirc Approved for use with loop handle (R) only if equipped with barrier bar deflector kit and a single or double shoulder harness.
- $\hfill \Box$ Approved for use with bike handle, double harness and limit stop.
- $^{\rm 1}$ Not for use on FS 94 R
- 2 Not for use on FS 100 RX
- 3 Not for use on FS 80, FS 80 R, FS 90, FS 90 R, FS 110 or FS 110 R
- ⁴ Not for use on FS 240 or FS 240 R
- $^{\rm 5}$ Only fits FSA 57 trimmers starting with serial number 9XXXXXXXX.
- $^{\rm 6}$ Only fits FSA 57 trimmers starting with serial number 5XXXXXXXX.
- 7 FSA 90 R ONLY $\rm AutoCut^{\otimes}$ 27-2 part number is 4002 820 2306.

 $\textbf{Note:} \ \text{Numbers with "mm" show arbor size. Consult your instruction manual or your authorized STIHL Dealer for approved cutting head/deflector combinations.}$

Note: Barrier bar and large deflector must be attached when using a metal blade with loop-handle (R) trimmer.

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com.

IMPORTANT INFORMATION

WARNING: Improper use of any brushcutter trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used on FS brushcutters that have a bicycle handle and double shoulder harness and not on FS brushcutters with a "J" handle or loop handle (R). Other rigid blades may be used on FS brushcutters having a bicycle handle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

		D	Trimmer Standard	Line Diameters Optional	FSA 45*	FSA 57*	FSA 60 R	FSE 60*	FSA 85*	FSA 86 R	FSA 90 R	FSA 130 R	
Head / Blade Type HEAVY GRASS MOV	VING HE	Part Number		Optional	ш	ш.	ш	ш	ш	ш	ш	ш	
STIHL PolyCut™ 2-2	VIING IIIE	4008 710 2102			•								
STIHL PolyCut™ 3-2		4009 710 2104				●7/8							
STIHL PolyCut™ 6-2		4006 710 2134					●8			●8			
STIHL PolyCut™ 28-2		4002 820 2300											
STIHL PolyCut™ 48-2		4003 710 2126											
GRASS-4	20 MM	4000 713 3801											
GRASS-4	25.4 MM	4001 713 3801										0	
GRASS-8	20 MM	4000 713 3802											
GRASS-8	25.4 MM	4001 713 3803										0	
BRUSHCUT BRUSH	KNIVES (OVERALL DIAMET	ER/MOI	JNTING DIAM	ETER								
BRUSH KNIFE-250 MM	25.4 MM	4112 713 4100										0	
BRUSH KNIFE-300 MM	1 20 MM	4119 713 4100											
BRUSH KNIFE-350 MM	20 MM	4110 713 4100											
FORESTRY SAW BL	ADES OVE	RALL DIAMETER	/MOUNT	ING DIAMETE	R								
SCRATCHER-200 MM	20 MM	4000 713 4200											
SCRATCHER-200 MM	25.4 MM	4112 713 4201											
SCRATCHER-225 MM	20 MM	4000 713 4205											
SCRATCHER-250 MM	20 MM	4104 713 4200											
CHISEL-200 MM	20 MM	4119 713 4200											
CHISEL-200 MM	25.4 MM	4112 713 4203											
CHISEL-225 MM	20 MM	4110 713 4204											
NEW! CHISEL-250 MM	20 MM	4000 713 4204											

GRASS AROUND OBSTACLES

DuroCut LINE HEAD







AutoCut® LINE HEAD



STIHL SuperCut™ LINE HEAD



Ideal trimmer head if you prefer manual heads that require precut lengths of nylon line, even when operating in severe applications.

Double line for mowing and trimming. The nylon line length is adjusted by hand.

Double or quadruple line for mowing and trimming. The nylon line length is adjusted by tapping the cutting head against the ground.

Double line for mowing and trimming. The mowing line is automatically kept at the optimum cutting length.

LIGHT VEGETATION

DuroCut LINE HEAD



AutoCut® LINE HEAD



Double line for mowing and

STIHL SuperCut[™] LINE HEAD





Ideal trimmer head if you prefer manual heads that require precut lengths of nylon line, even when operating in severe applications.

Double or quadruple line for mowing and trimming. The nylon line length is adjusted by tapping the cutting head against the ground.

trimming. The mowing line is automatically kept at the optimum cutting length.

Cutting tool for trimming and working on large areas with pivoting thermoplastic







Reversible steel quadruple blade. For working on large areas of tough grass.

GRASS CUTTING

BLADE





Ideal trimmer head if you prefer manual heads that require precut lengths of nylon line, even when operating in severe applications.

Steel blade with eight teeth. For mowing thick dry grass and reeds.

FSA 135 FSA 135 R	FS 38* FS 40 C.E.* FS 50 C.E.*	FS 56 C-E	FS 56 RC-E FS 70 R FS 94 R	FS 80 R FS 90 R / FS 91 R FS 110 R / FS 111 R FS 130 R / FS 131 R	FS 100 RX FS 111 RX	FS 91 FS 111 FS 131	FS 240	FS 240 R	FS 311	FS 361 C-EM FS 461 C-EM	FS 561 C-EM	FSB-KM with KM 56 RC-E KM 91 R KM 111 R**	FS-KM with KM 56 RC-E**	FS-KM with KM 91 R / KM 94 R KM 111 R / KM 131 R**	FS-KM with KMA 130 R / KMA 135 R
	•											•			
	•	_	_	_	_	_	_	_				•			
		•	•	•	•	•	•	•	•	•					
									•	•					
0		●5	0	0				0					0	0	0
0		6 5	•	0		•	•	0	•	•	•		0	0	•
0				0		•	•	0						0	•
									•	•	•				
											□6				

REEDS & BUSHES BRUSH KNIFE



Steel triple blade. For trimming and removing tough, tangled grass, scrub and thorny bushes.



CIRCULAR SAW BLADE, SCRATCHER TOOTH

Special steel tool for mid-range brushcutters upwards. For gnarled bushes and thin tree trunks.





CIRCULAR SAW BLADE, SCRATCHER TOOTH



CIRCULAR SAW BLADE, **CHISEL TOOTH**

Special steel tool for mid-range brushcutters upwards. For gnarled bushes, thin tree trunks, sawing and clearing.

- * Trimmers equipped with loop handles. **2018 models and newer.
- Approved for use with designated unit as originally equipped. Approved for use with loop handle (R) only if equipped with barrier bar deflector kit and a single or double shoulder harness.
- Approved for use with bike handle, double harness and limit stop.
- ¹ Not for use on FS 94 R
- ² Not for use on FS 100 RX
- 3 Not for use on FS 80, FS 80 R, FS 90, FS 90 R, FS 110 or FS 110 R
- 4 Not for use on FS 240 or FS 240 R
- $^{\rm 5}$ When using Grass-4 and Grass-8 metal cutting blades with FS 56 C-E, trimmer must be equipped with deflector (4144 710 8119). 6 Not for use on FS 560 C-EM
- 7 Only fits FSA 57 trimmers starting with serial number 5XXXXXXXX. Not compatible with serial number 9XXXXXXXX
- 8 Approved when paired with 135° deflector.

Note: Numbers with "mm" show arbor size. Consult your instruction manual or your authorized STIHL Dealer for approved cutting head/deflector combinations.

Note: Barrier bar and large deflector must be attached when using a metal blade with loop-handle (R) trimmer.

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com.

IMPORTANT INFORMATION

WARNING: Improper use of any brushcutter trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used on FS brushcutters that have a bicycle handle and double shoulder harness and not on FS brushcutters with a "J" handle or loop handle (R). Other rigid blades may be used on FS brushcutters having a bicycle handle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.


COLOR-CODED/NYLON LINE

The thickness of the nylon line varies, depending on the performance class and operating conditions. Nylon lines are color-coded to easily define the diameter of the cutting line to include: premium round, Quiet Line™ and pentagon nylon lines.

- .065" (1.6 mm) dia.
- .080" (2.0 mm) dia.
- .095" (2.4 mm) dia.
- .105" (2.7 mm) dia.
- .118" (3.0 mm) dia.
- .130" (3.3 mm) dia.
- Commercial Round Line
- Commercial Square Line
- CF3-Line
- X-Line

STIHL Quiet Line™

Spiral grooves greatly reduce wind noise.



Line Type		Color/ Diameter	22' - 65' Spools	1/2 lb.* Spool	1 lb.* Spool	3 lb.* Spool	5 lb.* Spool
Premium Round Line		.065	•				
Tremium Round Eme		.080		•	•	•	
		0.095	•				•
		.105	•	•		•	•
		.118					
		.130	•	•	•	•	•
		.155			•	•	
Quiet Line™	$\overline{\mathcal{M}}$.065	•				
(080.	•	•			
		.095	•		•	•	
		.105	•				
		.155			•		
Commercial Round Line		.095			•	•	
		.105			•	•	•
Premium Square Line		.095					
l		.105		•	•		
		.118					
		■ .130			•		
Commercial Square Line		.095					•
	<u> </u>	.105				•	•
Pentagon Line		.095				•	
,		.105					_
		130				•	
X-Line		× .095					
X-Eine (× .105					
DuroCut Serrated Line	<u></u>	. 080		Packed 4	48 pieces	per tube	
	1000	1 .120			48 pieces		
	•	♣ .155			48 pieces		
CF3 Pro		. 095		•		•	•
[■ .105				•	
		≡ .118		•	•	•	•
		■ .130			•	•	•

^{*}Approximate weight and length may vary.



DEFLECTOR & LIMIT STOP ASSEMBLIES

Reduce the risk of injury from thrown objects and blade contact. Make sure your product has the right deflector or limit stop with the cutting attachment you are using. Check your instruction manual or see your STIHL Dealer for more information.

LARGE DEFLECTORS



HIGH-VISIBILITY DEFLECTORS







RX DEFLECTOR




LIMIT STOP



SHOULDER HARNESSES

These harnesses distribute the load from hands to a user's shoulders, reducing operator fatigue. A double shoulder harness is required by ANSI when using a circular saw blade on a brushcutter.















EDGERS



TIP

BEFORE YOU EDGE

If the soil is very dry, spray it with a little water to soften and reduce dust that can limit visibility while edging.



FC 91





The FC 91 is a professional, curved-shaft edger with high blade speed, a lowemission engine and more.



FC 56 C-E









With its fuel-efficient, low-emission engine, the FS 56 C-E edger features the STIHL Easy2Start $^{\text{TM}}$ system for almost effortless starting.



FC 96





The professional, straightshaft FC 96 is powered by a low-emission engine and features a large fuel tank, providing long run time.



FC 70







A professional, curvedshaft edger, the FC 70 blends low emissions with high performance.



FC 111







Bring your "A" game to any landscaping job with the most powerful edger in the STIHL line. The FC 111 gets users to the job faster with its easy three-step starting procedure.



FCA 135





A curved-shaft, batterypowered edger that delivers quiet, professional performance.



FCA 140





A straight-shaft, batterypowered professional edger with high torque for creating a clean-looking landscape.

°Made in America of U.S. and foreign materials.

The FCA 135 and FCA 140 units are assembled in America of U.S. and foreign materials. Batteries and chargers sourced internationally. For full specification information for all STIHL edgers, please refer to page 93.



BED REDEFINER

For maintaining mulch and clean edges around flower beds.

Our dedicated redefiner tool is built to be light and deliver consistent power.

Make quick work of mulch and flower beds, adding sharp edges and clean, beveled trenches.







	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Weight* (lbs.)	Fuel Capacity (oz.)	Gear Ratio	Maximum Blade Speed (rpms)	Arbor Size (mm/in.)	Blade Size (cm/in.)	Blade Cutting Depth (cm/in.)	Shaft Type - Straight/Curved	STIHL Easy2Start™	Adjustable Depth Wheel	"Line of Sight" Marking	"Open" Guard Design	Multi-Function Control Handle	Caring for Nature	Made in America
EDGERS		1				i												
FC 56 C-E		27.2/1.66	0.8/1.07	13.5	11.5	1:1.24	8,300	25.4/1.0	20.3/8.0	_	Curved	•	•	•	•	•		
FC 70		27.2/1.66	0.9/1.2	13.0	11.5	1:1.24	8,300	25.4/1.0	20.3/8.0		Curved	-	•	•	•	•		
FC 91		28.4/1.73	0.95/1.27	13.2	24.0	1:1.235	8,100	25.4/1.0	20.3/8.0	-	Curved	-	•	•	•	•		
FC 96		28.4/1.73	0.95/1.27	13.7	24.0	1:2.09	4,800	25.4/1.0	20.3/8.0	_	Straight	-	•	•	•	•		
FC 111		31.4/1.9	1.05/1.4	13.7	24.0	1:2.09	4,800	25.4/1.0	20.3/8.0	-	Straight	-	•	•	•	•		
FCA 135	AP:	_	_	11.2	-	1:1.235	8,100	25.4/1.0	20.3/8.0	-	Curved	-	•	•	•	•		-
FCA 140	AP	-	-	12.6	-	1:2.09	4,800	25.4/1.0	20.3/8.0	-	Straight	-	•	•	•	•		_
BED REDER	FINER	2																
FB 131		36.3/2.2	1.4/1.9	17.2	24.0	1:2.09	4,800	25.4/1.0	-	6.6/2.6	Straight	-	•	•	•	•		

lacktriangle Standard igcirc Optional - Not Applicable

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

^{*}Dry weigh





H R R R S

SEASONAL TRIMMING & SMALLER SHRUBS

Our hedge trimmers are lightweight, easy to use and designed to make quick work of overgrown shrubs and bushes.





With faster speeds than the previous model, the HSA 26 battery-powered garden shears put an unparalleled level of cutting precision in the palm of your hand.



HSA 45





Part of the AI Line, the HSA 45 offers high cutting speeds in a compact, ergonomic design, and provides up to 40 minutes of run time.*

*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.





HS 45



Available with an 18" double-sided reciprocating blade, the HS 45 is powered by a dependable STIHL engine to deliver the power needed to cut through shrubbery with ease.



HS 46 C-E







The HS 46 C-E is the lightest gasoline-powered hedge trimmer in the STIHL line and features STIHL Easy2Start technology, which makes starting the trimmer nearly effortless.



NEW HSA 50





The HSA 50 battery hedge trimmer features double-sided, droplet-shaped cutters with diamond-ground blades for exceptional performance at an affordable price.



HSE 52





Lightweight, yet durable, the HSE 52 corded-electric hedge trimmer features a 20" double-sided blade that cuts in both directions and a D-shaped handle for easy cutting at various positions.



HSA 56





Part of the AK System, the HSA 56 delivers a high cutting speed of 2,800 strokes per minute and a run time up to 50 minutes with the AK 10 battery.*

The HS 46 C-E is assembled in America of U.S. and foreign materials. For full specification information for all STIHL hedge trimmers, please refer to page 104.



NUMEROUS HEDGES & SHRUBS

Our well-balanced hedge trimmers feature anti-vibration technology, delivering the cutting power needed to leave behind uniform, professionally groomed hedges and shrubs.



HSA 66





Part of the AP System, the HSA 66 runs on the same universal battery as other AP products and features optimized blade geometry and diamond-ground blades for clean cuts.





Made for clean, quiet cutting, the HSE 70 corded-electric hedge trimmer is lightweight and easy to maneuver and features a long 24" blade to make fast work of larger shrubs.



HS 56



The HS 56 hedge trimmer is the ideal balance of power and portability for professional users and comes with a blade tip guard that helps to keep blades sharper longer.



HS 82



The HS 82 is a win-win for professional landscapers, available in a pruning (R) and trimming (T) version in both 24" and 30" blade length options, offering two ways to tackle trimming tasks.



NEW

HSA 60



The HSA 60 is the most powerful battery-powered hedge trimmer in the AK System. Delivers fast cutting speeds of 3,000 strokes per minute and features a rotating handle.



NEW

HSA 100





The HSA 100 features a rotating handle for increased user ergonomics, optimized blade geometry and diamond-ground blades for clean cuts.

SIZABLE JOBS & EXTENDED OPERATING TIMES

Our professional line of hedge trimmers are in an entirely different league of performance and dependability. They are made to start fast and cut faster, and offer quality trimming performance.



The lightweight and well-balanced HS 87 features a single-sided blade and is available in a pruning (R) and trimming (T) version to tackle overgrown shrubs.



HSA 130







Built with the professional in mind, the HSA 130, available in a pruning (R) and trimming (T) version, features a 24" blade and no onboard battery, shifting the battery weight to the back or hips.



EXTENDED-REACH HEDGE TRIMMERS

Our battery and gasoline-powered extended-reach hedge trimmers are available in fixed and articulating blade options.

Ideal for extra tall and wide shrubs.









HL 91 K (0°)

The compact design of the mid-length HL 91 K (0°) provides

and the innovative ECOSPEED throttle control offers variable speed regulation.



HEDGE TRIMMERS

101

HL 94 K (0°)







The HL 94 K (0°) features a fixed-angle blade and the STIHL exclusive ECOSPEED throttle set wheel for variable speed control, making it a must-have for pros.



HL 94 K (145°)







Built with professionals in mind, the HL 94 K (145°) has an articulating blade offering a cutting range of 145°, in 13 locking positions, to precisely trim difficult hedges.



HL 94 (145°)





The HL 94 (145°) features 13 cutting head locking positions and ECOSPEED throttle set wheel for variable speed control, making it a must-have for pros.







HLA 135 K (0°)







When precision matters in hard-toreach places, pros rely on the control and performance of this professionalgrade trimmer's 0° fixed-angle cutting head and short shaft design.



HLA 135 K (145°)







For a combination of versatility and control, the short shaft design of this pro-grade hedge trimmer with its articulating 145° cutting head gives users all they need in a durable design.











With an articulating 145° cutting head and an extended-reach shaft, this professional-grade hedge trimmer gives pros the reach and range they need to take on a variety of jobs.

[°]Made in America of U.S. and foreign materials. Batteries and chargers sourced internationally. The HL 94 (145°) is assembled in America.
For full specification information for all STIHL hedge trimmers, please refer to page 104.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)*	Fuel Capacity (oz.)
SEASONAL TRIMMING, SMALLER SHRUBS						
HSA 26	A5	_	_	10.8	1.5	-
HSA 45	AI :	-	_	20	5.1	_
HS 45	200	27.2/1.66	0.75/1.01	_	10.4	7.8
HS 46 C-E		21.4/1.31	0.65/0.87	_	9.5	9.5
HSE 52	→	_	_	120	6.8	_
NEW! HSA 50	AK)	_	_	36	6.4	_
HSA 56	AK	-	_	36	6.4	-
NUMEROUS HEDGES AND SHRUBS	700					
HS 56		21.4/1.31	0.65/0.87	-	9.9	9.5
NEW! HSA 60	AK:	_	_	36	7.7	_
HSA 66	AP:	_	-	36	6.8	_
HSE 70	-	_	_	120	9.3	
HS 82 R (24")		22.7/1.4	0.7/0.94	-	11.9	15.6
HS 82 T (24")		22.7/1.4	0.7/0.94	_	11.2	15.6
HS 82 R (30")		22.7/1.4	0.7/0.94	_	12.6	15.6
HS 82 T (30")		22.7/1.4	0.7/0.94	_	11.7	15.6
NEW! HSA 100	AP :	-	_	36	7.7	_
SIZABLE JOBS, EXTENDED TRIMMING TIMES						
HS 87 R (30")		22.7/1.4	0.7/0.94	-	12.1	15.6
HS 87 T (30")		22.7/1.4	0.7/0.94	-	11.5	15.6
HS 87 T (40")		22.7/1.4	0.7/0.94	-	12.1	15.6
HSA 130 R	AP)	-	-	36	9.0	_
HSA 130 T	AP)	-	_	36	8.6	-
EXTENDED-REACH HEDGE TRIMMERS					ı	
HL 56 K (O°)		27.2/1.66	0.8/1.07	-	12.6	11.5
HLA 56	AK)	_	_	36	8.4	_
HLA 66	AP)	-	-	36	8.1	-
HLA 86	AP)	_	_	36	10.6	_
HL 91 K (0°)		24.1/1.5	0.9/1.2	-	11.9	18.3
HL 94 K (O°)		24.1/1.5	0.9/1.2	_	12.1	18.3
HL 94 K (145°)		24.1/1.5	0.9/1.2	-	12.8	18.3
HL 94 (145°)		24.1/1.5	0.9/1.2	-	13.7	18.3
HLA 135 K (O°)	AP	-	-	36	10.4	-
HLA 135 K (145°)	AP)	-	-	36	11.5	_
HLA 135 (145°)	AP	-	-	36	12.4	-

[●] Standard ○ Optional − Not Applicable *Dry weight.

Blade Length (cm/in.)	Blade Type - Single-Sided/ Double-Sided	Strokes Per Minute	Cutting Head - Articulated/Fixed	STIHL Anti-Vibration System	STIHL Easy2Start™	Rear Swivel Handle	Simplified Starting	Multi-Function Control Handle	Telescoping Pole	Caring for Nature	Made in America
SI 1 20/70										_	
Shrub: 20/7.9 Grass: 12/4.7	Double	2,200	Fixed	-	-	-	-	-	-		_
50 / 20	Double	2,500	Fixed	_	_	-	-	•	_		_
46 / 18	Double	3,700	Fixed	•	_	-	-	-	_	-	_
56 / 22	Double	3,640	Fixed	•	•	-	•	•	_		
50.8 / 20	Double	3,400	Fixed	_	_	_	-	-	_		_
50 / 20	Double	2,800	Fixed	_	-	-	-	-	_		_
45 / 18	Double	2,800	Fixed	_	_	_	_	•	_	<u></u>	_
61 / 24	Double	3,640	Fixed	_	_	-	•	•	_		
60 / 24	Double	3,000	Fixed	_	_	-	-	-	_		_
50 / 20	Double	3,000	Fixed	-	-	-	-	-	-		-
61 / 24	Double	3,200	Fixed	_	_	-	-	-	_	(a)	_
61 / 24	Double	3,100	Fixed	•	_	•	•	•	_		_
61 / 24	Double	5,100	Fixed	•	_	•	•	•	_		_
76.2 / 30	Double	3,100	Fixed	•	-	•	•	•	-	(a)	-
76.2 / 30	Double	5,100	Fixed	•	_	•	•	•	_		_
60/23.6	Double	3,000	Fixed	-	_	-	-	-	_	(a)	_
76.2 / 30	Single	3,100	Fixed	•	_	-	•	•	_	(a)	_
76.2 / 30	Single	5,000	Fixed	•	_	_	•	•	_		_
101.6 / 40	Single	5,000	Fixed	•	_	-	•	•	_		_
60 / 24	Double	2,800/3,000 /3,200	Fixed	_	_	•	_	•	_		_
60 / 24	Double	4,400/4,700 /5,000	Fixed	-	_	•	_	•	_		_
50 / 20	Double	-	Fixed	-	-	-	•	•	-	&	
45.7 / 18	Double	2,800	Articulating	_	_	_	_	_	_		_
50.8 / 20	Double	3,000	Articulating	-	-	-	-	-	-		_
50 / 20	Double	3,000	Articulating	_	_	_	_	_	•		_
60 / 24	Double	3,900	Fixed	•	_	-	•	•	-		
60 / 24	Double	3,900	Fixed	•	_	-	•	•	_	(a)	
60 / 24	Double	3,600	Articulating	•	_	-	•	•	-	(a)	
60 / 24	Double	3,600	Articulating	•	_	-	•	•	_	&	_
60 / 24	Double	3,200/3,600 /4,000	Fixed	-	_	-	-	-	-	(a)	
60 / 24	Double	3,200/3,600 /4,000	Articulating	_	_	_	_	-	_		
60 / 24	Double	3,200/3,600 /4,000	Articulating	-	-	-	-	-	-		
		, .,									





WEEKLY USE AROUND BEDS & DRIVEWAYS

We designed our blowers for quick and easy yard cleanup.

Our lightweight blowers are a breeze to use and can power through cluttered yards and walkways without hesitation.





BGA 45



Part of the AI Line, the battery-powered BGA 45 provides the power urban homeowners need at an incredible value.



A perfect choice for homeowners seeking premium STIHL quality, the BG 50 boasts the highest power-to-weight ratio in the STIHL gasoline-powered handheld lineup.



The BG 56 C-E is easy to use, features the STIHL Easy2Start™ system and its high-performance engine makes quick work of leaves.



SH 56 C-E







The fuel-efficient SH 56 C-E is a shredder vac/blower with the convenience of the STIHL Easy2Start™ system.



AK

SHA 56

The first shredder vac/blower in the AK System is a versatile tool that delivers the high performance and dependability of two STIHL products in one.





BGA 57

AK)



Part of the AK System, the battery-powered BGA 57 blower delivers powerful STIHL performance combined with great control and comfortable operation.





BGE 61



Quiet and easy to use, the BGE 61 is part of a generation of lightweight, powerful corded-electric leaf blowers.



NEW

BGA 60



The most powerful blower in the STIHL AK Battery System, the BGA 60 combines excellent blowing force with a range of features for comfort and convenience.





BGE 71



The BGE 71 is a versatile, two-speed corded-electric blower for high or low speed and noise control.

LARGER AREAS & NUMEROUS TREES

Our hardworking handheld and backpack blowers deliver power, comfort, durability, and no-fuss ease of use to tackle larger yards and jobs.





Ideal for use in neighborhoods or other noise-sensitive areas, the BG 66 L is quiet, yet powerful.



BGA 86





A powerful, lightweight battery-powered blower, the BGA 86 features 50% more blowing force than the previous model (BGA 85).



BG 86



The BG 86 has earned the title of our most powerful gasoline-powered dedicated handheld blower, designed for landscaping professionals.



BG 86 C-E





The BG 86 C-E is our most powerful gasoline-powered dedicated handheld blower, made even better with STIHL Easy2Start[™] technology.



SH 86 C-E



The professional SH 86 C-E easily converts from a shredder vac into a handheld blower and features STIHL Easy2Start™ technology.



BGA 100







The BGA 100 variable-speed throttle trigger features three performance settings plus a boost mode to deliver great blowing power and run time.



BGA 200







High performance in a battery package, the BGA 200 is the most powerful handheld battery-powered blower in the STIHL range.



BR 200



The BR 200 is a lightweight, professional-grade backpack blower for use around the home.





NEW BGA 300





The BGA 300 backpack blower is the most powerful battery blower in the STIHL lineup. It features a patented noise reduction system as well as long run times with little to no maintenance for efficient operation.

PROFESSIONAL JOBS & EXTENDED BLOWING TIMES

Our professional backpack blowers are ergonomically designed to reduce vibration and increase comfort.

Most importantly, they provide reliable power - a necessity when you're using our blowers all day, every day.





BR 350





BR 350 provides rugged power to tackle heavy debris, while



delivering exceptional fuel economy.

BR 430



A professional-grade backpack blower with the features pros need to get the job done, the BR 430 provides excellent fuel economy and comfort.



BR 450





A professional 2-stroke backpack blower, the BR 450 has plenty of power to get the job done.



BR 500





Reduce the noise without sacrificing the power; the BR 500 features a powerful, low-emission engine and specially designed muffled blower tube.



BR 700





The BR 700 blower with adjustable tube length is one of the most powerful blowers in the STIHL range and reduces bottom-line costs with its fuel-efficient engine.



BR 800 X MAGNUM®



The BR 800 X MAGNUM® offers maximum power in a lighter weight version of the BR 800 C-E MAGNUM® to tackle large properties.



BR 600







An all-in-one backpack blower, the BR 600 combines power, fuel efficiency and durability.



BR 700 X







The powerful, professional BR 700 X features a flexible pleated connecting hose and fixed-length lightweight tube.



BR 800 C-E MAGNUM®









The most powerful blower in the STIHL line, the BR 800 C-E MAGNUM® features a starting handle on the side of the unit, allowing users to start and restart the engine while wearing the blower on their back.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)	Fuel Capacity (oz.)	Sound Pressure Level - dB(A)**	Maximum Air Velocity (mph)**	Air Volume at Nozzle (cfm)**	Blowing Force / Newtons***	
WEEKLY USE AROU	ND BE	DS AND DR	IVEWAYS	ı			ı	ı		ı	
BGA 45	AI:	-	_	18	4.4	-	60	98	247	5	
BG 50		27.2/1.66	0.7/0.9	-	7.9	14.5	70	159	412	13	
BG 56 C-E		27.2/1.66	0.7/0.9	_	9.3	18.3	70	159	412	13	
SH 56 C-E		27.2/1.66	0.7/0.9	-	11.5	18.3	70	159	412	13	
SHA 56	AK)	_	_	36	S:9.3 B:7.1	_	62	125	328	8	
BGA 57	AK	_	_	36	5.1	-	59	123	365	9	
NEW! BGA 60	AK:	_	_	36	5.0	-	56	154	459	13/151	
BGE 61	-	_	_	120	6.8	-	64	148	285	9	
BGE 71	*	_	_	120	6.8	-	58/64	L:119/H:148	L:232/H:285	L:6/H:9	
LARGER AREAS, NU	MERO	US TREES									
BG 66 L		27.2/1.66	0.6/0.8	-	9.7	18.3	65	139	371	10	
BGA 86	AP	-	-	36	6.2	-	58	154	459	15	
BG 86		27.2/1.66	0.8/1.07	_	9.7	14.9	70	F:190/R:154	F:365/R:444	15	
BG 86 C-E		27.2/1.66	0.8/1.07	-	9.9	14.9	70	F:190/R:154	F:365/R:444	15	
SH 86 C-E		27.2/1.66	0.8/1.07	_	12.3	14.9	70	170	444	15	
BGA 100	AP	-	-	36	5.5	-	56¹	168¹	494¹	171	
BGA 200	AP:	_	_	36	7.1	_	59¹	188¹	553¹	211	
NEW! BGA 300	AP:	-	-	36	16.5	-	59¹	192²	571²	26 ²	
BR 200		27.2/1.66	0.8/1.07	_	12.6	35.5	70	150	400	12	
BR 350		63.3/3.86	2.1/2.8	-	22.0	57.5	74	201	436	17	
PROFESSIONAL JOI	BS, EX	TENDED BL	OWING TI	MES							
BR 430		63.3/3.86	2.9/3.9	-	22.3	57.5	76	219	500	26	
BR 450		63.3/3.86	2.9/3.9	-	23.4	57.5	77	219	642	28	
BR 500		64.8/3.95	2.0/2.7	-	22.3	47.3	65	207	544	22	
BR 600		64.8/3.95	2.8/3.8	-	21.6	47.3	75	238	677	32	
BR 700		64.8/3.95	2.8/3.8	-	23.4	47.3	75	197	912	35	
BR 700 X		64.8/3.95	2.8/3.8	-	23.0	47.3	75	193	901	34	
BR 800 C-E MAGNUM®		79.9/4.9	3.2/4.4	-	25.8	67.6	78	239	912	41	
BR 800 X MAGNUM®		79.9/4.9	3.2/4.4	_	23.1	67.6	78	239	912	41	



^{*}Dry weight.

**As measured per ANSI B175.2 standard (gasoline-powered blowers only).

***Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

IMeasurements in Boost mode. 2Boost mode with AR 3000 L.

									BLOW	BLOWERS & SHREDDER VACS			
Round Nozzle	Flat Nozzle	Curved Round Nozzle	Anti-Vibration System	STIHL Easy2Start [™] (E)	STIHL ElastoStart™	Low-Noise Sound Damper (L)	Hip Belt	Lightweight Version (X)	Adjustable Tube	Toolless Adjustable Handle	Caring for Nature	Made in America	
•	-	-	-	-	-	-	-	-	-	-		_	
•	-	-	-	_	-	-	-	-	-	-	-		
•	-	-	-	•	-	-	-	-	-	-	-		
•	_	-	-	•	-	-	-	-	•	_	-		
•	0	-	-	-	-	-	-	-	•	_	-	-	
•	0	-	-	_	_	-	_	-	•	-	(a)		
•	-	-	-	-	-	-	-	-	•	_	(a)	-	
-	•	-	-	-	-	-	-	-	•	-		-	
-	•	_	-	-	-	-	-		•	_			
•	_	_	-	_	_	•	-	-	•	_	-		
•	0	-	-	_	_	-	-	-	•	_		_	
•	•	_	•	_	_	_	-	-	•	_	-		
•	•	_	•	•	_	-	_	-	•	-	-		
•	_	_	•	•	_	_	_	-	•	_	-		
•	0	_	_	_	_	-	_	-	•	_		_	
•	0	_	_	_	_	_	_	_	•	_			
•	0	-	-	_	-	-	_	-	•	_		-	
•	_	0	•	_	_	_	_	-	•	_	-		
•	0	-	•	_	_	-	0	-	•	_		_	
•	0	0	•	_	•	-	0	-	•	_	-	-	
•	_	0	•	_	_	-	0	-	•	•	-		
•	_	0	•	_	_	•	0	-	•	•			
•	0	0	•	_	-	-	0	-	•	_			
•	0	0	•	-	-	-	0	-	•	•	&		
•	_	_	•	_	_	-	0	•	-	•	&		
•	0	0	•	•	_	-	•	-	•	•			
•	_	_	•	_	_	-	•	•	•	•			

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit **STIHLusa.com**. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



SPRAYERS

Landscaping sprayers designed for liquid or granular dispersants.





SG 11

The versatile SG 11 is great for the garden or farm and features a translucent tank for managing liquid levels.



SG 20

The 18-liter SG 20 maintains constant working pressure and is comfortable and lightweight, helping professionals get through the day with less fatigue.



SG 31

The easy-to-use SG 31 is powerful, easily portable and equipped with a 5-liter tank to tackle user's spraying tasks.



JU 51

The SG 51 manual backpack sprayer is a lightweight and versatile tool that combines smart design with functionality, making it dependable and easy to use.

Туре	
Source	
Power	

Displacement (cc/cu. in.)

Engine Power (kW/bhp)

Weight (lbs.)*

Fuel Capacity (oz.)

Container/Tank

ir Velocity m/sec / mph) Air Volume (m³h/cfm)
Maximum Spray Rang
- Horizontal (m/ft.)

Maximum Spray Rang - Vertical (m/ft.) Simplified Starting Procedure

Pressure Pump Pre-installed Translucent Fuel Tank Variable Speed Throttle Lock Variable Control of Liquid Discharge Caring for Nature

Americ
.⊑
ade

MANUAL SPRAYERS																	
SG 11	Manual	_	-	1.0	-	1.5/0.4	-	_	_	-	-	-	_	_	_	-	_
SG 20	Manual	-	_	11.2	_	18.0/4.75	_	_	_	_	_	_	_	-	_	_	_
SG 31	Manual	-	-	4.0	-	5.0/1.32	-	-	-	-	-	_	-	-	-	_	-
SG 51	Manual	-		9.9	-	12.0/3.17	-	-	_	-	_	-	_	_	_	-	_
SG 71	Manual	-	-	10.6	-	18.0/4.76	_	_	-	-	_	_	_	_	_	_	_
POWER SPRA	YERS																
SGA 85	AP:	-	-	13.7	_	17.0/4.5	_	-	-	-	_	_	_	-	_	_	_
SR 200		27.2/1.66	0.8/1.07	18.7	36.5	10.0/2.1	81/181	580/341	9.0/29.5	5.5/18.0	•	0	•	•	•	_	
SR 430		63.3/3.86	2.9/3.9	27.3	57.5	14.0/3.7	90/201	920/542	14.5/48.0	13.0/43.0	•	•	•	•	•	_	-
SR 450		63.3/3.86	2.9/3.9	28.2	57.5	14.0/3.7	90/201	920/542	14.5/48.0	13.0/43.0	•	0	•	•	•	_	_

[●] Standard ○ Optional − Not Applicable

^{*}Dry weight.



SG 71

The SG 71 manual backpack sprayer gives professionals a versatile and reliable option that leverages smart design with great functionality.



SGA 85

AP :

The SGA 85 is the first commercial grade battery-powered sprayer in the STIHL line to deliver a large spraying range to treat large areas.



SR 200



The lightweight SR 200 delivers more power than a manual sprayer and is ideal for small tree farms or vineyards.



SR 430



The powerful, fuel-efficient, liquid-only SR 430 delivers a large spraying range, reducing the time it takes to treat large areas. Comes standard with pressure pump kit.



SR 450



Ideal for distributing liquid or solid compounds, the SR 450 converts from misting to dusting applications without any special tools or additional equipment.

SPRAYER ACCESSORIES

(FOR SR 200, SR 430 AND SR 450)

PRESSURE PUMP KIT:

Provides constant delivery rate and recirculates liquid in holding tank.



LOW VOLUME NOZZLE:

For precise metering of liquids when low flow rates are needed.



TUBE EXTENSION:

Extends spraying tube for additional reach. (Only applicable for the SR 430 and SR 450)





VACUUMS

Our vacuums have what you need to make your cleanups faster, quieter and cleaner than ever.





The SEA 20 battery-powered vacuum and its standard attachments allow cleanup in the tightest spaces.

A5




SE 33

An economic model with the same motor output and suction as the SE 62, the SE 33 corded wet/dry vacuum cleaner gives users great performance at an excellent price point.

	Power Source Type	Voltage (V)	Motor Output (kW/amps)	Weight (lbs.)*	Suction (mbar/in ${ m H_2O})$	Air Flow (L/min / cfm)	Container Capacity (L/gal.)	Suction Hose Length (m/ft.)	Power Cord Length (m/ft.)	Hose Diameter (mm)	Standard with Universal Nozzle and Crevice Tool	Wet/dry Vacuuming Options	Switchable Floor Nozzle	Handle with Quick Release Coupling	Multiple Filter System	Caring for Nature	
VACUUMS																	
NEW! SEA 20	<i>A5</i>	10.8	-	2.4	80	1,020/36	-	-	-	_	-	-	_	_	-	_	
SE 33	-	120	1.0/8.3	11.7	210/84	3,600/127	12.0/3.2	2.0/6.6	4.0/13.1	32	0	•	•	-	•	-	
SE 62	-	120	1.0/8.3	16.5	210/84	3,600/127	20.0/5.2	2.5/8.2	5.0/16.4	32	•	•	•	_	•	_	
SE 122	-	120	1.2/10.0	26.7	250/100	3,700/130	30.0/7.9	3.0/9.8	7.5/24.6	36	•	•	•	•	•	-	

[●] Standard ○ Optional − Not Applicable *Dry weight.





SE 62

The rugged and quiet SE 62 is perfect for use around the home or workshop, and can be converted to a blower for additional cleaning tasks.



The professional SE 122 can tackle the toughest jobs with its universal wet/dry suction head and foot-activated, height-adjusted head.

PRESSURE WASHERS

Pressure washers designed for make jobs easier and impeccable.





NEW

RE 80





The easy-to-use RE 80 delivers plenty of power for occasional use around the home, and comes standard with multiple nozzles for versatile cleaning applications.



RE 100 PLUS





CONTROL

Powerful pressure washer for homeowners features a 3-in-1 spray nozzle, three power settings on a handy control panel, and an integrated detergent tank so you don't have to switch nozzles for the detergent setting.



NEW **RE 90 PLUS**





The RE 90 PLUS provides plenty of power for use around the home, and comes with an integrated pressurized hose reel that allows homeowners to use its 23' high-quality hose to work around any object.



RE 110 PLUS





With an integrated pressurized hose reel that allows homeowners to easily wind and unwind its 23' highquality hose, the RE 110 PLUS corded-electric pressure washer delivers 2,000 psi water pressure for powerful cleaning from its brushless electric motor.



RE SERIES PRESSURE WASHER ACCESSORIES



ROTARY SURFACE CLEANER

4910 500 3911

Quick and easy cleanup for large, flat surfaces. Ideal for delivering a thorough cleaning to driveways, decks, sidewalks, and more.



ROTARY WASHING BRUSH

4910 500 5910

With its rotating inner brush and adjustable working angle, the Rotary Washing Brush is ideal for cleaning vehicles, boats, recreational vehicles, outdoor furniture, and other exterior surfaces.



23' EXTENSION HOSE

4910 500 0801

High-pressure hose is easy to coil and resists tangling. It can be used as a replacement or extension hose.



FOAM NOZZLE

4910 500 9600

Designed to spray pressure washer detergents into a rich lathery foam allowing it to cling to vertical and horizontal surfaces.



SPRAY LANCE EXTENSION

4190 500 0900

Gives you an additional 16" of reach, allowing you to take on more jobs and keep things even cleaner.



CURVED SPRAY LANCE

4910 500 1910

Offers a longer shaft, giving you access to hard-to-reach places like the under-body of wheel arches.



VEHICLE CLEANING KIT

4910 500 6111

Consisting of a wash brush, 90° angled nozzle and flat-jet nozzle, the cleaning kit is designed for cleaning automobiles, boats, recreational vehicles, and more.



HOSE CASSETTE

4910 500 8601

Built to connect the high-pressure cleaner to the water faucet, the Hose Cassette can also be used as a regular garden hose.

HOSE CASSETTE BRACKET*

4950 790 5400

This mounting bracket allows for easy installation of the hose cassette onto the back of the RE 110 PLUS.

*Only for use with the RE 110 PLUS.



OTHER RE SERIES PRESSURE WASHER ACCESSORIES								
All-Purpose Cleaner	7100 871 0274							
Deck and House Wash	7100 871 0275							
Heavy Duty Degreaser	7100 871 0276							

Note: RB and RE accessories are not interchangeable.



RE 110 PLUS

"I love my pressure washer! It's so easy to use & washed the mud off my Jeep no problem!"



Check out this review and others on the product pages at STIHLusa.com.

For full specification information for all STIHL pressure washers, please refer to page 123.





RB 200



The RB 200 features an easy start pump system and delivers 2,500 psi of water pressure to tackle tough cleaning jobs on sidewalks, driveways, decks, and more.



RB 800



The most powerful pressure washer in the STIHL line, the RB 800 boasts 4,200 psi of water pressure and is designed for heavy-duty commercial use.



RB 400 DIRT BOSS®





When you need to demolish dirt, the RB 400 DIRT BOSS® combines excellent performance, delivering 2,700 psi of water pressure with renowned STIHL durability.



RB 600



The RB 600 features 3,200 psi of water pressure and a commercial-grade Triplex pump, tackling heavy-duty projects with ease.

RB SERIES PRESSURE W	Connector		Part Number
25 ft. High Pressure Hose Extension	M22	200, 400	4925 500 0817
40 ft. High Pressure Hose Extension	QC	600	4925 500 0809
50 ft. High Pressure Hose Extension	QC	600, 800	4925 500 0811
High Pressure Spray Gun	M22	200, 400	4789 500 1300
High Pressure Spray Gun w/Grip	QC	600, 800	4791 500 1300
19.75 in. Spray Lance	QC	200, 400, 600	4915 500 0938
34 in. Spray Lance	QC	200, 400, 600, 800	4915 500 0943
48 in. Spray Lance Extension	QC	200, 400, 600, 800	4915 500 0300
Spray Lance Coupler	QC	200, 400, 600, 800	4900 500 6704
Pivot Coupler	QC	200, 400, 600, 800	4789 500 6700
2.7° Detergent Nozzles (3-Pack - 15°, 25°, 65°)	QC	200	4789 007 1000
3.0° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)	QC	400	4790 007 1000
3.3° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)	QC	600	4791 007 1000
3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)	QC	800	4792 007 1000
Long-Range Detergent Nozzle	QC	200, 400, 600, 800	4900 502 1023
Multi-Function Nozzle (6 Patterns, 4,200 psi)	QC	200, 400, 600, 800	4900 502 1022
Rotating Nozzle (3,000 psi)	QC	200, 400	4900 500 1646
Rotating Nozzle (5,100 psi)	QC	600, 800	4900 500 1642
Gutter Cleaner	QC	200, 400, 600, 800	4789 007 1008
Water Broom	QC	200, 400, 600, 800	4789 500 3900
Rotary Surface Cleaner	QC	200, 400, 600, 800	4900 500 3904
All-Purpose Cleaner	-	200, 400, 600, 800	7100 871 0274
Deck and House Wash	-	200, 400, 600, 800	7100 871 0275
Heavy Duty Degreaser	-	200, 400, 600, 800	7100 871 0276
30W Pump Oil, Non-Detergent, 1 L	-	400, 600, 800	0797 210 3006
10W/30 Tech4Plus Engine Oil	_	200, 400, 600, 800	7010 319 0001
Winterization Kit	-	200, 400, 600, 800	0797 010 2058

Note: RB and RE accessories are not interchangeable.

RB SERIES PRESSURE WASHER ACCESSORIES



ROTATING NOZZLE 3000 PSI

Rotating zero-degree nozzle for aggressive cleaning of stubborn stains.



LONG-RANGE DETERGENT NOZZLE

Apply detergent to hard-to-reach areas.



ROTATING NOZZLE 5100 PSI

Rotating zero-degree nozzle for aggressive cleaning of stubborn stains.



MULTI-FUNCTION NOZZLE

Features six spray patterns: 0°, 15°, 25°, 40°, soap and rinse all in one nozzle.



ROTARY SURFACE CLEANER

Quick and easy cleanup for large surfaces. Ideal for sidewalks and driveways.

Tip: Follow up with the water broom for quick cleanup.



CLEANER

Gutter cleaner allows you to clean the inside of a gutter from the ground.





PIVOT COUPLER

Adjusts to three different angles for hard-to-reach areas.

PRESSURE WASHERS

NEW! RE 80



ALUMINUM 48" SPRAY LANCE EXTENSION

Add an extra 4' of reach with this lightweight aluminum spray lance.



25' HIGH-PRESSURE HOSE EXTENSION

Ultra-flexible high-pressure hose is easy to coil and resists tangling and kinking. It can be used as a replacement or extension hose.



50' HIGH-PRESSURE HOSE EXTENSION

Steel-braided high-pressure hose can be used as a replacement or as an extension hose.

Power Source Type

Displacement (cc/cu. in.`

Engine Power (kW/hp)

Weight (lbs.)*

16.5

Water Pressure (psi)

Water Flow (gpm)

1.2

4.0

Fuel Capacity (oz.)

iose Length (ft.)

16.4

50

1,920

16,800

 ${\sf Stainless}$

Ceramic

Start Pump System

Adjustable Pressure Comes with

Jetergent njection System

Injection	Caring	
	(a)	
)	(a)	

NEW! RE 90 PLUS	-	-		19.7	_	1,800	1.2	19.7	2,160	Stainless Steel	_	_	•	_	(4)
NEW! RE 100 PLUS CONTROL	-	_	_	19.8	_	1,800	1.2	23	2,160	Stainless Steel	_	_	_	•	
RE 110 PLUS	-	_	_	42.0	_	2,000	1.2	23	2,400	Stainless Steel	_	_	•	-	
RB 200		173/10.6	3.7/5.0	62.5	1.5	2,500	2.3	25	5,750	Stainless Steel	•	_	_	•	-
RB 400 DIRT BOSS®		196/12.0	4.8/6.5	90.0	3.8	2,700	2.7	25	7,290	Ceramic Coated	•	_	_	•	-
RB 600		208/12.7	5.2/7.0	118.0	4.2	3,200	3.0	40	9,600	Ceramic Coated	•	•	_	•	-

4,200

1,600

RB 800

168.0

7.4


10.5/14.0

429/26.2

[●] Standard — Not Applicable

^{*}Dry weight.







KM 56 RC-E







The versatile KM 56 RC-E features a powerful and low-emission STIHL engine and the STIHL Easy2Start[™] system makes starting almost effortless.





KM 94 R

The professional KM 94 R features the innovative ECOSPEED throttle set wheel. allowing the user to set the most effective throttle speed for a particular job and attachment.



KM 111 R







The KM 111 R features a powerful, low-emission engine and offers simplified starting with its semi-automatic choke lever.



KM 131 R







The most powerful KombiMotor in the STIHL range, the KM 131 R has 33% more engine power than the KM 111 R.



KMA 135 R





Maximize your productivity with the versatile KMA 135 R, a battery-powered KombiMotor that delivers professional performance to rival its gas-powered counterpart.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Optional Attachments - Number Available	STIHL Easy2Start™	STIHL Anti-Vibration System	Loop Handle	Multi-Function Control Handles	Electronic Ignition Module	IntelliCarb™ Compensating Carburetor	Caring for Nature	Made in America
KM/KMA SERIES KC	МВІМ	OTORS													
KM 56 RC-E		27.2/1.66	0.8/1.07	_	9.5	11.5	13	•	_	•	•	•	-	(4)	
KM 91 R		28.4/1.73	0.95/1.27	_	9.7	24.0	15	_	•	•	•	•	•		
KM 94 R		24.1/1.47	0.9/1.2	-	8.8	18.3	15	_	•	•	•	•	-		
KM 111 R		31.4/1.9	1.05/1.4	_	9.7	24.0	15	_	•	•	•	•	•		
KM 131 R		36.3/2.2	1.4/1.9	-	9.7	24.0	14	-	•	•	•	•	•		
KMA 135 R	AP]	_	-	36	7.5	_	14	_	_	•	•	_	_		
STIHL YARD BOSS®															
MM 56 C-E		27.2/1.66	0.85/1.14	_	21.8	11.5	10	•	-	_	•	•	•	_	

[●] Standard ○ Optional − Not Applicable

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability. Note: STIHL KM Series KombiMotors and STIHL YARD BOSS® power tools are designed to work with a variety of attachments.

^{*}Dry weight and powerhead only.



KOMBI ATTACHMENTS



HL-KM O° STRAIGHT HEDGE TRIMMER

Tackle hard-to-reach hedges with the efficient, fixed-angle $\ensuremath{\text{O}}^\circ$ attachment.

Optional HT/HL CFK shaft extension available.

HL-KM 145°

ADJUSTABLE HEDGE TRIMMER

Features an adjustable 145° working range, allowing cuts at different angles. Available in 20" or 24" blade.

Optional HT/HL CFK shaft extension available.

Weight (kg/lbs.)

		1101g110 (Ng) 1501)
KOMBIS	YSTEM ATTACHMENTS	
BF-KM	MINI-CULTIVATOR	4.1/9.0 ¹
BG-KM	BLOWER	1.8/4.0
FBD-KM	BED REDEFINER	3.5/7.7
FCB-KM	CURVED LAWN EDGER	2.2/4.9 ²
FCS-KM	STRAIGHT LAWN EDGER	2.6/5.7 ²
FS-KM	BRUSHCUTTER WITH 4-TOOTH GRASS BLADE	1.2/2.6 3
FS-KM	LINE HEAD TRIMMER	1.2/2.6 3
FSB-KM	CURVED-SHAFT TRIMMER	0.95/2.1 2
FH-KM	145° ADJ. POWER SCYTHE	2.1/4.7
HL-KM	O° STRAIGHT HEDGE TRIMMER	1.6/3.5
HL-KM	145° ADJ. HEDGE TRIMMER	2.3/5.1
нт-км	POLE PRUNER (10" BAR)	1.9/4.24
нт-км	POLE PRUNER (12" BAR)	1.9/4.2 4
КВ-КМ	BRISTLE BRUSH	6.4/14.11
KW-KM	STIHL PowerSweep™	7.4/16.3 1
RG-KM	RECIPROCATOR	2.5/5.5

¹ With deflector

Note: Weights shown are for attachments only. For powerhead weights, refer to charts on page 126. **Note:** Specifications are as of Oct. 1, 2022.

For most recent updates, visit **STIHLusa.com**.



FH-KM 145°

ADJUSTABLE POWER SCYTHE

Ideal for precise weed and grass trimming and features a 145° working range.



RG-KM

RECIPROCATOR

Reciprocating action of the blades may reduce the risk of thrown objects while working. Ideal for use in high-traffic areas, and around golf course bunkers, ponds, lakes, and ditch banks.

Not for use with KM 56 RC-E.



FSB-KM

CURVED SHAFT TRIMMER

Designed for greater user comfort and control for trimming around yards.

Not for use with KM 131 R or KMA 135 R.



FS-KM

BRUSHCUTTER WITH 4-TOOTH GRASS BLADE

Features a 4-tooth cutting blade for weeds and thick, tough grass.



FCB-KM

CURVED LAWN EDGER

Features an adjustable depth-control wheel for edging along walkways and planting beds.

² With cutting tool and deflector

³ Without cutting tool, without deflector

⁴ Without bar and chain



FCS-KM

STRAIGHT LAWN EDGER

Features an open deflector design for cleaning up edges with more power.



BF-KM

MINI-CULTIVATOR

Ideal for flower bed rejuvenation and mixing amendments into the soil.



KW-KM

STIHL POWERSWEEP™

Heavy-duty rubber flaps clean up caked dirt on concrete, move pebbles and sand from turf, and water and light snow from hard, flat surfaces.



BG-KM

BLOWER

Delivers the power needed for quick debris removal for outdoor cleanup projects.



FBD-KM

BED REDEFINER

Gives bed edges a professional, manicured finish.

Not for use with KM 56 RC-E.



HT-KM

POLE PRUNER

Makes quick work of pruning trees and shrubs.

Optional HT/HL CFK shaft extension available. Available with 10" or 12" bar.



KB-KM

BRISTLE BRUSH

Wide sweeping surface makes quick work of big sweeping jobs.



FS-KM

LINE HEAD TRIMMER

Delivers great maneuverability for trimming around landscape obstacles.



HT/KM

SHAFT EXTENSION

When tall branches and shrubs are out of reach, this shaft extension lengthens the reach of your pole pruner attachment.



HT/HL-KM CFK

SHAFT EXTENSION

A 37" carbon-fiber shaft extension for HT and HL applications. Extremely lightweight - less than 2 lbs.

YARD BOSS°

When you need to multi-task in the garden.





MM 56 C-E YARD BOSS®

"Great machine...so easy to use. Very happy with the purchase...can't wait to get additional attachments for it."



Check out this review and others on the product pages at **STIHLusa.com.**



MM 56 C-E YARD BOSS®



The MM 56 C-E YARD BOSS® is an easy-to-use, multi-tasking tool equipped to meet specific property needs. It comes standard as a cultivator and easily transitions to any of its eight optional attachments.

°Made in America of U.S. and foreign materials.

Attachments and accessories sourced internationally.

YARD BOSS® ATTACHMENTS



RL-MM LAWN AERATOR

Rotating times are designed to promote water absorption and root health.



BK-MMBOLO TINES
CULTIVATOR

Cultivate deeper into the soil to prepare for planting.



KB-MMBRISTLE BRUSH

Make quick work of sweeping jobs on walkways and other paved surfaces.

Note: This attachment must be used with large deflector and extensions. Do not use on grass lawns.



FS-MM TRIMMER

Trim around the yard and tackle heavy weeds and tough growth.

Note: The FS-MM must be used with MM Wheel Kit.



FC-MM BED EDGER

Cut defined edges and separate the grass from the planting area.



MF-MM LAWN DETHATCHER

Remove dead grass and other material from the top of the lawn.

Note: This attachment must be used with large deflector and extensions.



KW-MM STIHL POWERSWEEP™

Heavy-duty rubber flaps clean up caked dirt on concrete, move pebbles and sand from turf and water and light snow from hard, flat surfaces.

Note: This attachment must be used with large deflector and extensions.



BF-MM
PICK TINES
CULTIVATOR

Break up weeds and hardened soil in the garden.

OPTIONAL ACCESSORIES



MM WEIGHT KIT

Provides additional weight for optimized attachment performance.



MM DEPTH GAUGE

Allows for variable working depths when using cultivator attachments.



MM WHEEL KIT

Delivers improved handling, transport and maneuverability with most attachments.





ZERO-TURN LAWN MOWERS

Built with trusted STIHL quality and superior engineering, the zero-turn lawn mowers are ready to take your lawn to the next level.

JOIN THE PURSUIT

WITH STIHL CUTTING POWER

A smooth ride. Reliable performance. The perfect cut. Whatever it is you're after, all-new zero-turn mowers from STIHL are here to help you in your pursuit. From cutting-edge STIHL innovation to durable construction, our full line of STIHL zero-turn mowers gives homeowners and pros the performance and precision they expect from STIHL with the power and reliability they demand. If you're ready to cut a new path forward, then we invite you to come along for the ride.







ADVANCED SUSPENSION

One of the premiere innovations of the professional line of STIHL zero-turn mowers is the advanced four-wheel suspension system with its mowing deck height compensation, allowing for a consistent cut and a smooth, stable ride.

ROBOTIC MOWERS BY STIHL.

Perfect lawn, and more time to enjoy your yard.



RMI 422 PC-L





The compact RMI 422 PC-L is ideal for lawns up to 0.42 acre by providing convenient, hassle-free lawn care.



iMOW[®] **DOCKING STATION CANOPY**

Shield your iMOW® from the sun and elements with a STIHL canopy.



RMI 632 PC-L





The RMI 632 PC-L features both a wider deck and a more powerful battery than the RMI 422 PC-L, and can automatically mow up to 1.24 acres.

					Fits Model(s)			Part Number				
IMOW® ROBOTIC LAWN MC	WER AC	CESSORI	ES									
Small Installation Kit - 164 yds. of		RMI	422, 632		6909 007 1053							
Large Installation Kit - 437 yds. of		RMI 632			6909 007 1054							
Docking Station Canopy		RMI 422, 632			6909 780 5401							
High Traction Wheels		RMI 422			6909 700 0425							
High Traction Wheels						RMI 632			6909 700 0412			
Weighted Front Wheels							RMI 422, 632			6909 007 1052		
Replacement Blade		RMI 422 P			6301 702 0101							
Replacement Blade		RMI 632 P Only			6309 702 0102							
ARB 151 Perimeter Wire - 164 yds. (3.4 mm)							_		0000 400 8633			
ARB 501 Perimeter Wire – 547 yds. (3.4 mm)							-		0000 400 8626			
AFN 075 Perimeter Wire Stakes						-			6301 007 1011			
ADV 010 Perimeter Wire Repair 0		-			6909 007 1090							
Care and Clean Kit - STIHL Multiclean, brush and microfiber towel							-			00		
Care and Clean Kit Plus - STIHL Multiclean, brush, 2x microfiber towel, and carrying case							-			05		
Standard – Not Applicable Under ideal conditions, based on he specified maximum lawn area.	Voltage (V)	Weight (lbs.)	Maximum Lawn Area (Acres)	Maximum Slope (Degrees)	Cutting Height Range (in.)	Cutting Width (in.)	Geofenced Mowing Area	STIHL iMOW® app	Recommended Weekly Mowing Duration for Maximum Lawn Size' (Hours)	Caring for Nature		
IMOW® ROBOTIC LAWN MOWE												
RMI 422 PC-L	18.5	19.8	0.42	22°	0.79 - 2.4	7.8	•	•	28			
RMI 632 PC-L	29	28.6	1.24	24°	0.79 - 2.4	11.0	•	•	50			



YOUR STIHL IMOW® DEALER PERFORMS THE INSTALLATION.

No one knows your iMOW® better than an authorized STIHL iMOW® robotic lawn mower dealer. They can give you the personal advice and professional installation you need, right from the start. From installation to maintenance, repairs and annual service, your STIHL iMOW® Dealer is your main resource for all your robotic mower needs.



STEP 1:

Your STIHL iMOW® Dealer makes a layout of the area to be mowed according to your instructions.



STEP 2:

Your STIHL iMOW® Dealer lays the perimeter wire...



STEP 3:

...and puts the docking station in position.



STEP 4:

Your STIHL iMOW® Dealer reviews the programming and sets the mowing plan with you to make any necessary adjustments.

Available in select markets only.

WALK-BEHIND LAWN MOWERS

Battery-powered lawn mowers designed to cut your grass - and your carbon emissions - down to size.





RMA 460





Part of the AK System, the RMA 460 walk-behind push lawn mower features a 19" deck and 15.85-gallon grass catcher, making it a great option for small yards.



RMA 460 V





The RMA 460 V is ideal for small, suburban yards, providing users with the ease and convenience of self propulsion.



MOW OFTEN

When you mow your lawn often, you're promoting a lush, more uniform lawn. Ideally, you should remove no more than a third of the grass length with each mowing. This will result in smaller-sized clippings, which act as a natural fertilizer for your lawn.



The RMA 510 walk-behind push lawn mower is part of the AP System and features a 21" deck, giving homeowners the performance of a gasoline-powered mower.



The RMA 510 V provides all the features and benefits of the RMA 510 with the added benefit of self propulsion.


	Power Source Type	Voltage (V)	Weight* (lbs.)	Deck Width (in.)	Cutting Width (in.)	Cutting Height Range (in.)	Grass Catcher Capacity (gal.)	Self-Propelled	Mulch Function	Side Discharge	Bagging Capable	Eco Mode	Ball Bearing Wheels	Central Height Adjustment	Caring for Nature
LAWN MOWERS															
RMA 460	AK	36	55.1	19.0	18.1	1.4 to 3.9	15.85	No	•	•	•	•	•	•	
RMA 460 V	AK)	36	61.8	19.0	18.1	1.0 to 3.9	15.85	Yes	•	•	•	•	•	•	
RMA 510	AP	36	59.5	21.0	20.0	1.4 to 3.5	19.8	No	•	•	•	•	•	•	
RMA 510 V	AP)	36	63.9	21.0	20.0	1.0 to 3.9	19.8	Yes	•	•	•	•	•	•	

Standard

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



 $^{{}^{*}\}mbox{Weight}$ is with bag, without mulch insert and side discharge chute.





PRUNING SAWS, POLE PRUNERS & SAWS

For clean and smooth cuts by hand.



PS 10 FOLDING SAW

Portable pruning saw features a 6" chrome-plated blade to cut branches up to 2" in diameter.



PS 30 FOLDING SAW

A curved 7" tapered ground blade provides precision cutting for branches 2" in diameter.



PS 40

PRUNING SAW

This 7" fixed blade with impulsehardened teeth can cut dense or frozen branches up to 2.5" in diameter.



PS 60 PRUNING SAW

Impulse-hardened blade teeth require less frequent sharpening and can tackle limbs up to 3" in diameter.



PS 70

ARBORICULTURE SAW

The 13" chemical-nickel blade makes this saw ideal for branches up to 4" in diameter.



PS 75

ARBORICULTURE SAW

This 13" saw works as a versatile attachment on the PP 600, 800 or 900 telescoping pole pruner.



PS 80

ARBORICULTURE SAW

The 16" nickel-plated blade makes this saw the ultimate attachment for the PP 600 or PP 800 pole pruner.



PS 90

ARBORICULTURE SAW

A 13" fixed-blade arboriculture saw for branches up to 4" in diameter.



SHARPENING FILE

Equipped to return your pruning saws to near-factory condition.

	PS 10	PS 30	PS 40	PS 60	PS 70	PS 90
PRUNING SAWS						
Cutting Capacity	2.0"	2.0"	2.5"	3.0"	4.0"	4.0"
Blade Length	6.0"	7.0"	7.0"	9.5"	13.0"	13.0"
Blade Style	Folding	Folding	Fixed	Fixed	Fixed	Fixed
Blade Shape	Straight	Curved	Straight	Straight	Curved	Curved
Blade Finish	CP	CP	CP/IH	CP/IH	CN	CP/IH
Resharpenable Blade	Yes	Yes	No	No	Yes	No
Overall Length	13.7"	14.8"	13.2"	16.0"	20.5"	19.0"



PP 101 EXTENDED-REACH PRUNER

Its 7' reach and ergonomic 180° revolving arm allow for precision cutting at almost any angle.

PP 600

TELESCOPING POLE

Lightweight and can be fitted with a lopper or saw head to reach 10' above the ground.

PP 800

TELESCOPING POLE

A lightweight telescoping pole easily extends from 7.1' to 18.4' for precision cutting.

PP 900

POLE PRUNER SET

A high-carbon, steel blade and two durable fiberglass poles with a working reach of 18' above the ground.

	PP 101	PP 600	PP 800	PP 900
EXTENDED-REACH POLE PRU	NERS			
Cutting Capacity - with Lopper	0.75"	1.25"	1.25"	1.25"
Cutting Capacity – with Saw Blade	_	4.0"	4.0"	4.0"
Blade Length	Pruners	12.0"	16.0"	13.0" or 16.0"
Blade Finish	CP	CP	CP	СР
Replaceable Blade	Yes	Yes	Yes	Yes
Pole Material	Aluminum	Aluminum	Aluminum	Fiberglass
Overall Length	7.0'	10.8' Max.	18.4' Max.	18.0' Max.*

 $^{^*}$ Comes standard with 12' pole. Optional 6' pole extends height to 18'. CP = Hard Chrome-Plated

	PS 75*	PS 80*	Lopper Head*
EXTENDED-REACH POLE ATT	ACHMENTS		
Fits Model	PP 600, PP 800, PP 900	PP 600, PP 800, PP 900	PP 600, PP 800, PP 900
Cutting Capacity	4.0"	4.0"	1.25"
Blade Finish	CN	СР	N/A
Replaceable Blade	Yes	Yes	Yes
Available Sheath, Scabbard or Cover	-	Scabbard	Cover

^{*}PS 75 and PS 80 require adapter to fit PP 900. See STIHL Price Book for PP 900 lopper head attachment. CN = Chemical Nickel CP = Hard Chrome-Plated

HAND PRUNERS, LOPPERS & HAND SHEARS

For precise cutting performance.

Pruners work best when sized to fit the user's hand. Use these symbols in selecting the best pruner to meet your needs.









PP 70 HAND PRUNER



Strong, yet precise, this hand pruner can handle anything from fine pruning tasks to twigs up to 0.8".



PP 10 HAND PRUNER



A lightweight, dependable hand pruner designed to tackle most pruning jobs.



PP 40 HAND PRUNER



Ideal for thicker twigs and stems, featuring a longer, wider blade that resists sap and can be re-sharpened.



PP 80 HAND PRUNER



Made for large hands, featuring a longer handle for comfort and improved grip, with a 1" cutting capacity.



PP 30 HAND PRUNER



Designed for smaller hands, a PVCcoated handle delivers the right grip for cutting twigs, vines and stems.



PP 60 HAND PRUNER



A high-quality hand pruner made exclusively for smaller hands and designed to tackle tough cutting jobs.



LEATHER SHEATH

Fits all hand pruners. Has belt clip and belt slots.



PRUNER, AXE AND TOOL SHARPENER

With a tungsten carbide blade and a highimpact nylon handle, this tool sharpens all STIHL Precision Series™ hand pruners, loppers, axes, and hatchets.

	PP 10	PP 30	PP 40	PP 60	PP 70	PP 80
HAND PRUNERS						
Cutting Capacity	0.8"	0.75"	0.8"	0.75"	0.8"	1.0"
Blade Shape	Straight	Offset	Offset	Offset	Offset	Offset
Blade Finish	СР	СР	СР	СР	СР	CP
Blade Lock - Quick Release	No	No	No	Yes	Yes	Yes
Resharpenable Blade	Yes	Yes	Yes	Yes	Yes	Yes
Replaceable Blade	Yes	No	No	Yes	Yes	Yes
User Hand Size	Med./8.0"	Sm./7.0"	Med./8.0"	Sm./7.0"	Med./8.0"	Lrg./9.0"

CP = Hard Chrome-Plated



PL 5 LOPPER

Strong, lightweight lopper with tubular steel handles and contoured grips for comfortable use.



PL 10 LOPPER

Light and portable 24" lopper with a specially curved cutting head for vines and branches up to 1.25".



PL 30 LOPPER

A medium-sized lopper with a specialized cutting head for tree pruning jobs up to 2" in diameter.



PL 40 LOPPER

Large, 32" aircraft aluminum handles provide pruning leverage for higher tree branches.

	PL 5	PL 10	PL 30	PL 40
LOPPERS				
Cutting Capacity	2.0"	1.25"	2.0"	2.0"
Blade Shape	Offset	Offset	Offset	Offset
Blade Finish	Alloy Steel	Alloy Steel	Alloy Steel	Alloy Steel
Handle Material	Steel	Aluminum	Aluminum	Aluminum
Resharpenable Blade	Yes	Yes	Yes	Yes
Replaceable Blade	Yes	Yes	Yes	Yes
Weight	2.75 lbs.	2.1 lbs.	2.5 lbs.	2.7 lbs.
Length	28.0"	24.0"	28.0"	32.0"



HEAVY-DUTY HEDGE SHEAR

Corrosion-resistant, cold forged steel 8.5" blades provide strength for all types of trimming and sculpting.



PRECISION HEDGE SHEAR

Professionally manicure and sculpt with ergonomic, shock-absorbent handles and 7" steel blades.



ADJUSTABLE HEDGE SHEAR

Nickel-plated, high carbon 6.75" blades and extendable handles designed for trimming tall bushes.

	Heavy-Duty	Adjustable	Precision
HEDGE SHEARS			
Cutting Capacity	0.375"	0.375"	0.375"
Blade Shape	8.5"	6.75"	7.0"
Blade Finish	Mirror Polished	Nickle Plated	Chrome Plated
Handle Material	Oak	Aluminum	Forged Aluminum
Resharpenable Blade	Yes	Yes	Yes
Replaceable Blade	No	No	Yes
Weight	1.8 lbs.	2.0 lbs.	1.7 lbs.
Length	22.0"	Adj. 28.0" - 41.5"	25.7"

AXES & FORESTRY TOOLS —

There is a right axe for your cutting task.





LOG STAND

Connects to a cant hook or log peavey for easy elevation while cutting.



TWISTED SPLITTING WEDGE

A 45° angle provides precision and leverage for splitting logs and firewood.



CANT HOOK

Features a heavy-duty body designed to grip and move logs in a wide range of sizes.



LOG PEAVEY

Ideal for turning heavy logs and features a steel spike for greater control over movement.



HOOKAROON

Features a non-slip grip and curved spike to firmly grab wood and drag with ease.



LOG CARRIER

Hinged hooks firmly grip large logs for easy transport.

WOODCUTTER HATCHET

Lightweight hatchet featuring a high-quality ash handle for comfort and durability.



Premium ash handle, oversized neck and fine-tuned balance - ideal for creating kindling and general use.

PRO UNIVERSAL FORESTRY AXE

A 5-piece head attachment system and a C60 steel head ideal for felling and limbing.

WOODCUTTER UNIVERSAL FORESTRY AXE

A well-balanced head and premium ash handle - excellent for felling and light-duty splitting.

PRO SPLITTING AXE

A lightweight axe with a premium American hickory wood handle and durable German-forged head.



A durable drop-forged steel head and precision-ground edge - ideal for driving wedges or splitting large logs.

PRO SPLITTING MAUL

An extra-large striking face designed to reduce misses and improve splitting performance.



Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com.



AUGERS & DRILLS

	Part Number
BT 131 EARTH AUGER BITS	
1.6" (40 mm) dia.	4313 680 2030
2.4" (60 mm) dia.	4313 680 2031
3.5" (90 mm) dia.	4313 680 2032
4.7" (120 mm) dia.	4313 680 2033
5.9" (150 mm) dia.	4313 680 2034
7.9" (200 mm) dia.	4313 680 2035
BT 131 PLANTING AUGER BITS	
5.9" (150 mm) dia.	4311 680 2515
10.2" (260 mm) dia.	4404 680 1900
BT 131 OTHER ACCESSORIES	
18" (450 mm) Extension	4313 680 2302
7/8" Square Drive Auger Adapter	4313 680 3901
1" Square Drive Auger Adapter	4313 680 3900



The BT 131 is assembled in America. Accessories sourced internationally.



BT 131 EARTH AUGER



The high-performance and lightweight BT 131 earth auger is the right solution for post-hole digging, fence installation, large planting projects, environmental restoration, and construction projects.

Note: Augers and bits sold separately.

BT 45 WOOD BORING DRILL





This portable, lightweight and gasoline-powered drill is ideal for occasional use in building or repairing bulkheads, fences or retaining walls.



Note: Augers and bits sold separately.

BT 45 EARTH AUGER DRILL





Ideal for mass flower plantings or deep root fertilization, the compact BT 45 earth auger drill helps users work through large amounts of soil quickly with less fatigue.




BT 45 with core drill adapter and water tank shown.

Note: The BT 45 planting auger is not for rocky, compacted soil or drilling large post holes.

Note: Augers and bits sold separately.





BORING DRILLS, A	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Weight* (lbs.)	Fuel Capacity (oz.)	Drill Speeds (rpm) - (1st/2nd/Rev.)	Drilling Gear Speed (rpm)	Gear Reduction	Engine Torque (Nm / ft./lb.)	Auger Torque (Nm / ft./lb.)	Toolless Fuel Cap	STIHL Quickstop® Braking System	Simplified Starting System	Anti-Vibration System	Vibration Dampening System	Caring for Nature	Made in America
BT 45 Wood Boring Drill		27.2/1.66	0.8/1.07	10.5	8.5	663/1,972 /590	-	_	_	_	•	_	-	•	-	-	
BT 45 Earth Auger Drill		27.2/1.66	0.8/1.07	10.5	8.5	663/1,972 /590	_	_	_	_	•	_	_	•	_	_	
BT 131 Earth Auger		36.3/2.2	1.4/1.9	22.0	24.0	_	200	47.5:1	1.7/1.25	81/60	•	•	•	_	•		_

● Standard ○ Optional − Not Applicable
*Dry weight and powerhead only.

Note: Specifications are as of Oct. 1, 2022. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice.

Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.







TSA 230 STIHL Cutquik®





Lightweight and easy to start, the TSA 230 is the world's first battery-powered cut-off machine, great to use outdoors or indoors for cutting brick, tile and metal.



TS 410 STIHL Cutquik®







The TS 410 features a 12" cutting wheel, while the X2 air filtration and anti-vibration system make this cut-off machine easy to use and maintain.



TS 500i STIHL Cutquik®







The TS 500i boasts the world's first electronically controlled fuel-injection system in a cut-off machine that increases power and performance while remaining lightweight and well-balanced.



TS 700 STIHL Cutquik®





A powerhouse designed for superior handling during the toughest jobs, the TS 700 features a powerful, high-speed engine, large fuel capacity and five-point dual element vibration control system.





TS 420 STIHL Cutquik®







Compact, lightweight and reliable, the TS 420 features all the high-performance features of the TS 410 with the added benefit of a 14" cutting wheel.



TS 800 STIHL Cutquik®





The TS 800 features a 16" cutting wheel, the largest size we offer in a handheld design, and a magnesium guard makes the machine a full 0.7 lbs. lighter than the previous model.



TS 440 STIHL Cutquik®








The TS 440 has expanded guard adjustability made possible by the STIHL Quickstop® Wheel Brake, which is designed to reduce the risk of injury from kickback when the guard has been adjusted to expose the top portion of the wheel.

IMPORTANT INFORMATION

WARNING: Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using

For full specification information for all STIHL Cutquik® Cut-Off Machines, please refer to



STIHL Cutquik® CART

Specially designed for matched cutting performance with the TS 410, TS 420, TS 500i, TS 700, and TS 800. This cart offers improved handling and cutting performance and features forward-weight orientation.



See your STIHL Dealer for more information.

Note: The base cart can be used with all current TS models (except TS 440) with use of different mounting kits. Base cart requires assembly and mounting kit must be purchased separately. Photo shows cart with optional equipment.

IMPORTANT INFORMATION

WARNING: Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using these products.

STIHL Cutquik® ACCESSORIES

TS WHEEL KIT



PRESSURIZED WATER TANK

Provides water flow for wet cutting when pressurized hose is not available.

Not for use with GS 461 STIHL ROCK BOSS®.



	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Engine Speed (rpm)	Maximum Spindle Speed (rpm)	Arbor Size (in.)	Maximum Wheel Size (in.)	Maximum Cutting Depth (in.)	STIHL ElastoStart™ Starter Handle	Anti-Vibration System	IntelliCarb™ Compensating Carburetor	Water Connection	Fuel Injection	X2 Air Filtration	Caring for Nature
STIHL Cutqui	k® Cut-	Off Mach	ines															
TS 410		66.7/4.07	3.2/4.4	-	20.7	24.0	9,000	5,350	0.79	12.0	3.9	0	•	•	•	_	•	(a)
TS 420		66.7/4.07	3.2/4.4	_	21.2	24.0	9,000	5,350	0.79	14.0	4.9	0	•	•	•	_	•	
TS 440		66.7/4.07	3.2/4.4	_	24.7	24.0	9,000	2,525	0.79	14.0	4.9	0	•	•	•	_	•	
TS 500i		72.2/4.41	3.9/5.2	_	22.5	24.5	9,000	5,350	0.79	14.0	4.9	•	•	_	•	•	•	
TS 700		98.5/6.0	5.0/6.7	_	25.6	40.6	9,300	5,350	0.79	14.0	4.9	•	•	•	•	-	•	_
TS 800		98.5/6.0	5.0/6.7	_	28.0	40.6	9,300	4,600	0.79	16.0	5.6	•	•	•	•	_	•	_
TSA 230	AP	-	-	36	8.6	-	-	_	0.875	9.0	2.75	-	-	-	•	-	-	

[●] Standard ○ Optional − Not Applicable

^{*}Dry weight and includes water attachment and guard.





D-B CONCRETE WHEELS

- · Available in three wheel grades
- Available in 9" (7/8" arbor)
- Available in 12", 14" and 16" (20 mm arbor)



D-X HARD STONE/ CONCRETE WHEELS

- Available in 9" (7/8" arbor)
- Features diamonds precisely aligned in the bond matrix for fast cutting speed and longer life.



D-BA CONCRETE/ ASPHALT WHEELS

 Available in 12", 14" and 16" (20 mm arbor)



D-G WHEELS

- Available in 14" (20 mm arbor)
- · Designed for cutting ductile iron
- For use with TS 420, TS 440, TS 500i, and TS 700



D-SB HARD STONE/ CONCRETE WHEELS

 Available in 14" and 16" (20 mm arbor)

	MATERIALS	Con	crete/Asphalt (I	BA)		Concrete (B)		Ductile Iron (G)	Hard Stone/ Concrete (SB)	Hard Stone/ Concrete (X)
	Wheel Grade	BA10	BA60	BA90	B 10	B 20	B 80	G 80	SB 90	X 100
	Cutting Rate*									
	Wheel Lifetime*									
Soft	Asphalt	•	•	•	0	0	0	0	0	0
Š	Green Concrete	•	•	•	0	0	0	0	0	0
٧	Sandstone, Limestone & Slate	•	•	•	0	0	0	0	0	0
tions	Cinder Block & Pavers	•	•	•	•	•	•	0	•	•
plicat	Concrete	•	•	•	•	•	•	0	•	•
Арр	Reinforced Concrete	•	•	•	•	•	•	0	•	•
V	Heavily Reinforced Concrete	0	0	•	0	0	•	0	•	•
臣	Granite & Natural Stone	0	0	0	0	0	0	0	•	•
포	Ductile Iron	0	0	0	0	0	0	•	0	0

lacktriangle Approved igcirc Not approved

WARNING! Never use carbide-tipped, wood cutting or circular saw blades on cut-off machines. They can cause severe personal injury from reactive forces, blade contact or thrown objects. **Never cut wood of any type!**



^{*}Compared to other STIHL wheels with a rating of 1 to 6.



K-BA MASONRY

- Available in 14"
- 20 mm



K-DG ASPHALT AND DUCTILE IRON

- Available in 12", 14" or 16"
- 20 mm



K-ME METAL

- Three different wheels available in 12", 14" and 16" wheels with 20 mm or 1" arbor (TS 410, 420, 500i, 700, and 800 only).
- 9" wheel with 7/8" arbor (TSA 230 only)



K-ME METAL

(TS 440 only)

- Available in 14"
- 20 mm
- Designed for TS 440 only

Note: The K-ME metal wheel (14" - 20 mm) is for use with the TS 440 only. Do not use the K-ME metal wheel (14" - 20 mm) on other cutting machines.



		Masonry	Asphalt / Ductile Iron	Metal	Metal (TS 440 only)	Metal (TSA 230 only)
	Cutting Rate*					
	Wheel Lifetime*					
	9" - TSA 230	_	_	-	-	6,650
Σ	12" - TS 410	-	6,400	6,400	-	_
Max.RPM	14" - TS 420, 500i, 700	5,500	5,500	5,500	-	-
Σ	14" - TS 440	-	-	-	3,450	_
	16" - TS 800	-	4,800	4,800	-	-
	Asphalt	0	•	0	0	0
	Green Concrete	•	0	0	0	0
	Cinder Block	•	0	0	0	0
	Brick	•	0	0	0	0
su	Masonry	•	0	0	0	0
Applications	Concrete Slab	•	0	0	0	0
plic	Concrete	•	0	0	0	0
Ą	Non-Ferrous Material	•	0	0	0	0
	Rebar	0	0	•	•	•
	Ductile Iron	0	•	•	•	•
	Structural Steel	0	0	•	•	•
	Stainless Steel	0	0	0	0	•

[■] Approved ○ Not approved

^{*}Compared to other STIHL wheels with a rating of 1 to 5.

CONCRETE CUTTER

Building on our reputation for creating innovative construction equipment, our concrete cutter packs the power needed to cut deep into tough job site materials.



GS 461 STIHL ROCK BOSS®



The first of its kind from STIHL, the GS 461 is a powerful concrete cutter designed for deep cutting and square corners - perfect for construction and renovation projects.





STIHL ROLLOMATIC® G GUIDE BAR

The STIHL ROLLOMATIC® G is a guide bar that is designed for the professional application of concrete and stone cutting. The bar requires no bar oil - it uses water and features internal water channels that are directed toward the cutting area. This delivers optimal cooling and debris flushing of the chain and sprocket nose. The bar also features an additional tensioning hole to further increase chain tensioner travel.

Available in 12, 16 and 18 inches.



NEW 36 GGM DUCTILE IRON DIAMOND CHAIN & BAR

Diamond abrasive chain designed exclusively for the GS 461 STIHL ROCK BOSS® for use with 18" STIHL ROLLOMATIC® guide bar — designed for wet-only cutting of up to 17.7 inches.



36 GGM - GENERAL PURPOSE DUCTILE IRON CHAIN

Diamond abrasive chain made exclusively for the GS 461 STIHL ROCK BOSS® for use with 16" STIHL ROLLOMATIC® guide bar for the cutting of ductile cast iron pipes.



36 GBM - GENERAL PURPOSE DIAMOND ABRASIVE CHAIN

Diamond abrasive chain made exclusively for the GS 461 STIHL ROCK BOSS® and STIHL ROLLOMATIC® guide bar.



NEW 36 GBE - ECONOMY/RENTAL DIAMOND ABRASIVE CHAIN

Features pre-sharpened diamond segments on every other link, providing high cutting speed in concrete and stone materials. Great for short-term projects that require precise cutting through tough materials.



RUBBER BUMPER

Rubber bumper in the front of the engine housing helps protect the unit in the cut.



HOSE NOZZLE

Quick-connect hose nozzle allows quick access to water hose.



UPRIGHT FILLER CAP

Designed for upright fueling. Keeps dust out.



HD2 FILTER SYSTEM

Long-life, heavy-duty (HD2), pleated air filter and a secondary filter that are easy to get on and off.




DECOMPRESSION VALVE

Helps reduce the effort needed to pull the starter rope.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Weight* (lbs.)	Fuel Capacity (oz.)	Low-Emission Engine	Diamond Abrasive Chain	Guide Bar Length (in.) - Recommended**	HD2 Air Filter	Side-access Chain Tensioner	Bayonet-Style Fuel Cap	Captive Bar Mount
CONCRETE CUTTER												
GS 461 STIHL ROCK BOSS®		76.5/4.67	4.3/5.8	16.8	26.4	•	3/8" 36 GBM	16	•	•	•	•





CHAIN SAW PROTECTIVE APPAREL

From lightweight open-back apron chaps to winter protective pants, we offer a complete line of chain saw protective apparel.

Our chaps are made with multiple layers of Avertic® Pro by Engtex®, a cut-retardant material designed to clog up the sprocket to stop the chain on a gasoline-powered chain saw.





FUNCTION ZIP CHAPS

Full wrap-around, lightweight protective chaps.



FUNCTION APRON CHAPS

Protective, open chaps made from rugged, 400-denier nylon.



With Foreign and Domestic Materials

WARNING FOR CORDED-ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers may not stop the sprocket on most corded-electric chain saws and some battery-powered chain saws because of the constant high torque. However, to reduce the severity of injury from accidental contact with the chain, STIHL recommends that leg protection be worn when operating these types of chain saws.

IMPORTANT INFORMATION

All STIHL chain saw leg protection meets or exceeds OSHA Regulation 1910.266 for Personal Protective Equipment for chain saw operators.

Note: Chaps are measured by overall length from the waist down. All chaps have a tough outer shell of oil/water-resistant nylon treated with rain/stain repellent.



FUNCTION DENIM PROTECTIVE PANTS

Protective work pants in dark navy.



DYNAMIC ZIP CHAPS

All-weather, full wraparound chaps with heavyduty zippers along the inseam for quick on and off.



DYNAMIC WINTER PROTECTIVE PANTS

Insulated protective pants designed for use in cold climates.



DYNAMIC PROTECTIVE PANTS

Pants feature nylon/ spandex outer shell for stretch and durability. Designed for loggers and users on the ground.



DYNAMIC BIB CHAPS

Open back apron chap design, featuring a bib with multiple pockets.



DYNAMIC HI-VIS APRON CHAPS

High-visibility chaps specially designed for work by emergency service personnel, tree service personnel and municipalities.



DYNAMIC APRON CHAPS

Apron-style chaps featuring full Avertic® Pro by Engtex® cut-retardant material.



DYNAMIC WRAP CHAPS

Rugged wrap chaps feature an adjustable waistband, additional protection around the lower leg, and a cargo pocket for additional storage.



SKIDDER BIB CHAPS

Ideal for those working with skidders and other heavy-duty logging equipment.



Pro Mark™ WRAP CHAPS

Orange chaps that extend fully around the lower leg for extra protection and feature reflective accents.



Pro Mark™ HI-VIS ZIP CHAPS

High-visibility chaps specially designed for work by emergency service personnel, tree service members and municipalities.



Pro Mark™ APRON CHAPS

Open-back design, featuring reinforced knees, reflective accents and pockets to keep things close. Available in orange or navy.



NEW STIHL TIMBERSPORTS® APRON CHAPS

Help keep chain saw operators safe and comfortable with nine layers of AVERTIC® PRO protective material and a durable, heavy-duty nylon outer shell.



Pro Mark™ SUMMER SHIRT

Made of breathable and moisture-wicking fabric, this protective shirt is designed to keep you comfortable and protected.



ADVANCE ARBORIST JACKET

This flexible, lightweight jacket features SuperFabric® abrasion-resistant elbows and lower arms and front chain saw protection.



ADVANCE ARBORIST PANTS

Protective pants feature SuperFabric® abrasion resistant lower leg area, added flexibility, storage, and venting.



ADVANCE APRON CHAPS

Protective apron chaps designed for professional chain saw user working on the ground.



APPAREL ACCESSORIES

- Replacement Waist Buckle for Chaps 1.5"
- Replacement Leg Buckle for Chaps 1"
- Waist Extender for Chaps 12"

WARNING FOR CORDED-ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers may not stop the sprocket on most cordedelectric chain saws and some battery-powered chain saws because of the constant high torque. However, to reduce the severity of injury from accidental contact with the chain, STIHL recommends that leg protection be worn when operating these types of chain saws.



Pro Mark™ CHAIN SAW PROTECTIVE GLOVES

Cut-retardant gloves made with Velcro wrist closure, full-grain tanned leather palms and inner fingers provide grip.



DYNAMIC FORESTRY BOOTS

High-quality, cut-resistant work boots with arch support and climate system for air circulation.

See chart on page 174 for available sizes.



Pro Mark™ CHAIN SAW BOOTS

High-quality, water-resistant boots with chain saw protective materials and removable orthopedic insoles.

FUNCTION Protective Apparel

is ideal for paired use with any of your Homeowner STIHL products. While designed for the occasional user, it still meets and exceeds the standards required for PPE.

DYNAMIC Protective Apparel

is designed for paired use with Farm & Ranch STIHL products. This line of PPE is ideal for users focusing on both personal and work-related tasks.

Pro Mark™ Protective Apparel

is best paired with Professional STIHL products. This line of personal protective apparel is designed for professional users during daily or frequent work.

ADVANCE Protective Apparel

is designed for paired use with Professional and/or Arborist STIHL products. This line of personal protective apparel is designed for professional users during daily or frequent work.

STIHL CHAPS
WILL WORK
AS HARD AS
YOU DO

The STIHL CHAPS GUIDE will help you choose the ideal pair of chaps for your intended use - the correct fit, which to wear based on the weather, as well as proper care.

SCAN WITH YOUR SMART PHONE »



IMPORTANT INFORMATION

NON-PROTECTIVE WORK APPAREL & ACCESSORIES

Designed to keep you visible and comfortable while on the job, our work apparel includes features like easy-fitting styles, high-visibility reflective properties, temperature-regulating materials, and convenient pockets to store the extras.





SHOP APRON

Apron hides grease and grime, and features pockets on the chest and the pouch for easily accessible storage.



CHAPRON

Chapron is made from a tough, nylon outer shell and designed for trimmer and brushcutter users.



REFLECTIVE SAFETY VEST

Reflective Safety Vest meets the standard for use along roadways and other high-traffic areas.



FUNCTION WORK SHIRT

Comfortable work shirt made from a twill-weave fabric for durability and natural resistance against wind, water and wrinkles. Available in orange and orange/denim.



FUNCTION WINTER SHIRT

Water-resistant nylon shirt with a layer of breathable Thinsulate® that retains body heat while allowing water vapor to escape.

PROTECTIVE HEAD & EAR GEAR

Quality hearing protection from STIHL is designed to match the level of protection required for the job.





FUNCTION HEARING PROTECTOR



DYNAMIC
BLUETOOTH®
HEARING PROTECTOR



NEW STIHL TIMBERSPORTS® HEARING PROTECTOR



Pro Mark™ HEARING PROTECTOR



NEW ADVANCE ProCOM HEADBAND

All-in-one innovative communication and hearing protection system for use without a helmet system. Designed to communicate easily in teams of up to 16 people and the headset connects wirelessly via Bluetooth® to your smart phone.



NEW ADVANCE ProCOM HELMET SYSTEM ACCESSORY*

ProCOM hearing protection and communication system for use with existing helmet systems (sold separately). Designed to easily communicate in teams of up to 16 people and the headset connects wirelessly via Bluetooth® to your smart phone.

The STIHL ProCOM App is available for download from the Google Play $^{\text{\tiny{TM}}}$ Store or Apple App Store $^{\otimes}$.



MESH VISOR KIT

A steel mesh visor that allows for airflow and fits with many STIHL hearing protectors.



POLYCARBONATE VISOR KIT

A clear face shield that works with a range of STIHL hearing protectors.



FUNCTION-BASIC HELMET SYSTEM

Comfortable helmet system with a sixpoint mount suspension and vented shell that provides cooling air during use.



FORESTRY
HELMET SYSTEM

Hard-shell helmet system features a Cool Guard sweatband, built-in rain gutter and adjustable hearing protectors.



Pro Mark™ HELMET SYSTEM

Quality helmet system with premium features, including a vented helmet shell and six-point, ratchet-style suspension to absorb shock.



ADVANCE X-VENT BLUETOOTH® HELMET SYSTEM

Allows users to make phone calls or stream their choice of sound entertainment without ever needing to remove hearing protection.



ADVANCE X-VENT HELMET SYSTEM

Advanced technology helmet system with a six-point suspension headband and large face shield.



ARBORIST HELMET

Lightweight helmet designed specifically for arborists and features an ABS thermoplastic outer shell.



CONSTRUCTION HARD HAT SYSTEM

Durable hard hat with an ABS thermoplastic outer shell and a clear PETG full-face shield.



PERSONAL PROTECTIVE EQUIPMENT KIT

Packed into an easy-to-store STIHL duffel bag, this money-saving kit includes everything needed to help you safely get to work. Each kit includes a FUNCTION BASIC helmet, 36" black 6-layer chaps, protective glasses, work gloves, and duffel bag with STIHL logo.



Pro Mark™ PERSONAL PROTECTIVE EQUIPMENT KIT

Packed into a durable black nylon duffel bag, this money-saving kit includes items needed to help you safely get to work. Each kit includes an orange STIHL Pro Mark™ helmet system, orange 9-layer apron chaps, protective glasses, and work gloves.

EYE PROTECTION

Featuring diverse frame designs and color, our glasses offer 99% UV protection and are made from optical-grade polycarbonate for impact resistance.

All STIHL protective glasses meet the ANSI Z87.1 standard.





ADJUSTER GLASSES

Lens: Smoke



TIMBERSPORTS® SERIES GLASSES

Lens: Smoke Mirror



BLACK WIDOW GLASSES

Lens: Indoor/Outdoor Mirror, Smoke Mirror



TWO-TONE WORK GLASSES

Lens: Smoke, Silver Mirror



CLASSIC VISION
POLARIZED GLASSES

Lens: Smoke



BLUE MIRROR GLASSES

Frame: Blue, Red



Lens: Brown



PATTERNED FRAME GLASSES

Lens: Smoke, Green Mirror, Silver Mirror



COTTON CANDY GLASSES

Lens: Smoke, Clear



GRIDIRON GLASSES

Lens: Silver Mirror, Clear, Smoke



ULTRA LIGHT GLASSES

Lens: Smoke



ULTRA FLEX GLASSES

Brown Frame - Lens: Brown; Black Frame - Lens: Smoke, Blue Mirror



SLEEK LINE II GLASSES

Lens: Smoke, Blue Mirror



ADJUSTABLE GOGGLES

Lens: Smoke



Pro Mark™ GOGGLES

Lens: Smoke, Clear



BLACK WRAP GLASSES

Lens: Smoke, Blue Mirror



CLEAR VISTA GLASSES

Lens: Blue Mirror, Smoke



DEPUTY GLASSES

PROTECTIVE APPAREL & ACCESSORIES

171

Lens: Blue Mirror, Smoke, Brown Mirror



TWO-TONE SPORT GLASSES

Lens: Smoke, Silver Mirror



HUNTER'S CAMO GLASSES

Lens: Gold Mirror



STIHL HELLRAISER™ GLASSES

Lens: Blue Mirror, Smoke



CAMO GLASSES

Lens: Bronze, Smoke, Yellow



DEPUTY II GLASSES

Lens: Ice Blue Mirror, Forest Grey



HELLFIRE GLASSES

Lens: Gold Mirror, Silver Mirror, Smoke



BLACK WORK GLASSES

Lens: Blue Mirror, Grey, Silver Mirror



SLEEK LINE GLASSES

Lens: Orange, Smoke, Mirror, Yellow



FROSTY GLASSES

Lens: Blue Mirror, Silver Mirror



WHITE ICE GLASSES

Lens: Blue Mirror, Orange Mirror, Silver Mirror

GLOVES

For heavy-duty use on worksites or just working in the yard, STIHL has work gloves for almost every outdoor task.





GOAT SKIN GLOVES S-M-L-XL



COTTON CANDY GLOVES

S-M



VALUE WORK GLOVES

M-L-XL

HEAVY-DUTY WORK GLOVES

M-L-XL



VALUE PRO GLOVES M-L-XL



GENERAL PURPOSE GLOVES

M-L-XL



WORK GLOVES One Size Fits Most



HOMESCAPER SERIES™ GLOVES

S-M-L-XL



HUNTER'S CAMO GLOVES

L-XL



LANDSCAPER SERIES GLOVES

S-M-L-XL





STIHL TIMBERSPORTS® SERIES GLOVES

"These are the most comfortable work gloves I have worn. I have used these gloves in a variety of scenarios; trimming, hauling brush, mowing...and these gloves just go right along."



Check out this review and others on the product pages at STIHLusa.com



MECHANIC STYLE GLOVES

M-L-XL



MESHBACK GLOVES

M-L-XL



HIGH PERFORMANCE PRO GLOVES

M-L-XL



ANTI-VIBRATION GLOVES

L-XL



STIHL TIMBERSPORTS® SERIES GLOVES

M-L-XL



PROSCAPER SERIES GLOVES

M-L-XL



OUTDOOR PRO GLOVES

M-L-XL

CHAIN SAW BROT	FECTIV	/F A DDA DEL	Small	Medium	Large	X-Large	XX-Large	XXX-Large	XXXX-Large
Pro Mark™ Protective			7010 883 1500	7010 883 1501	7010 883 1502	7010 883 1503	7010 883 1504		
DYNAMIC Winter Pa			0797 901 0001	0797 901 0002	0797 901 0003	0797 901 0004	7010 003 1304		
Pro Mark™ Summer SI		,	7010 883 7500	7010 883 7501	7010 883 7502	7010 883 7503	7010 883 7504	7010 883 7505	7010 883 7506
ADVANCE Arborist Ja			7010 883 3500	7010 883 3501	7010 883 3502	7010 883 3503			
			Small	Medium	Large	X-Large		Custom-Made to Orc	er
ADVANCE Arborist Pa			32: 7010 883 4200 34: 7010 883 4201 R: 7010 883 4208	32: 7010 883 4202 34: 7010 883 4203 R: 7010 883 4209	32: 7010 883 4204 34: 7010 883 4205 R: 7010 883 4210	32: 7010 883 4206 34: 7010 883 4207	7010 883 4299		
ADVANCE AIDOIIST FAI	iiits (VVO	men s sizes)	32" Length	36" Length	38" Length	40" Length	I 44" Length		
CHAIN SAW PROT	TECTIV	/E CHAPS	32 Length	30 Length	30 Length	40 Length	44 Length		
DYNAMIC Apron Cha	aps / O	range - 6 layer	0000 886 3201	0000 886 3202		0000 886 3203	0000 886 3206	5	
DYNAMIC Apron Chaps /	/TrueTin	nber® Camo - 6 layer	Slayer 0463 092 0101 0463 092 0201 0463 092 0301						
DYNAMIC Bib Chaps / T	TrueTim	ber® Camo – 6 layer			0463 092 1101				
DYNAMIC Hi-Vis Apr	ron Cha	ps - 6 layer	7010 884 0827	7010 884 0828		7010 884 0829	7010 884 0830		
DYNAMIC Zip Chaps		•	7010 884 0815	7010 884 0816		7010 884 0817	7010 884 0818		
Pro Mark™ Apron Ch			0000 886 3904	0000 886 3905		0457 970 0108			
Pro Mark™ Apron Ch	-		7010 885 0800	7010 871 1217		7010 885 0801	7010 00 4 0000		
Pro Mark™ Hi-Vis Zip		-	7010 884 0819	7010 884 0820		7010 884 0821	7010 884 0822		
Pro Mark™ Wrap Cha Skidder Bib Chap / O	-		0797 901 0012	0000 886 3907		7010 886 3900			
FUNCTION Apron CI		•	7010 884 0800	0797 333 9200					
FUNCTION Zip Chap	•	•	7010 884 0823	7010 884 0824		7010 884 0825	7010 884 0826		
DYNAMIC Wrap Cha		-		0000 886 3204		0000 886 3205			
ADVANCE Apron Cha	•	,	7010 885 2103	7010 885 2104		7010 885 2105	7010 885 2106		
NEW! STIHL TIMBER	RSPOR	TS® Apron Chaps	7010 885 0802	7010 885 0803		7010 885 0804	7010 885 0805		
		Black	Coyote	Denim			STIHL Pro Mark™ Chain Saw Boot	STIHL DYNAMIC Forestry Boot	Medium Forestry Boot Wide
CHAIN SAW PROT					CHAIN SA	W PROTECTIV	E BOOTS		
	30"	7010 885 6100	7010 885 6116	7010 888 6100	6.5		0000 885 3839	7010 885 3800	7010 885 3811
	32" 34"	7010 885 6101 7010 885 6102	7010 885 6117 7010 885 6118	7010 888 6101 7010 888 6102	7 7.5		0000 885 3839	7010 885 3812 7010 885 3814	7010 885 3813 7010 885 3815
	36"	7010 885 6103	7010 885 6119	7010 888 6103	8		0000 885 3840	7010 885 3816	7010 885 3817
	30"	7010 885 6104	7010 885 6120	7010 888 6104	8.5		0000 885 3841	7010 885 3818	7010 885 3819
M 34" - 36"	32"	7010 885 6105	7010 885 6121	7010 888 6105	9		0000 885 3842	7010 885 3820	7010 885 3821
	34"	7010 885 6106	7010 885 6122	7010 888 6106	9.5		0000 885 3843	7010 885 3822	7010 885 3823
	36" 30"	7010 885 6107 7010 885 6108	7010 885 6123 7010 885 6124	7010 888 6107 7010 888 6108	10 10.5		0000 885 3844	7010 885 3824	7010 885 3825 7010 885 3827
	32"	7010 885 6109	7010 885 6125	7010 888 6109	10.5		0000 885 3844	7010 885 3826 7010 885 3828	7010 885 3829
	34"	7010 885 6110	7010 885 6126	7010 888 6110	11.5		0000 885 3845	7010 885 3830	7010 885 3831
L 38" - 40"	36"	7010 885 6111	7010 885 6127	7010 888 6111	12		0000 885 3846	7010 885 3832	7010 885 3833
	30"	7010 885 6112	7010 885 6128	7010 888 6112	12.5		0000 885 3846	7010 885 3834	7010 885 3835
	32"	7010 885 6113	7010 885 6129	7010 888 6113	13		0000 885 3847	7010 885 3836	7010 885 3837
	34" 36"	7010 885 6114 7010 885 6115	7010 885 6130 7010 885 6131	7010 888 6114 7010 888 6115	13.5 14		0000 885 3847 0000 885 3848	7010 885 3838 7010 885 3840	7010 885 3839 7010 885 3841
XL 42 -44	-	7010 000 0110	7010 000 0101	7010 000 0115		I	0000 000 0040	7010 003 0040	7010 000 0041
HEAD/FACE PROT					ACCESSO	RIES			
ADVANCE X-VENT H		-		010 884 0110	First Aid Ki	it Pouch and Refill			7010 884 2600
ADVANCE X-VENT B		th® Helmet Systen		010 888 0801	First Aid Ki	it Belt Pouch			7010 884 2601
Pro Mark™ Helmet S	-			010 871 0199	First Aid Ki	it Refill			7010 884 2602
FUNCTION-BASIC F		System		010 888 0800	Lawn Mowe	er Bag			0797 010 1900
Forestry Helmet Sys	tem			000 886 0100	Lawn Mowe	er Bag - Personali:	ed		0797 010 1901
Arborist Helmet				010 883 9100	Leg Buckle	for Chaps 1" - Re	olacement		0000 886 5803
Construction Hard H	-	em		0000 884 0175	Waist Buck	le for Chaps 1.5"	Replacement		0000 886 5802
Polycarbonate Visor				010 884 0511	Waist Exte	nder for Chaps 12			0000 886 5901
Steel Mesh Visor Kit HEARING PROTE			7	010 884 0512	Wedge and	l Tool Pouch			0000 886 1600
Camouflage Hearing				0000 884 0513	Small Medium		Medium	Large	
Cotton Candy Hearing				010 884 0507	DUFFEL BAGS				
DYNAMIC BT Hearin	_			000 884 0519	STIHL Duff	el Bag	0463 901 0418	0463 901 0420	0464 091 0500
FUNCTION NRR 23	_			010 884 0508	Personalized	STIHL Duffel Bag	0463 901 0417	0463 901 0419	0000 886 1700
DYNAMIC NRR 26 Hearing Protector				010 884 0509	ADVANCE	PROCOM PRO	DUCTS		
Pro Mark™ Hearing Protector - HP 29			7	010 884 0510		ProCOM Headban			0000 884 0544
NRR 27 Reusable Ear		7	010 884 0401	ADVANCE P	ystems	0000 889 8011			
NRR 32 - 25 Ear Plug	n Plastic Reclosab	le Bottle 7	010 884 0405	ADVANCE P					
NEW! STIHL TIMBERSPORTS® Hearing Protection				010 884 0513	(needed for STIHL Pro Mark™ and FUNCTION BASIC helmet systems)				0000 889 8013
					ADVANCE I	ProCOM Hygiene I	(it		0000 889 9047
					ADVANCE I	ProCOM Micropho	ne		0000 889 9048

Sun Mirror/ Gold Mirror

7010 871 0280

7010 885 2101

7010 885 2102

7010 885 2100

Red Mirror/ Brown Mirror

Silver Mirror/ Smoke Mirror

Blue Mirror/ Green Mirror

Orange/ Orange Mirror

Brown/Coffee

PROTECTIVE GLASSES									
							1	1	1
NEW! Adjuster Glasses		7010 886 1201							
NEW! ADVANCE Super Fit		0000 884 0374	0000 884 0373		0000 884 0373	1			
	7010 884 0307						7010 884 0301		
Black Work		7010 884 0379				7010 884 0378	7010 884 0380	7010 00 4 0771	
Black Wrap		7010 884 0372				7110 884 0370		7010 884 0371	
Blue Mirror / Blue Frame						7010 884 0384			
Blue Mirror / Red Frame		7010 00 / 1000				7010 884 0385			
NEW! Bowcut Glasses		7010 886 1200	7010 00 / 0701						
Camo NEW! Classic Vision		7010 884 0320	7010 884 0321						
Polarized Glasses				7010 886 1202					
Cotton Candy		7010 884 0373	7010 884 0374						
Clear Vista		7010 884 0398				7010 884 0397			
Deputy		7010 884 0376				7010 884 0375		7010 884 0377	
Deputy II		7010 884 0396					7010 884 0395		
NEW! DYNAMIC Plus Light		0000 884 0371	0000 884 0370 0000 884 0372						
Frosty			0000 664 0372			7010 884 0388	7010 884 0390		
Gridiron		7010 884 0356	7010 884 0355			7010 004 0000	7010 884 0357		
Hellfire		7010 884 0351	. 5.5 554 5555				7010 884 0352		7010 884 035
Hunter's Camo		2.2 00 . 0001					33.0002		7010 884 038
Patterned Frame		7010 884 0381				7010 884 0382	7010 884 0383		1.2.0 004 000
Sleek Line		7010 884 0325	7010 884 0333		7010 884 0324	1 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	7010 884 0326		
Sleek Line II		7010 884 0393				7010 884 0392			
STIHL HellRaiser™		7010 884 0353				7010 884 0354			
STIHL TIMBERSPORTS®		22.0000				1	7010 884 0316		
Two-Tone Sport		7010 884 0369					7010 884 0368		
Two-Tone Work		7010 884 0386					7010 884 0387		
Ultra Flex		7010 884 0331		7010 884 0330)	7010 884 0332			
Ultra Light		7010 884 0391							
White Ice					7010 884 0367	7010 884 0366	7010 884 0365		
STIHL Pro Mark™ Goggles		7010 884 0363	7010 884 0362						
Adjustable Goggles		7010 884 0394							
ProPack, 4 Pair*		7010 884 0315	7010 884 0315						
*Comes with two grey and two clear.	ļ				1	1	ı	1	1
					A A STATE OF THE S				
PPOTECTIVE GLOVES			Small		Medium	Large	X-Lar	ge	
			Small		Medium				
Anti-Vibration Gloves				7010		Large 7010 884 1128	X-Lar 7010 884		
Anti-Vibration Gloves Cotton Candy Gloves			Small 7010 884 1152		884 1153	7010 884 1128	7010 884	1129	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves			7010 884 1152	7010	884 1153 884 1146	7010 884 1128 7010 884 1147	7010 884 7010 884	1129	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves				7010 7010	884 1153 884 1146 883 1601	7010 884 1128 7010 884 1147 7010 883 1602	7010 884 7010 884 7010 883	1129 1148 1603	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves			7010 884 1152	7010 7010 7010	884 1153 884 1146 883 1601 884 1110	7010 884 1128 7010 884 1147 7010 883 1602 7010 884 1111	7010 884 7010 884 7010 883 7010 884	1129 1148 1603 1112	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove	·s		7010 884 1152	7010 7010 7010	884 1153 884 1146 883 1601	7010 884 1128 7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501	7010 884 7010 884 7010 883 7010 884 7010 883	1129 1148 1603 1112 8502	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves	:S		7010 884 1152 7010 883 160	7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500	7010 884 1147 7010 883 1602 7010 883 8501 7010 883 1162	7010 884 7010 884 7010 883 7010 883 7010 883	11129 11148 1603 11112 8502 11163	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves	·s		7010 884 1152	7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110	7010 884 1128 7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501	7010 884 7010 884 7010 883 7010 884 7010 883	11129 11148 1603 11112 8502 11163	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves	ıs		7010 884 1152 7010 883 160	7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500	7010 884 1147 7010 883 1602 7010 883 8501 7010 883 1162	7010 884 7010 884 7010 883 7010 883 7010 883	11129 11148 1603 11112 8502 11163 5 1106	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves	·s		7010 884 1152 7010 883 160	7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105	7010 884 7010 884 7010 883 7010 883 7010 883 0000 886	11129 11148 1603 11112 8502 1163 5 1106	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves	·s		7010 884 1152 7010 883 160	7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160	7010 884 7010 884 7010 883 7010 884 7010 883 0000 886 7010 884	11129 11148 1603 1112 8502 1163 5 1106 1161	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Outdoor PRO Gloves Proscaper Series Gloves			7010 884 1152 7010 883 160	7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1150	7010 884 7010 883 7010 884 7010 883 7010 883 0000 886 7010 884 7010 884	11129 11148 1603 1112 8502 1163 5 1106 1161 1151 1102	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves			7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100	7010 884 1128 7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1150 7010 884 1150 7010 884 1101	7010 884 7010 883 7010 884 7010 883 7010 883 0000 884 7010 884 7010 884	11129 11148 1603 1112 8502 1163 5 1106 1161 1151 1102	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G	loves		7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103	7010 884 1147 7010 883 1602 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1150 7010 884 1101 7010 884 1101	7010 884 7010 883 7010 883 7010 883 7010 883 0000 886 7010 884 7010 884 7010 884	11129 11148 1603 1112 8502 1163 5 1106 1161 1151 1102 1105 1142	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves	loves		7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1150 7010 884 1101 7010 884 1104 7010 884 1134	7010 884 7010 883 7010 883 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 1112 18502 1163 16 1106 1161 1151 11002 11005 11142 1135	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Series Value PRO Gloves	loves		7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133 884 1137	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1150 7010 884 1101 7010 884 1104 7010 884 1134 7010 884 1134	7010 884 7010 884 7010 883 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 11112 8502 1163 16 1106 1161 11151 11002 11005 11142 11135 11139	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Serie Value PRO Gloves	loves		7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1150 7010 884 1101 7010 884 1104 7010 884 1134 7010 884 1138 7010 884 1135	7010 884 7010 883 7010 883 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 11112 8502 1163 16 1106 1161 11151 11002 11005 11142 11135 11139	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Serie Value PRO Gloves Value Work Gloves	loves es Gloves		7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133 884 1137	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1150 7010 884 1101 7010 884 1104 7010 884 1134 7010 884 1134	7010 884 7010 884 7010 883 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 11112 8502 1163 16 1106 1161 11151 11002 11005 11142 11135 11139	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Serie Value PRO Gloves Value Work Gloves Work Gloves	loves es Gloves		7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133 884 1137	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1150 7010 884 1150 7010 884 1101 7010 884 1104 7010 884 1134 7010 884 1138 7010 884 1135 7010 884 1155 7010 884 1126	7010 884 7010 884 7010 883 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 11112 8502 1163 16 1106 1161 11151 11002 11005 11142 11135 11139	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Series Value PRO Gloves Value Work Gloves Work Gloves Work Gloves NON-PROTECTIVE APPAR	loves es Gloves		7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133 884 1154	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1150 7010 884 1150 7010 884 1101 7010 884 1101 7010 884 1134 7010 884 1138 7010 884 1125 7010 884 1126	7010 884 7010 884 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 1112 8502 1163 5 1106 11161 11151 1102 1105 1142 1135 1139 1156	010 884 0407
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Serie Value PRO Gloves Value Work Gloves Work Gloves Work Gloves NON-PROTECTIVE APPAR Chapron Reflective Safety Vest	loves es Gloves		7010 884 1152 7010 883 160 7010 884 1120	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133 884 1137	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1150 7010 884 1150 7010 884 1101 7010 884 1101 7010 884 1134 7010 884 1138 7010 884 1126 0797 110 9000 7010 884 0601	7010 884 7010 884 7010 883 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 1112 8502 1163 5 1106 11161 11151 1102 1105 1142 1135 1139 1156	010 884 0603
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Series Value PRO Gloves Value Work Gloves Work Gloves Work Gloves NON-PROTECTIVE APPAR Chapron Reflective Safety Vest	loves es Gloves		7010 884 1152 7010 883 160 7010 884 1120 7010 884 1136	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1133 884 1137 884 1154	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1150 7010 884 1101 7010 884 1104 7010 884 1134 7010 884 1138 7010 884 1126 0797 110 9000 7010 884 0601 0000 886 3200	7010 884 7010 883 7010 884 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 11112 8502 1163 5 1106 1161 11151 1102 1105 1142 1135 1139 11156	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Serie Value PRO Gloves Work Gloves Work Gloves Work Gloves NON-PROTECTIVE APPAR Chapron Reflective Safety Vest Shop Apron	loves es Gloves REL		7010 884 1152 7010 883 160 7010 884 1120 7010 884 1136	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133 884 1154	7010 884 1128 7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1160 7010 884 1101 7010 884 1104 7010 884 1134 7010 884 1138 7010 884 1135 7010 884 1126 0797 110 9000 7010 884 0601 0000 886 3200 0797 333 9117	7010 884 7010 883 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 11112 88502 1163 16 1106 1161 11151 11002 11005 11142 11135 11139 11156	97 333 9119
Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Serie Value PRO Gloves	loves es Gloves REL		7010 884 1152 7010 883 160 7010 884 1120 7010 884 1136	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1133 884 1137 884 1154	7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1150 7010 884 1101 7010 884 1104 7010 884 1134 7010 884 1138 7010 884 1126 0797 110 9000 7010 884 0601 0000 886 3200	7010 884 7010 883 7010 884 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 11112 88502 1163 16 1106 1161 11151 11002 11005 11142 11135 11139 11156	
Anti-Vibration Gloves Cotton Candy Gloves General Purpose Gloves NEW! Goat Skin Gloves Heavy-Duty Work Gloves High-Performance PRO Glove Hunter's Camo Gloves Landscaper Series Gloves Meshback Gloves Outdoor PRO Gloves Proscaper Series Gloves STIHL HomeScaper Series™ G STIHL Mechanic Style Gloves STIHL TIMBERSPORTS® Serie Value PRO Gloves Work Gloves Work Gloves Work Gloves NON-PROTECTIVE APPAR Chapron Reflective Safety Vest Shop Apron	loves es Gloves REL		7010 884 1152 7010 883 160 7010 884 1120 7010 884 1136	7010 7010 7010 7010 7010 7010 7010 7010	884 1153 884 1146 883 1601 884 1110 883 8500 0 886 1104 884 1157 884 1149 884 1100 884 1103 884 1140 884 1133 884 1154	7010 884 1128 7010 884 1147 7010 883 1602 7010 884 1111 7010 883 8501 7010 883 1162 0000 886 1105 7010 884 1160 7010 884 1160 7010 884 1101 7010 884 1104 7010 884 1134 7010 884 1138 7010 884 1135 7010 884 1126 0797 110 9000 7010 884 0601 0000 886 3200 0797 333 9117	7010 884 7010 883 7010 883 7010 883 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884 7010 884	11129 11148 1603 11112 8502 1163 15 1106 1161 11151 11002 11005 11142 11135 1139 1156 0602 70 9118 07 9108 97 9108 97	97 333 9119

Indoor/ Outdoor

Personal Protective Equipment Kit

Pro Mark™ Personal Protective Equipment Kit

Grey/Smoke

Yellow/Clear





STIHL TIMBERSPORTS® – known as The Original Extreme Sport – began in 1985 and features the world's top lumberjack sports athletes. The sport is seen by more than 20 million viewers annually in more than 62 countries around the world on networks like CBS, CBS Sports, Eurosport, and more.

Learn more at STIHLTIMBERSPORTS.COM.



INDEPENDENT WE STAND

POWERED BY 571HL

STIHL Inc. is proud to be a founding sponsor of Independent We Stand, an organization that promotes independently owned business and touts the benefits of "buying local." Since 1974, STIHL has "walked the walk" by selling its products through a network of independent servicing dealers.

Stand up and become part of the movement today at **IndependentWeStand.org.**

WARRANTIES AND TRADEMARKS

The following trademarks are owned by ANDREAS STIHL AG & Co. KG, Waiblingen: March 30, 2020

STIHL REGISTERED TRADEMARKS

- 1. STIHL®
- 2. **STIHL** (Registered) **STIHL** (Official Logo)
- 3. **[5]**.
- 4. The color combination (US Registrations #2,821,860; 3,010,057; 3,010,058; 3,400,477; and 3,400,476)
- 5. 📆®
- 6. 📦
- 7.
- 8.
- 9.
- 10. USERVICE
- 11. AutoCut®
- 12. DIRT BOSS®
- 13. FARM BOSS®
- 14. iCADEMY®
- 15. iMOW®
- 16. KISS MY AXE®
- 17. MAGNUM®
- 18. MasterWrench Service®
- 19. MotoMix®
- 20. OILOMATIC®
- 21. ROCK BOSS®
- 22. STIHL Cutquik®
- 23. STIHL DUROMATIC®
 24. STIHL Quickstop®
- 24. STIFL QUICKSTOP
- 25. STIHL ROLLOMATIC®
- 26. STIHL WOOD BOSS®
- 27. TIMBERSPORTS®
- 28. WOOD BOSS®
- 29 YARD BOSS®

SOME OF THE STIHL COMMON LAW TRADEMARKS

- 30. STIHL Injection™
- 31. Team STIHL
- 32. 4-MIX™
 33. BioPlus™
- 34. Easy2Start™
- 35. EasySpool™
- 36. FlastoStart™
- 37. Ematic™
- 38. FixCut™
- 39. IntelliCarb™
- 40. Master Control Lever™
- 41. Micro™
- 42. On A Single Charge™
- 43. Pro Mark™
- 44. Quiet Line™
- 45. STIHL Moto4™
- 46. STIHL M-Tronic™
- 47. STIHL OUTFITTERS™
- 48. STIHL PICCO™
- 49 STIHL PolyCut™
- 50. STIHL PowerSweep™
- 51. STIHL Precision Series™
- 52. STIHL RAPID™
- 53. STIHL SuperCut™
- 54. TapAction™
- 55. TrimCut™

STIHL Limited Warranty Time Periods

Current Models	Personal, Family Household Use	Commercial Use
Battery-Powered Tools (Except top-handle chain saws and cut-off machines)	3 years	2 years
Gasoline Chain Saws (Except top-handle chain saws)	l year	3 months
120 Volt Electric Chain Saws	1 year	3 months
Top-Handle Chain Saws*	-	3 months
Cut-Off Machines, Concrete Cutter*	-	3 months
Pressure Washers	2 years	l year
Trimmers and Brushcutters, Clearing Saws, Edgers, Blowers and SR Sprayers, Hedge Trimmers, Pole Pruners, KM Series, MM Series and Wet/Dry Vacuums	2 years	2 years
SG Manual Pump Sprayers	l year	1 year
Gearbox and Interchangeable Attachments	2 years	2 years
*Marketed for commercial use only.		

Additional information regarding the STIHL Limited Warranty policy is available at www.STIHLusa.com/warranty.html.



The 2-Year Limited Warranty Coverage

For commercial users on STIHL lawn care equipment and other selected power tools for commercial users, the 2-Year Limited Warranty is in addition to STIHL's industry-leading, extended warranty coverage for the drive shaft. You can depend on your STIHL equipment to work as hard as you do, and for STIHL to stand behind its equipment. See your STIHL Dealer for details.



When you purchase either STIHL HP Ultra Oil (six bottles) or STIHL MotoMix® Patented Premixed Fuel (one gallon minimum)

Double limited warranty protection applies to select STIHL gasoline-powered products purchased for personal non-income producing, household purposes only. Other restrictions apply. See dealer for details or refer to STIHL's Limited Warranty Policy at www.STIHLusa.com.

All STIHL products are warranted for 3 months when product is used for rental purposes.

All STIHL model PA axes, PH hedge shears, PL loppers, PP pruners, and PS pruning saws are warranted to the original consumer for as long as the appropriate spare part or product continues to be available from STIHL. Products used for rental use are excluded.

STIHL products sold through U.S. retailers are for distribution in the United States only.



Get the Official STIHL App

Your mobile device is about to get even more powerful. The official STIHL App puts a wide range of STIHL resources at your fingertips. Find products, find STIHL Dealers and connect to the STIHL community. Already a STIHL owner? Enjoy quick access to product manuals, how-to articles and videos. Available in the iTunes App Store™ and Google Play.™

NOTE: STIHL recommends using fuel with no more than 10% Ethanol content. Using fuel with greater than 10% Ethanol content may cause damage to your equipment and may void your STIHL limited warranty.

This listing of trademarks is subject to change. Any unauthorized use of these trademarks without the express written consent of ANDREAS STIHL AG & Co. KG, Waiblingen is strictly prohibited. STIHL's philosophy is to continually improve all of its products. As a result, engineering changes and improvements are made from time to time. Specifications and photos are as of October 1, 2022, and are subject to change without notice.

